

# **Properties of Distorted Tetraphenylporphyrins**

Thesis by  
Julia A. Hodge

In Partial Fulfillment of the Requirements for the Degree of Doctor of Philosophy

California Institute of Technology  
Pasadena, California  
1995

(Submitted December 29, 1994)

**Acknowledgments:**

I owe a large debt of gratitude to my advisor, Harry B. Gray. Harry, thanks for your faith in and support of me. I will always look back on the time I have spent in your labs with gratitude for the learning I was allowed to do there. Additionally, I can't count the number of times I walked into your office demoralized only to emerge rejuvenated.

I have put off writing this part of my thesis for as long as possible as I know that I will not be able to do justice to my feelings for people at Caltech, both past and present, in print. Your friendship has been and continues to be a vital part of my life. I will see you all and tell you in person.

To all the people who I have had the pleasure to work with thank you for teaching me all the things you did and for making my graduate career relatively painless.

Ultimately, without your help in one respect or another, none of this would have been possible. Thanks.

**Abstract:**

X-ray crystallographic structure determinations reveal that tetrakis(pentafluorophenyl)-porphyrin derivatives substituted with bulky  $\beta$ -substituents undergo a tetrahedral distortion that reduces the macrocyclic symmetry from  $D_{4h}$  to  $D_2$ . The nickel complex of [2,3,7,8,12,13,17,18-octabromo-5,10,15,20-tetrakis(pentafluorophenyl)porphyrin], NiTFPPBr<sub>8</sub>, has nitrogen atoms displaced  $\pm 0.192$  Å and *meso*-carbons  $\pm 0.211$  Å from the plane of the porphyrin. Despite large conformational changes, bond distances and angles are essentially conserved for all tetraphenylporphyrins. Electrochemical and UV-vis spectroelectrochemical experiments revealed a novel, ligand-centered two-electron (2e) oxidation for Zn and Mg derivatives. Values for the 1e potentials were calculated from  $K_{\text{disp}}$ , the constant for the disproportionation of the singly oxidized product into the doubly oxidized and the neutral species,  $E^{\circ'}_{2+/0}$ , and the Nernst equation. The redox potentials are consistent with semiempirical AM1 calculations that indicate that  $D_{4h} \rightarrow D_2$  distortion destabilizes the HOMOs ( $a_{1u}$ ,  $a_{2u} \rightarrow a$ ,  $b_1$ ) preferentially over the ( $e_g \rightarrow b_2$ ,  $b_3$ ) LUMOs whereas halogen substitution lowers the energy of both the HOMO and the LUMO approximately equally. Consistent with the *meso*-substituent influencing relative ordering, EPR spectra of ZnTPP<sup>+</sup>, and ZnTFPP<sup>+</sup>, and ZnTFPPBr<sub>8</sub><sup>+</sup> reveal  $a_{2u}$ ,  $a_{1u}$ , and  $a(a_{1u})$  HOMOs, respectively. Furthermore, the  $\beta$ -octaethyl and octamethyl tetrakis(pentafluorophenyl)porphyrins undergo a similar net 2e oxidation. Thus, the distortion observed in the neutral molecule appears to mirror an electronically favorable geometry for the doubly oxidized product. An understanding of the sterics and electronics that influence frontier orbital energy levels creates the possibility of tuning porphyrins for a variety of applications: light harvesting, electron transfer, and catalytic reactions involving 2e reductions.

**Table of Contents:**

Acknowledgments		ii
Abstract		iii
Table of Contents		iv
List of Figures		v
List of Tables		viii
Chapter 1	Introduction	1
Chapter 2	Synthesis and Characterization of Tetrakis(pentafluorophenyl)porphyrins	12
Chapter 3	Electrochemistry	47
Chapter 4	Electronic Structure	73
Chapter 5	Revelations	105
Appendix 1	Supplementary Material for the X-ray Crystal Structure Determination of H <sub>2</sub> TFPP.	110
Appendix 2	Supplementary Material for the X-ray Crystal Structure Determination of CuTFPP.	135
Appendix 3	Supplementary Material for the X-ray Crystal Structure Determination of CuTFPPCl <sub>8</sub> .	172
Appendix 4	Supplementary Material for the X-ray Crystal Structure Determination of H <sub>2</sub> TFPPBr <sub>8</sub> .	212
Appendix 5	Supplementary Material for the X-ray Crystal Structure Determination of NiTFPPBr <sub>8</sub> .	238
Appendix 6	Supplementary Material for the X-ray Crystal Structure Determination of CuTFPPBr <sub>8</sub> .	279
Appendix 7	Supplementary Material for the X-ray Crystal Structure Determination of ZnTFPPBr <sub>8</sub> .	320
Appendix 8	Resonance Raman Spectra of NiTFPP and NiTFPPBr <sub>8</sub> .	341



## List of Figures

### Chapter 1

Figure 1.1	Common natural and synthetic porphyrins.	9
Figure 1.2	$\beta$ -octasubstituted (H, Cl, Br, Me, Et) 5,10,15,20-tetrakis-(pentafluorophenyl)porphyrins with atomic numbering scheme and nomenclature.	11

### Chapter 2

Figure 2.1	Scheme for synthesis of $\beta$ -octamethyltetraphenylporphyrins.	36
Figure 2.2	X-ray crystallographically determined structures for $H_2TFPP$ , $H_2TFPPCl_8$ , and $H_2TFPPBr_8$ .	38
Figure 2.3	X-ray crystallographically determined structures for $CuTFPP$ , $CuTFPPCl_8$ , and $CuTFPPBr_8$ .	40
Figure 2.4	X-ray crystallographically determined structures for $H_2TFPP$ , $H_2TFPPCl_8$ , and $H_2TFPPBr_8$ with $\beta$ -substituents and pentafluorophenyl groups removed.	42
Figure 2.5	X-ray crystallographically determined structures for $CuTFPP$ , $CuTFPPCl_8$ , and $CuTFPPBr_8$ with $\beta$ -substituents and pentafluorophenyl groups removed.	44
Figure 2.6	Geometry of distortion. Displacements of selected atoms from the average porphyrin plane for $NiTFPPBr_8$ .	46

### Chapter 3

Figure 3.1	Cyclic voltammograms of $ZnTFPP$ and $ZnTFPPX_8$ ( $X = Me, Cl, Br$ ) in 0.1 <u>M</u> $TBAPF_6/CH_2Cl_2$ .	59
Figure 3.2	Changes in the absorption spectrum of $ZnTFPP$ in 0.1 <u>M</u> $TBAPF_6/CH_2Cl_2$ recorded during a slow (4 mV/s) cyclic potential sweep.	61
Figure 3.3	(a) Electronic spectra of $ZnTFPP$ (— • —), $ZnTFPP^+$ (——), and $ZnTFPP^{2+}$ (---) in 0.1 <u>M</u> $TBAPF_6/CH_2Cl_2$ . (b) Electronic spectra of $ZnTFPPBr_8$ (— • —), $ZnTFPPBr_8^+$ (——), and $ZnTFPPBr_8^{2+}$ (---) in 0.1 <u>M</u> $TBAPF_6/CH_2Cl_2$ .	63
Figure 3.4	Changes in the absorption spectrum of $ZnTFPPMe_8$ in 0.1 <u>M</u> $/CH_2Cl_2$ recorded during a slow (4 mV/s) cyclic potential sweep.	65

Figure 3.5	EPR spectra for the electrochemically generated $\pi$ -cation radicals of ZnTPP ( $^2A_{1u}$ )( $g = 2.03$ ), ZnTFPP ( $^2A_{1u}$ )( $g = 2.05$ ), and ZnTFPPBr <sub>8</sub> ( $^2A(^2A_{1u})$ )( $g = 2.015$ ).	67
Figure 3.6	Cyclic voltammograms of CuTFPP and CuTFPPMe <sub>8</sub> in 0.1 M TBAPF <sub>6</sub> /CH <sub>2</sub> Cl <sub>2</sub> .	69
Figure 3.7	Changes in the absorption spectrum of CoTFPPBr <sub>8</sub> in 0.1 M TBAPF <sub>6</sub> /CH <sub>2</sub> Cl <sub>2</sub> recorded during a slow (4 mV/s) cyclic potential sweep showing (a.) the oxidation of Co(II) to Co(III) and (b.) the reduction of Co(II) to Co(I).	71
<b>Chapter 4</b>		
Figure 4.1	Typical UV-vis spectrum of planar porphyrin (ZnOEP) showing B (Soret) and Q bands.	85
Figure 4.2	Gouterman's Four Orbital Model. Configuration interaction between ( $a_{1u}e_g$ ) and ( $a_{2u}e_g$ ) produces excited Q and B states corresponding to observed Q and B transitions in electronic spectra of porphyrins.	87
Figure 4.3	Pictures of calculated electron probability distributions for the frontier orbitals of $D_2$ porphyrins.	89
Figure 4.4	UV-vis spectra of CuTFPP, CuTFPPCl <sub>8</sub> , and CuTFPPBr <sub>8</sub> showing (a.) relative extinction coefficients and (b.) normalized spectra. Recorded in acetonitrile.	91
Figure 4.5	UV-vis spectra of PdTFPPBr <sub>8</sub> , CuTFPPBr <sub>8</sub> , and ZnTFPPBr <sub>8</sub> , demonstrating metal effects. Recorded in CH <sub>2</sub> Cl <sub>2</sub> .	94
Figure 4.6	UV-vis spectra of PdTFPPMe <sub>8</sub> , CuTFPPMe <sub>8</sub> and ZnTFPPMe <sub>8</sub> . Recorded in CH <sub>2</sub> Cl <sub>2</sub> .	97
Figure 4.7	UV-vis spectra of ZnTFPPMe <sub>8</sub> , ZnTFPPEt <sub>8</sub> , and ZnTFPPBr <sub>8</sub> . Recorded in CH <sub>2</sub> Cl <sub>2</sub> .	100
Figure 4.8	UV-vis spectra of CuT(2,6)FPPMe <sub>8</sub> and ZnT(2,6)FPPMe <sub>8</sub> , and CuTFPPMe <sub>8</sub> . Recorded in CH <sub>2</sub> Cl <sub>2</sub> .	102
Figure 4.9	Qualitative MO scheme showing effects of substituents on the relative energies of the $a(a_{1u})$ and the $b_1(a_{2u})$ orbitals for a series of tetraphenylporphyrins.	104
<b>Appendix 1</b>		
Figure A1.1	ORTEP diagram for H <sub>2</sub> TFPP (50% probability ellipsoids) and numbering scheme for macrocycle.	110
<b>Appendix 2</b>		

Figure A2.1	ORTEP diagram for CuTFPP (50% probability ellipsoids) and numbering scheme for macrocycle.	135
<b>Appendix 3</b>		
Figure A3.1	ORTEP diagram for CuTFPPCl <sub>8</sub> (50% probability ellipsoids) and numbering scheme for macrocycle.	172
<b>Appendix 4</b>		
Figure A4.1	ORTEP diagram for H <sub>2</sub> TFPPBr <sub>8</sub> (50% probability ellipsoids) and numbering scheme for macrocycle.	212
Figure A4.2	ORTEP diagram for H <sub>2</sub> TFPPBr <sub>8</sub> unit cell (50% probability ellipsoids).	213
<b>Appendix 5</b>		
Figure A5.1	ORTEP diagram for NiTFPPBr <sub>8</sub> (50% probability ellipsoids) and numbering scheme for macrocycle.	238
<b>Appendix 6</b>		
Figure A6.1	ORTEP diagram for CuTFPPBr <sub>8</sub> (50% probability ellipsoids) and numbering scheme for macrocycle.	279
<b>Appendix 7</b>		
Figure A7.1	ORTEP diagram for ZnTFPPBr <sub>8</sub> (50% probability ellipsoids) and numbering scheme for macrocycle.	320
Figure A7.2.	ORTEP diagram for ZnTFPPBr <sub>8</sub> unit cell (50% probability ellipsoids). The representation is a projection down the b axis (c is horizontal).	321

**List of Tables****Chapter 1**

Table 1.1	Abbreviations for Natural and Synthetic Porphyrins	7
-----------	--	---

**Chapter 2**

Table 2.1	Selected Average Bond Lengths for Planar Porphyrins.	29
Table 2.2	Selected Average Bond Lengths for Distorted TFPP Derivatives.	30
Table 2.3	Selected Average Angles for Planar Porphyrins.	31
Table 2.4	Selected Average Angles for Distorted TFPP Derivatives.	32
Table 2.5	Average Deviations of Atoms from Porphyrin Plane and Core Sizes for TFPP and TFPPCl <sub>8</sub> Derivatives.	33
Table 2.6	Average Deviation of Atoms from Porphyrin Plane and Core Sizes for Distorted TFPPBr <sub>8</sub> Derivatives.	33
Table 2.7	Average Deviation of Atoms from Porphyrin Plane and Core Sizes for Distorted Octaalkyl Porphyrins.	34
Table 2.8	Structure-Sensitive Resonance Raman Marker Bands for Planar and Distorted Ni(II)Tetraphenylporphyrins.	34

**Chapter 3**

Table 3.1	Reduction Potentials of Zinc(II) and Mg(II) Porphyrins.	56
Table 3.2	Reduction Potentials of Copper(II) and Palladium(II) Porphyrins.	56
Table 3.3	Reduction Potentials of Cobalt Porphyrins.	57

**Chapter 4**

Table 4.1	Soret Bands of Metallotetraphenylporphyrins ( $\lambda_{\max}$ /nm in CH <sub>2</sub> Cl <sub>2</sub> ).	83
Table 4.2	Soret Bands of Related Metalloporphyrins ( $\lambda_{\max}$ /nm in CH <sub>2</sub> Cl <sub>2</sub> ).	83

**Appendix 1**

Table A1.1	Crystal and Intensity Collection Data for H <sub>2</sub> TFPP.	111
Table A1.2	Final Refined Heavy Atom Parameters x10 <sup>4</sup> for H <sub>2</sub> TFPP.	112
Table A1.3	Complete Distances and Angles for H <sub>2</sub> TFPP.	114
Table A1.4	Final Refined Hydrogen Atom Parameters for H <sub>2</sub> TFPP.	118
Table A1.5	Observed and Calculated Structure Factors for H <sub>2</sub> TFPP.	119

**Appendix 2**

Table A2.1	Crystal and Intensity Collection Data for CuTFPP.	135
Table A2.2	Final Refined Heavy Atom Parameters x10 <sup>4</sup> for CuTFPP.	136

Table A2.3	Complete Distances and Angles for CuTFPP.	139
Table A2.4	Final Refined Hydrogen Atom Parameters for CuTFPP.	143
Table A2.5	Anisotropic Displacement Parameters for CuTFPP.	144
Table A2.6	Observed and Calculated Structure Factors for CuTFPP.	146
<b>Appendix 3</b>		
Table A3.1	Crystal and Intensity Collection Data for CuTFPPCl <sub>8</sub> .	173
Table A3.2	Final Refined Heavy Atom Parameters x10 <sup>4</sup> for CuTFPPCl <sub>8</sub> .	174
Table A3.3	Complete Distances and Angles for CuTFPPCl <sub>8</sub> .	177
Table A3.4	Observed and Calculated Structure Factors for CuTFPPCl <sub>8</sub> .	181
<b>Appendix 4</b>		
Table A4.1	Crystal and Intensity Collection Data for H <sub>2</sub> TFPPBr <sub>8</sub> .	214
Table A4.2	Final Refined Heavy Atom Parameters x10 <sup>4</sup> for H <sub>2</sub> TFPPBr <sub>8</sub> .	215
Table A4.3	Complete Distances and Angles for H <sub>2</sub> TFPPBr <sub>8</sub> .	217
Table A4.4	Observed and Calculated Structure Factors for H <sub>2</sub> TFPPBr <sub>8</sub> .	220
<b>Appendix 5</b>		
Table A5.1	Crystal and Intensity Collection Data for NiTFPPBr <sub>8</sub> .	239
Table A5.2	Final Refined Heavy Atom Parameters x10 <sup>4</sup> for NiTFPPBr <sub>8</sub> .	240
Table A5.3	Complete Distances and Angles for NiTFPPBr <sub>8</sub> .	245
Table A5.4	Observed and Calculated Structure Factors for NiTFPPBr <sub>8</sub> .	249
<b>Appendix 6</b>		
Table A6.1	Crystal and Intensity Collection Data for CuTFPPBr <sub>8</sub> .	280
Table A6.2	Final Refined Heavy Atom Parameters x10 <sup>4</sup> for CuTFPPBr <sub>8</sub> .	281
Table A6.3	Complete Distances and Angles for CuTFPPBr <sub>8</sub> .	286
Table A6.4	Observed and Calculated Structure Factors for CuTFPPBr <sub>8</sub> .	290
<b>Appendix 7</b>		
Table A7.1	Crystal and Intensity Collection Data for ZnTFPPBr <sub>8</sub> .	321
Table A7.2	Final Refined Heavy Atom Parameters x10 <sup>4</sup> for ZnTFPPBr <sub>8</sub> .	322
Table A7.3	Complete Distances and Angles for ZnTFPPBr <sub>8</sub> .	323
Table A7.4	Observed and Calculated Structure Factors for ZnTFPPBr <sub>8</sub> .	329

**CHAPTER 1:**  
**INTRODUCTION**

Porphyrins and porphyrin-like species have been and continue to be the subjects of numerous studies stemming from their central roles in diverse biological reactions. They are light harvesters and reductants<sup>1</sup> in the photosynthetic reaction center, and ligands both in the catalytic sight in monooxygenase enzymes, such as cytochrome C and catalase, and in the center for reversible oxygen binding in hemoglobins and myoglobins.<sup>2,3</sup> They are the pigments that produce the green color in plants and the red and blue colors of blood. Symmetric porphyrins, such as 5,10,15,20-tetraphenylporphyrin TPP and octaethylporphyrin, OEP, have been synthesized. Figure 1 contains pictures of the various natural, with, in some cases, an indication of the enzyme or environment that they can be found in, and synthetic porphyrin derivatives. It is of interest to explore the properties of metalloporphyrins not only to gain insight into their biological functions, but also in order to exploit their catalytic and light-harvesting potential. In nature the functionality and effectiveness of the metalloporphyrin is dependent not only on environment, i.e., the size of enzyme pocket or availability of axially coordinating ligands, but also upon the nature of the substitution around the porphyrin macrocycle. The  $\beta$ -octaalkylated derivatives of TPP have been studied to understand the effects of changes in macrocyclic conformation on biological function.<sup>4-10</sup>

The studies presented here concern synthetic TPP derivatives, specifically the  $\beta$ -halogenated and alkylated derivatives of TFPP (TFPP = 5,10,15,20-tetrakis(pentafluorophenyl)porphyrin),<sup>11</sup> TFPPX<sub>8</sub> (where X= H, Cl, Br, Me, Et). Figure 2 contains a picture of TFPPX<sub>8</sub> as well as an explanation of notation. The synthesis  $\beta$ -halogenated derivatives was first reported by Callot.<sup>12-14</sup> Lyons and Ellis exploited Fe, Mn, and Cr derivatives of these ligands as biomimetic catalysts for the selective oxidation of the tertiary and secondary positions of light alkanes.<sup>15,16</sup> Other workers had previously used the metalloporphyrins for biomimetic hydroxylation and epoxidation involving iodosylbenzene and H<sub>2</sub>O<sub>2</sub>.<sup>13</sup> Lyons and Ellis discovered that these catalysts can use dioxygen from the air and function for many turnovers without added coreductants. Recent

mechanistic work indicates that the mechanism is probably not biomimetic, i.e., involving a  $P^+Fe(IV)=O$  species (where  $P^+$  = a porphyrin cation radical) as the postulated oxidant,<sup>17-19</sup> at all, but is radical-based and Fenton-like in that the  $FeTFPPX_8$  ( $X = Cl, Br$ ) cycles between its  $Fe^{2+}$  and  $Fe^{3+}$  states splitting the alkylhydroperoxides (Haber-Weiss mechanism) formed from alkyl autooxidation.<sup>20,21</sup> The information reported here about the changes in electronics induced by halogenation is consistent with this mechanistic insight.

Chapter 2 presents crystallographically determined structures of the unmetallated and metallated derivatives of the completely halogenated porphyrin macrocycles, [2,3,7,8,12,13,17,18-octachloro-5,10,15,20-tetrakis(pentafluorophenyl)porphyrin] $M(II)$ ,  $MTFPPCl_8$ , ( $M = Cu$ ) and [2,3,7,8,12,13,17,18-octabromo-5,10,15,20-tetrakis(pentafluorophenyl)porphyrin] $M(II)$  ( $M = Cu, Ni, Zn$ , and  $H_2$ ),  $MTFPPBr_8$ . The structural consequences of the substitution of the periphery of the porphyrin with bulky electron-withdrawing substituents are a distortion that reduces the molecular symmetry from  $D_{4h}$  to  $D_2$ . Appendices 1-7 contain ORTEPs and supplementary material for the crystal structure determinations.

Gouterman's four orbital model is an extremely effective scheme for interpreting the electronic behavior of the porphyrin macrocycle.<sup>22</sup> The four frontier orbitals of  $D_{4h}$  symmetric porphyrins are divided into two nearly degenerate HOMO's of  $a_{1u}$  and  $a_{2u}$  symmetry and two LUMO's of  $e_g$  symmetry ( $a_{1u}, a_{2u} \rightarrow a, b_1, e_g \rightarrow b_2, b_3$  in  $D_2$ ). The relative energies HOMO and LUMO orbitals as well as of the  $a_{1u}$  versus the  $a_{2u}$  are modulated by metal substitution and the placement and electronic nature of the substituents on the porphyrin ring.

Chapter 4 contains electronic spectra and Chapter 3 electrochemical data for the  $\beta$ -halogenated and alkylated TFPPs. The red-shifted UV-vis spectra for the distorted porphyrins reveal that the energy gap between the HOMO and LUMO orbitals has narrowed. Halogenation of the porphyrin makes the porphyrin macrocycle and any redox active metal center more difficult to oxidize and more easy to reduce. The effect of halogen



substitution is larger on the ring redox potentials than on metal-based ones. Semiempirical AM1 calculations<sup>23</sup> and electrochemical data reveal that the HOMO orbitals are more sensitive to distortion than the LUMO. The observation of a two electron oxidation wave for the Zn and Mg derivatives of TFPPX<sub>8</sub> but not TPPX<sub>8</sub> (X = Cl, Br, Me, Et) illustrates the extreme sensitivity of the frontier orbitals to the nature of the substituent. Chapter 5 presents some conclusions and attempts to sort out the relative effects of substituents and distortion on the energies of the HOMOs and LUMOs through comparisons between porphyrins with varying substitution.

## References and Notes:

- (1) Dolphin, D.; Felton, R. H. *Acc. Chem. Res.* **1974**, *7*, 26-32.
- (2) Lehninger, A. L. *Biochemistry*; 2nd ed.; Worth Publishers, Inc.: New York, 1975.
- (3) Bertini, I.; Gray, H. B.; Lippard, S. J.; Valentine, J. S. *Bioinorganic Chemistry*; University Science Books: Mill Valley, CA, 1994.
- (4) Barkigia, K. M.; Renner, M. W.; Furenlid, L. R.; Medforth, C. J.; Smith, K. M.; Fajer, J. *J. Am. Chem. Soc.* **1993**, *115*, 3627-3635.
- (5) Barkigia, K. M.; Berber, M. D.; Fajer, J.; Medforth, C. J.; Renner, M. W.; Smith, K. M. *J. Am. Chem. Soc.* **1990**, *112*, 8851-8857.
- (6) Czernuszewicz, R. S.; Li, X.-Y.; Spiro, T. G. *J. Am. Chem. Soc.* **1989**, *111*, 7024-7031.
- (7) Shelnut, J. A.; Medforth, C. J.; Berber, M. D.; Barkigia, K. M.; Smith, K. M. *J. Am. Chem. Soc.* **1991**, *113*, 407-4087.
- (8) Sparks, L. D.; Medforth, C. J.; Park, M.-S.; Chamberlain, J. R.; Ondrias, M. R.; Senge, M. O.; Smith, K. M.; Shelnut, J. A. *J. Am. Chem. Soc.* **1993**, *115*, 581-592.
- (9) Medforth, C. J.; Senge, M. O.; Smith, K. M.; Sparks, L. D.; Shelnut, J. A. *J. Am. Chem. Soc.* **1992**, *114*, 9859-9869.
- (10) Takeda, J.; Ohya, T.; Sato, M. *Inorg. Chem.* **1992**, *31*, 2877-2880.
- (11) Longo, F. R.; Finarelli, M. G.; Kim, J. B. *J. Heterocycl. Chem.* **1969**, *6*, 927-931.
- (12) Wijesekera, T.; Matsumoto, A.; Dolphin, D.; Lexa, D. *Angew. Chem. Int. Ed. Engl.* **1990**, *29*, 1028-1030.
- (13) Traylor, T. G.; Tsuchiya, S. *Inorg. Chem.* **1987**, *26*, 1338-1339.
- (14) Callot, H. J. *Bull. Soc. Chim. Fr.* **1974**, 1492-1496.
- (15) Ellis, P. E.; Lyons, J. E. *Catal. Lett.* **1991**, *8*, 45-52.
- (16) Ellis, P. E.; Lyons, J. E. *Catalysis Letters* **1989**, *3*, 389-398.
- (17) Montellano, P. R. O. d. *Cytochrome P-450: Structure, Mechanism, and Biochemistry*; Plenum Press: New York, 1986.

- (18) Paengand, K. J.; Kincaid, J. R. *J. Am. Chem. Soc.* **1988**, *110*, 7913.
- (19) Leising, R. A.; Kojima, T.; Que, L. In *The Activation of Dioxygen and Homogeneous Catalytic Oxidation*; D. H. R. Barton, A. E. Marettell and D. T. Sawyer, Eds.; Plenum Press: New York, 1993; pp 321-331, and references therein.
- (20) Labinger, J. A. *Catal. Lett.* **1994**, *26*, 95-99.
- (21) Grinstaff, M. W.; Hill, M. G.; Labinger, J. A.; Gray, H. B. *Science* **1994**, *264*, 1311-1313.
- (22) Gouterman, M. In *The Porphyrins*; D. Dolphin, Ed.; Academic Press: New York, 1978; Vol. III; pp 1-165.
- (23) Takeuchi, T.; Gray, H. B.; Goddard, W. A. *J. Am. Chem. Soc.* **1994**, *116*, 9730-9732.

**Table 1.1.** Abbreviations for Natural and Synthetic Porphyrins.


---

H <sub>2</sub> Deut	2,4-diacetyldeuteroporphyrin
H <sub>2</sub> P	porphyrin
H <sub>2</sub> OEP	octaethylporphyrin
H <sub>2</sub> TPP	5,10,15,20-tetraphenylporphyrin
H <sub>2</sub> TPPBr <sub>8</sub>	2,3,7,8,12,13,17,18-octabromo-5,10,15,20-tetraphenylporphyrin
H <sub>2</sub> TPPEt <sub>8</sub>	2,3,7,8,12,13,17,18-octaethyl-5,10,15,20-tetraphenylporphyrin
H <sub>2</sub> TPPMe <sub>8</sub>	2,3,7,8,12,13,17,18-octamethyl-5,10,15,20-tetraphenylporphyrin
H <sub>2</sub> TFPP	5,10,15,20-tetrakis(pentafluorophenyl)porphyrin
H <sub>2</sub> TFPPBr <sub>8</sub>	2,3,7,8,12,13,17,18-octabromo-5,10,15,20- tetrakis(pentafluorophenyl)porphyrin
H <sub>2</sub> TFPPCl <sub>8</sub>	2,3,7,8,12,13,17,18-octachloro-5,10,15,20- tetrakis(pentafluorophenyl)porphyrin
H <sub>2</sub> TFPPEt <sub>8</sub>	2,3,7,8,12,13,17,18-octaethyl-5,10,15,20- tetrakis(pentafluorophenyl)porphyrin
H <sub>2</sub> TFPPMe <sub>8</sub>	2,3,7,8,12,13,17,18-octamethyl-5,10,15,20- tetrakis(pentafluorophenyl)porphyrin
H <sub>2</sub> TMP	Tetramesitylporphyrin


---

**Figure 1.1.** Common natural and synthetic porphyrins.

## Natural Porphyrins:




Protoporphyrin IX,  
(hemoglobin, myoglobin, and  
most cytochromes)




Deuteroporphyrin

## Synthetic Porphyrins:




OEP



TPP

**Figure 1.2.**  $\beta$ -octasubstituted (H, Cl, Br, Me, Et) 5,10,15,20-tetrakis-(pentafluorophenyl)porphyrins with atomic numbering scheme and nomenclature.





**CHAPTER 2:**  
**SYNTHESIS AND X-RAY CRYSTAL STRUCTURES OF**  
**TETRAKIS(PENTAFLUOROPHENYL)PORPHYRINS**

## Introduction:

This chapter presents both the methods for the synthesis and metallation of tetrakis(pentafluorophenyl)porphyrin (TFPP) ligands substituted with either halogens or alkyl groups at the  $\beta$ -positions, and the structural consequences of  $\beta$ -substitution on the expected planarity of the macrocycle. Most syntheses presented are derived from standard procedures in porphyrin chemistry, with modifications. It was found that TFPP derivatives are less susceptible to chromatographic and light degradation than the tetraphenylporphyrin (TPP) derivatives and therefore are more easily studied. X-ray crystallographic structure determination revealed that the macrocycles with bulky  $\beta$ -substituents are highly nonplanar. Comparisons of the average displacements of the *meso*- and  $\beta$ - carbon atoms from a plane defined by the four nitrogen atoms indicates that the ruffling of the porphyrin macrocycle increases along the series:  $H_2 \approx Zn < Cu < Ni$ . Nonplanarity does not significantly alter the bond lengths in the porphyrin macrocycle, as compared to structures determined for planar tetraphenylporphyrins and to Hoard's 'average porphyrin'.<sup>1,2</sup> Resonance Raman data for the 'structural marker' bands, i.e., those bands that are sensitive to macrocyclic distortion, for the halogenated porphyrins are also discussed and compared to those for distorted  $\beta$ -octaalkylated TPPs.

## Results and Discussion:

### Synthesis:

The synthesis of perhalogenated tetraphenylporphyrins,  $H_2TFPPCl_8$  and  $H_2TFPPBr_8$ , can be accomplished via two different routes in 2-3 hrs, starting with the commercially available compound,  $ZnTFPP$ . The free ligand is significantly more difficult to halogenate than the metallated porphyrin and it is therefore necessary to avoid demetallating reaction conditions, such as production of large quantities of HCl. Halogenation of the pyrrole positions can either be accomplished with  $Cl_2(g)$  or  $Br_2(l)$  in

dry refluxing  $\text{CCl}_4$ <sup>3,4</sup> or with *N*-chlorosuccinimide (NCS) or *N*-bromosuccinimide (NBS) in refluxing  $\text{CH}_3\text{OH}$ .<sup>5,6</sup> Both methods produce material which is contaminated with partially halogenated products (determined through isolation of bands from a preparatory thin-layer chromatogram (tlc) and mass spectral analysis of the resulting products). Essentially pure perhalogenated porphyrin can be obtained via careful purification on flash silica gel.

Attempts to synthesize the perfluorinated derivative with a variety of fluorinating agents, such as  $\text{F}_2$ ,  $\text{CoF}_3$ ,  $\text{AgF}_2$ , and  $\text{XeF}_2$  (starting with  $\text{ZnTFPP}$ ),<sup>7</sup> and halogen exchange reagents,  $\text{KF}$ ,  $(\text{CH}_3)_4\text{NF}$ , and  $\text{HF}$  (starting with  $\text{ZnTFPPBr}_8$  or  $\text{ZnTFPPCl}_8$ ),<sup>8</sup> proved unsuccessful. The fluorinating agents which reacted by radical mechanisms,  $\text{F}_2$ ,  $\text{CoF}_3$ ,  $\text{AgF}_2$ , and  $\text{XeF}_2$  were found in general to produce highly fluorinated products (characterized by mass spec, UV-vis,<sup>9</sup> and  $^{19}\text{F}$  NMR) in which the porphyrin had lost aromaticity. It was found in reactions with  $\text{KF}$  that despite the robust nature of the perhalogenated catalysts, high temperatures ( $> 100\text{ }^\circ\text{C}$ ) coupled with the presence of metal salts frequently cause dehalogenation of the  $\beta$ -positions.

$\text{H}_2\text{TFPPMe}_8$  can be synthesized according to the scheme shown in Figure 2.1. Ethyl-3,4-dimethylpyrrole-2-carboxylate was synthesized by the method of Barton and Zard<sup>10</sup> and decarboxylated in refluxing ethylene glycol/ $\text{NaOH}$  solution.<sup>11</sup> The resulting 3,4-dimethyl pyrrole was condensed with pentafluorobenzaldehyde to generate the octamethylporphyrin according to the procedure of Lindsey et al.<sup>12,13</sup>  $\text{H}_2\text{TFPPEt}_8$  can be synthesized in a similar manner, coupling the 3,4-diethyl pyrrole with pentafluorobenzaldehyde. The methodology for the synthesis of the  $\beta$ -ocaalkylated TFPPs is similar to that employed in the synthesis of  $\beta$ -ocaalkylated TPPs. This represents one of the first, if not the first report of the synthesis of the these TFPP derivatives.

The synthesis of the related tetraphenylporphyrins was found to be less facile.<sup>12,14,15</sup> The tetraphenylporphyrins, especially the Zn derivatives, are unstable on various chromatographic material (alumina and silica gel). Typically, Zn derivatives of

porphyrins are known to be photosensitive, although the tetrakis(pentafluorophenyl) derivatives are not. It would appear that substitution of the *meso* position of the porphyrin with a perfluorophenyl group confers stability to the macrocycle.

Distorted porphyrins are easily demetallated by bubbling  $\text{HCl}_{(\text{g})}$  through a room temperature  $\text{CHCl}_3$  solution for 3-5 min. Other acids, such as HF and HBr, are also capable of demetallating the porphyrin. A short alumina column is used to separate the porphyrin from the metal salt and any remaining Zn porphyrin. The zinc, magnesium, copper, nickel, palladium and cobalt derivatives can be synthesized from the corresponding metal acetates in  $\text{CH}_3\text{OH}/\text{CHCl}_3$  solutions.<sup>16</sup> Distorted porphyrins are easier to metallate than planar ones.<sup>17,18</sup> More difficult metallations, such as for Fe, can be accomplished in 120 °C dimethylformamide (DMF).<sup>19</sup> Care must be taken because decomposition of DMF leads to substitution of the para fluorine of the phenyl ring by dimethylamine.<sup>20</sup>

The progress of the halogenation reaction can be followed both by tlc and UV-vis. The UV-vis bands of ZnTFPP red-shift and broaden. Due to the sensitivity of the fluorine nucleus to environment and the large spectral window for fluorine shifts,  $^{19}\text{F}$  NMR has proven to be a useful technique for determining the degree of contamination with the 5, 6, and 7- halogenated derivatives.<sup>5</sup>

### Structural Characterization:

Crystals were grown and structures determined for the following derivatives:  $\text{H}_2\text{TFPP}$ ,  $\text{CuTFPP}$ ,<sup>5</sup>  $\text{CuTFPPCl}_8$ ,<sup>21</sup>  $\text{H}_2\text{TFPPBr}_8$ ,<sup>5</sup>  $\text{NiTFPPBr}_8$ ,<sup>22,23</sup>  $\text{CuTFPPBr}_8$ ,<sup>23</sup> and  $\text{ZnTFPPBr}_8$ .<sup>24</sup> ORTEPs for the structures can be found in Figure 1 of Appendixes 1-7 (supplementary material for the X-ray crystal structure determinations). Structures for  $\text{H}_2\text{TFPPCl}_8$ ,  $\text{ZnTFPPCl}_8$ ,<sup>5</sup>  $[\text{RuTFPPCl}_8](\text{CO})\text{H}_2\text{O}$ ,<sup>25</sup>  $[\text{FeTFPPBr}_8]\text{Cl}$ , and  $[\text{FeTFPPBr}_8]\text{Py}_2$  (where Py = pyridine)<sup>26-28</sup> have also been obtained by coworkers.

$\text{H}_2\text{TFPP}$  and  $\text{CuTFPP}$  both crystallized in spacegroup  $R\bar{3}$  without solvent molecules in the lattice.  $\text{CuTFPPCl}_8$  crystallized with one molecule of  $\text{CH}_2\text{Cl}_2$  per porphyrin. Although the N atoms of the core are slightly ( $\pm 0.076$  Å) tetrahedrally

distorted, the copper ion has approximately square-planar coordination as is typical for Cu(II) porphyrins,<sup>1</sup> with a Cl from the dichloromethane at 3.51 Å as the closest axial neighbor to the copper. H<sub>2</sub>TFPPBr<sub>8</sub> crystallized with molecules of *o*-dichlorobenzene stacked between the porphyrins. A view of this stacking can be seen in Figure A4.2. The crystals of NiTFPPBr<sub>8</sub> and CuTFPPBr<sub>8</sub> are isostructural (spacegroup C2/c). The unit cell contains eight porphyrins and four molecules of CH<sub>2</sub>Cl<sub>2</sub>. The Ni(II) and Cu(II) ions are four-coordinate; the nearest axial neighbors, Br atoms from adjacent molecules, at 3.42 and 3.53 Å in NiTFPPBr<sub>8</sub> and 3.36 and 3.48 Å in CuTFPPBr<sub>8</sub>, are too distant to bond formally. The metal-nitrogen bond distances observed in these structures are within the typical range observed for M(II) ions coordinated to porphyrin ligands.<sup>1</sup> Typical closest porphyrin-porphyrin distances within the macrocycle are 3.9 Å for NiTFPPBr<sub>8</sub>, thus precluding the possibility of  $\pi$ - $\pi$  interactions between the porphyrin molecules.

The ZnTFPPBr<sub>8</sub> molecule crystallized from a complex mixture of solvents. The unit cell contains both a CCl<sub>4</sub> and *o*-dichlorobenzene molecule per ZnTFPPBr<sub>8</sub> molecule. The zinc ion is five-coordinate and has an axially coordinated oxygen atom from either a methanol half of the time or an acetone half of the time. Figure A7.2 contains an ORTEP projection of the unit cell. There is a crystallographic mirror plane through N1, Zn and N3, perpendicular to the porphyrin plane. The zinc ion sits 0.180 Å above the plane of the porphyrin (toward the coordinated oxygen atom). The Zn-O bond length, 2.16 Å, is similar to the Zn-O bond length of 2.22(5) Å for ZnTMPP(H<sub>2</sub>O).<sup>29</sup> In contrast, the structures determined for ZnTFPP and ZnTFPPCl<sub>8</sub> show the zinc atom to be four-coordinate and inside the porphyrin core. Reports of both in and above-the-plane zinc coordination exist for a variety of zinc porphyrin complexes.<sup>1,30,31</sup> In general, it is not unusual for porphyrins to include a variety of solvents within the crystal lattice, a property that has led to them being called 'porphyrin sponges'.<sup>32</sup> The inefficiency of recrystallization as a method for purification is perhaps explained.

Tables 2.1 and 2.2 contains a selection of average bond lengths; and Tables 2.3 and 2.4 list average angles determined for all the structures and a comparison to Hoard's 'average porphyrin'. X-ray crystallographically determined structures for  $\text{H}_2\text{TFPP}$ ,  $\text{H}_2\text{TFPPCl}_8$ , and  $\text{H}_2\text{TFPPBr}_8$  are shown in Figure 2.2. Figure 2.3 contains representations of the structures for the copper derivatives of the halogenated series.

The porphyrin macrocycle, which is essentially planar in TFPP ( $D_{4h}$  symmetry), appears increasingly more tetrahedrally distorted in TFPPCl<sub>8</sub> and TFPPBr<sub>8</sub> ( $D_2$  symmetry) (Figs. 2.2 and 2.3). The individual pyrrole rings are essentially planar. The distortion of the porphyrin can be viewed as follows: pairs of bromines are alternately above and below the plane of the macrocycle as are the *meso*-carbons. The macrocyclic distortions can be quantified as the average displacements of the relevant atoms from a plane defined by the four N atoms (Tables 2.5 and 2.6). The two types of distortion observed, manifested in the nonplanarity of the *meso*- and  $\beta$ -carbons, have been termed 'ruffle' (or a twist distortion) and 'saddle', respectively.<sup>33</sup> The distortion minimizes the sterically unfavorable (short) interatomic contacts between the  $\beta$ -substituents and the ortho-carbon of the phenyl rings.

Despite these large changes in macrocyclic conformation, bond distances are essentially conserved (see the resonance Raman section for further discussion; also, it is difficult to determine trends since differences between bond lengths and angles are usually within the error associated with the determination of the bond length or angle) for all the halogenated and unhalogenated copper derivatives. Within experimental error, the values observed for the bond lengths and angles are within the 'average' range reported by Hoard<sup>2</sup> for planar porphyrins with varying metal substitutions and substituents (Tables 2.1, 2.2, 2.3 and 2.4). The distortion of the macrocycle appears to be accomplished through the adjustment of bond angles and bond torsion angles. The halogenated derivatives appear to be slightly more structurally amorphous, i.e., they exhibit more variation in chemically equivalent bond lengths within a single molecule than do their unhalogenated counterparts; this can be seen in the deviation in the crystallographically different bonds for the N-C $_{\alpha}$  and

$C_{\alpha}$ - $C_{\beta}$  bonds (Table 2.2). Although the phenyl rings are rotated into the plane of the porphyrin in the distorted derivatives,  $C_{Ph}$ - $C_{meso}$  distances indicate negligible double bond character between the phenyl group and the porphyrin.

The free ligand contains less twist distortion than do the metallated derivatives (except CuTFPPCl<sub>8</sub>). This difference can be viewed in Figures 2.4 and 2.5, which contain simplified representations of the unmetallated and metallated porphyrin macrocycles. The most distorted macrocycle is that of NiTFPPBr<sub>8</sub>, consistent with ruffling contracting the core of the porphyrin (as measured by the shorter M-N bond lengths for Ni as compared to Cu and Zn). For the NiTFPPBr<sub>8</sub> macrocycle, nitrogen atoms are displaced alternately  $\pm 0.192$  Å, *meso*-carbons  $\pm 0.211$  Å,  $\beta$ -carbons  $\pm 1.31$  Å, and bromine atoms  $\pm 2.05$  Å from the plane of the porphyrin. The Zn(II) and the H<sub>2</sub> derivatives are the least distorted (in the Zn(II) structure the metal atom is sitting slightly above the porphyrin core).

The metal-induced structural changes for the perhalogenated TPPs are qualitatively similar to those observed for metallosubstitution in OEP and  $\beta$ -octaalkyl TPPs.  $C_{\alpha}$ - $C_{meso}$  bond lengths and  $C_{\alpha}$ - $C_{meso}$ - $C_{\alpha}$  bond angles increase, and N- $C_{\alpha}$  and  $C_{\alpha}$ -N- $C_{\alpha}$  bond angles decrease with increasing size of the metal.<sup>5,34</sup>

### Resonance Raman Spectroscopy:

The resonance Raman spectra of porphyrins contain two relatively intense bands, associated with in-plane skeletal modes, that have been observed to shift with porphyrin macrocyclic distortion.<sup>35</sup> These bands,  $\nu_2$  and  $\nu_4$ , are primarily associated with  $C_{\beta}$ - $C_{\beta}$  stretching modes (calculated to be 60 % of  $\nu_2$  with an additional 19% associated with  $C_{\beta}$ -Et vibrations) and  $C_{\alpha}$ -N and  $C_{\alpha}$ - $C_{meso}$  stretching modes (53 % and 24% of  $\nu_4$ , respectively), respectively.<sup>36</sup> These polarized peaks are found in the resonance Raman spectra that arise from excitation near the B absorption band. Table 2.8 contains values for  $\nu_2$  and  $\nu_4$  for halogenated and unhalogenated Ni(II)tetraphenylporphyrins; the spectra are given in Appendix 8.<sup>37,38</sup> Although  $\nu_2$  and  $\nu_4$  are primarily skeletal modes,  $\nu_2$  also contains some

phenyl character, as can be seen from the shift observed from NiTPP to NiTFPP of  $-4\text{ cm}^{-1}$ , as well as the  $C_{\beta}$ -substituent (and perhaps  $c_{meso}$ -substituent) character that is observed in the  $+28\text{ cm}^{-1}$  shift from NiTPP to NiOEP;  $\nu_4$  is less perturbed in a similar comparison:  $+1\text{ cm}^{-1}$  and  $+9\text{ cm}^{-1}$ . Both bands shift to lower energy ( $-10\text{ cm}^{-1}$ ) with increasing distortion of the macrocycle; and these shifts are within the range reported by Shelnutt et al.<sup>35</sup> for the similarly distorted  $\beta$ -octaalkyltetraphenylporphyrins. Although the effects of changes in reduced mass and altered electronics (i.e., electron-withdrawing versus electron-donating substituents) on the frequencies of the observed skeletal modes are not entirely clear, in a comparison between NiP and NiOEP the effect of  $\beta$ -alkyl substitution is not to *lower* the frequency of  $\nu_4$  and  $\nu_2$ .

## Conclusions:

The TFPPCl<sub>8</sub> derivatives are about two-thirds as distorted as the TFPPBr<sub>8</sub> derivatives, consistent with the chlorine atom having a smaller van der Waals radius than bromine. Although no structure was determined for NiTFPPCl<sub>8</sub>, the metal effects found for the other derivatives of the TFPPCl<sub>8</sub> ligand mirror those determined for the TFPPBr<sub>8</sub> derivatives, such that the free ligand and Zn are less distorted than the Cu derivatives and this distortion approximately correlates with M-N bond lengths. A dampening of ruffling with increasing M-N bond length has been observed in  $\beta$ -octaalkyltetraphenylporphyrins.<sup>34</sup> Although the porphyrin is extremely sterically crowded, it is still relatively flexible. This flexibility has previously been observed; in fact, two crystalline forms exist for NiOEP (OEP = octaethylporphyrin): one that is essentially planar (triclinic crystals)<sup>39</sup> and one that is twist-distorted (tetragonal crystals).<sup>40</sup> In the more ruffled structure, M-N bond lengths are contracted from  $1.958(2)\text{ \AA}$  (planar) to  $1.929(3)\text{ \AA}$  (ruffled). Resonance Raman experiments indicate that a solution of NiOEP contains a variety of flat and ruffled structural polymorphs.<sup>41</sup> For the NiTPPR<sub>8</sub> molecules M-N bond lengths have been used in EXAFS studies to judge the degree of distortion of the porphyrins.<sup>42</sup>



The distortions observed in these perhalogenated tetraphenylporphyrins are analogous to those observed in the  $\beta$ -octaalkyl-substituted derivatives.<sup>12</sup> Table 2.7 contains out-of-plane values for distorted  $\beta$ -alkylated porphyrins. It can be seen that the structure determined for ZnTPPEt<sub>8</sub> is more distorted than that for ZnTFPPBr<sub>8</sub>. The structure determined for NiTFPPBr<sub>8</sub> is more twist-distorted than that determined for NiTPPEt<sub>8</sub>, although the NiTPPEt<sub>8</sub> structure is more saddled. It may be possible to obtain structures for Ni derivatives with varying degrees of twist-distortion, analogous to the situation observed in NiOEP. Consistent with the NiTFPPBr<sub>8</sub> derivative being less distorted than the NiTPPEt<sub>8</sub>, the resonance Raman band is observed at higher energy for NiTFPPBr<sub>8</sub>. The only crystallographic observation of a planar persubstituted tetraphenylporphyrin is one in which the  $\beta$ -alkylsubstituents are constrained into a 5-membered ring, copper  $\beta$ -tetrapropanotetrakis(3,4,5-trimethoxyphenyl)porphyrin, resulting in a molecule in which the b-substituents are essentially smaller ( $C_{\beta}$ - $C_{\beta}$ -CH<sub>2</sub> angle is 13° smaller than in the octaethyl derivative),<sup>43</sup> consistent with the idea that macrocyclic nonplanarity relieves  $C_{Phortho}$  -  $\beta$ -X (X = R, Br, Cl) steric strain. Thus, distortion is a steric effect in  $\beta$ -substituted TPPs.

The interporphyrin distances, 3.9 Å, indicate that the distortions do not arise from  $\pi$ - $\pi$  interactions. Resonance Raman spectroscopy of the halogenated TFPPs is consistent with the maintenance of distorted structures in solution. The TFPPBr<sub>8</sub> derivatives are very slightly less distorted than the TPPEt<sub>8</sub> ligands.

## Experimental:

**Porphyrins.** ZnTPP (Aldrich) was used as received. ZnTFPP (Porphyrin Products) was purified on flash silica gel ('Baker', 40 $\mu$ m), eluting with CH<sub>2</sub>Cl<sub>2</sub>/hexane. The middle fraction of the pink band was isolated. H<sub>2</sub>TFPP (Aldrich) was used as received. CuTFPP was synthesized from H<sub>2</sub>TFPP and excess CuCl<sub>2</sub> by stirring in 100 °C DMF according to the Alder method<sup>19</sup> and purified on flash silica gel eluting with CH<sub>2</sub>Cl<sub>2</sub>/hexane.

**ZnTFPPCl<sub>8</sub>.** ZnTFPPCl<sub>8</sub> was prepared from purified ZnTFPP and Cl<sub>2</sub>(g) in refluxing CCl<sub>4</sub> under a steady stream of Ar(g).<sup>3,4</sup> The halogenated porphyrin is chromatographically purified initially on a short column of neutral alumina, eluting with CHCl<sub>3</sub>. The porphyrin runs as a tightly loaded green band with a *r<sub>f</sub>* of about 0.5. The porphyrin is then further purified on flash silica gel, eluting with a gradient (10:1 to 1:1) of CH<sub>2</sub>Cl<sub>2</sub>/hexane (*r<sub>f</sub>* ≈ 0.5 in 1:1 CH<sub>2</sub>Cl<sub>2</sub>/hexane). It is also possible to synthesize the porphyrin from *N*-chlorosuccinimide in methanol, in a procedure similar to that used for the preparation of ZnTFPPBr<sub>8</sub>. Mass spectral analysis revealed a set of peaks (reflecting the relative abundances of the isotopes of Zn and Cl) centered at mass 1313.8.  $\lambda_{\text{max}}$  (CH<sub>2</sub>Cl<sub>2</sub>): nm ( $\epsilon \times 10^{-3}$ ), 364 (34), 442(200), 574(20). <sup>19</sup>F NMR (CDCl<sub>3</sub>, 500 MHz, vs. CFCl<sub>3</sub> = 0 ppm):  $\delta$  -137.8 (q, 2 F, *o*-Ar-F),  $\delta$  -150.7 (t, 1 F, *p*-Ar-F),  $\delta$  -162.7 (sextuplet, 2 F, *m*-Ar-F).

**ZnTFPPBr<sub>8</sub>.** ZnTFPPBr<sub>8</sub> was synthesized from purified ZnTFPP and 5 equiv (per  $\beta$ -hydrogen) *N*-bromosuccinimide in refluxing methanol (3 hrs).<sup>5,6</sup> The porphyrin is purified in the same manner as ZnTFPPCl<sub>8</sub>. It is possible to synthesize the porphyrin from about 10 equiv (per  $\beta$ -hydrogen) of Br<sub>2</sub> in dry refluxing CCl<sub>4</sub>. The Br<sub>2</sub> is added slowly through an addition funnel and the reaction is complete in about 4 hrs. Mass spectral analysis revealed a set of peaks (reflecting the isotope abundances for Zn and Br) centered at mass 1670.1.  $\lambda_{\text{max}}$  (CH<sub>2</sub>Cl<sub>2</sub>): nm ( $\epsilon \times 10^{-3}$ ), 360(34), 460(200), 594(20). <sup>19</sup>F NMR (CDCl<sub>3</sub>, 500 MHz, vs. CFCl<sub>3</sub> = 0 ppm):  $\delta$  -137.7 (q, 2 F, *o*-Ar-F),  $\delta$  -150.6 (t, 1 F, *p*-Ar-F),  $\delta$  -162.3 (sextuplet, 2 F, *m*-Ar-F).

**ZnTFPPMe<sub>8</sub>.** H<sub>2</sub>TFPPMe<sub>8</sub> was synthesized via the condensation of 3,4-dimethylpyrrole and pentafluorobenzaldehyde.<sup>12,13</sup> 3,4-Dimethylpyrrole was prepared from ethyl-3,4-dimethylpyrrole-2-carboxylate.<sup>11</sup> Ethyl-3,4-dimethylpyrrole-2-carboxylate was prepared as follows:<sup>10</sup> a solution of 40 g 2-acetoxy-3-nitrobutane in 250 mL of a 1:1 solution of isopropyl alcohol (IPA) and tetrahydrofuran (THF) was added slowly over a 1 h period to a solution of ethyl isocyanoacetate (0.8 equiv) and 1,1,3,3-tetramethylguanidine

(1.7 equiv) in 500 mL 1:1 IPA:THF. The resulting pyrrole (70% yield) was purified on silica gel, eluting with  $\text{CH}_2\text{Cl}_2$ , and sublimed in vacuo at  $80^\circ\text{C}$ . Ethyl-3,4-dimethylpyrrole-2-carboxylate (20 g) was decarboxylated with 7.5 g of NaOH in 100 mL refluxing ethylene glycol. The reaction solution was poured into water, and the pyrrole was extracted with hexane, dried over  $\text{MgSO}_4$ , and purified by passing through a pad of silica gel. The resulting pyrrole, a white crystalline solid that melted near room temperature to form a stinky yellow oil (25% yield), was used immediately in the next reaction. A solution of 0.5 g 3,4-dimethylpyrrole and 1 equiv pentafluorobenzaldehyde (Aldrich) in 500 mL freshly distilled  $\text{CH}_2\text{Cl}_2$  with 0.1 equivalent boron trifluoride etherate (Aldrich) was stirred at room temperature under Ar for 1 h. Four equiv (per porphyrinogen) of 2,3-dichloro-5,6-dicyano-1,4-benzoquinone were added and the solution was refluxed for 30 min.  $\text{H}_2\text{TFPPMe}_8$  was partially purified on a short column of neutral alumina, eluting with  $\text{CHCl}_3$ .  $\text{H}_2\text{TFPPMe}_8$  was metallated in 10 min at room temperature in  $\text{CHCl}_3$  by addition of a solution of  $\text{Zn}(\text{OAc})_2 \cdot (\text{H}_2\text{O})_2$  in methanol. Flash chromatography (silica gel), eluting with  $\text{CH}_2\text{Cl}_2$ /hexane, yielded  $\text{ZnTFPPMe}_8$  as a green band (35% yield). Mass spectral analysis revealed a single peak at mass 1148.09.  $\lambda_{\text{max}}$  ( $\text{CH}_2\text{Cl}_2$ ): nm ( $\epsilon \times 10^{-3}$ ), 352 (35), 434 (200), 570 (20), 602 (15).  $^1\text{H}$  NMR ( $\text{CDCl}_3$ , 500 MHz):  $\delta$  2.30(s).  $^{19}\text{F}$  NMR ( $\text{CDCl}_3$ , 500 MHz, vs.  $\text{CFCl}_3 = 0$  ppm):  $\delta$  -137.7 (q, 2 F, *o*-Ar-F),  $\delta$  -152.4 (t, 1 F, *p*-Ar-F),  $\delta$  -162.1 (sextuplet, 2 F, *m*-Ar-F).

**$\text{ZnT(2,6)FPPMe}_8$ .**  $\text{H}_2\text{T(2,6)FPPMe}_8$  was synthesized, via the condensation of 3,4-diethylpyrrole and 2,6-difluorobenzaldehyde, a methodology similar to that employed in the synthesis of  $\text{H}_2\text{TFPPMe}_8$ .<sup>12,13</sup> Mass spectral analysis revealed a single peak at mass 1148.09.  $\lambda_{\text{max}}$  ( $\text{CH}_2\text{Cl}_2$ ): nm ( $\epsilon \times 10^{-3}$ ), 352 (35), 434 (200), 570 (20), 602 (15).  $^1\text{H}$  NMR ( $\text{CDCl}_3$ , 500 MHz):  $\delta$  2.30(s).  $^{19}\text{F}$  NMR ( $\text{CDCl}_3$ , 500 MHz, vs.  $\text{CFCl}_3 = 0$  ppm):  $\delta$  -137.7 (q, 2 F, *o*-Ar-F),  $\delta$  -152.4 (t, 1 F, *p*-Ar-F),  $\delta$  -162.1 (sextuplet, 2 F, *m*-Ar-F).

**$\text{ZnTFPPEt}_8$ .**  $\text{H}_2\text{TFPPEt}_8$  was synthesized, via the condensation of 3,4-diethylpyrrole and pentafluorobenzaldehyde, a methodology similar to that employed in the

synthesis of  $\text{H}_2\text{TFPPMe}_8$ .<sup>12,13</sup> The starting material, 4-nitro-3-hexanol, was synthesized from 1-nitropropane and propionaldehyde.<sup>10</sup>  $\text{H}_2\text{TFPPEt}_8$  was partially purified on a short column of neutral alumina, eluting with  $\text{CHCl}_3$ .  $\text{H}_2\text{TFPPEt}_8$  was metallated in 10 min at room temperature in  $\text{CHCl}_3$  by addition of a solution of  $\text{Zn}(\text{OAc})_2 \cdot (\text{H}_2\text{O})_2$  in methanol. Flash chromatography (silica gel), eluting with  $\text{CH}_2\text{Cl}_2$ /hexane, yielded  $\text{ZnTFPPEt}_8$  as a green band (35% yield). Mass spectral analysis revealed a single peak at mass 1261.  $\lambda_{\text{max}}$  ( $\text{CH}_2\text{Cl}_2$ ): nm ( $\epsilon \times 10^{-3}$ ), 354 (34), 450 (200), 585 (20), 620 (15).  $^1\text{H}$  NMR ( $\text{CDCl}_3$ , 500 MHz):  $\delta$  .  $^{19}\text{F}$  NMR ( $\text{CDCl}_3$ , 500 MHz, vs.  $\text{CFCl}_3 = 0$  ppm):  $\delta$  -137.7 (q, 2 F, *o*-Ar-F),  $\delta$  -152.4 (t, 1 F, *p*-Ar-F),  $\delta$  -162.1 (sextuplet, 2 F, *m*-Ar-F).<sup>44</sup>

**$\text{H}_2\text{TFPPX}_8$  (X = Cl, Br, Me, Et).** The distorted porphyrins were demetallated by bubbling  $\text{HCl}(\text{g})$  through a stirred, room temperature  $\text{CHCl}_3$  solution for 3-5 min. The resulting free ligand can be purified on a short column of acidic or neutral alumina. The free ligand runs as a dark brown band near the solvent front. A small green band ( $\text{ZnTFPPX}_8$ ) can frequently be seen running behind the product. Care must be taken at this stage in order not to have a large percentage of the product remain bound (most likely as an ion pair between the protonated porphyrin and the oxygen of the alumina) to the top of the column. Acidic alumina is a better choice to avoid product loss on the column.

**$\text{MTFPPX}_8$  (X = Cl, Br, Me, Et; M = Co, Ni, Pd, Cu, Zn, Mg).** The metallated derivatives (M = Cu, Co, Ni) of  $\text{TFPPX}_8$  were synthesized by the addition of a  $\text{CH}_3\text{OH}$  solution of the corresponding metal acetate,  $\text{M}(\text{OAc})_2 \cdot (\text{H}_2\text{O})_X$ , to a  $\text{CH}_3\text{Cl}$  solution of  $\text{H}_2\text{TFPPX}_8$ . Typical reactions were complete in 5-10 min as monitored by UV-vis and tlc. Significantly longer reaction times (> 2 hr) led to porphyrin degradation. If metallation was slow, as for  $\text{TFPPCl}_8$ , reactions were gently heated. Products were purified by flash silica gel chromatography, eluting with  $\text{CH}_2\text{Cl}_2$ /hexane.

$^1\text{H}$ ,  $^{13}\text{C}$  and  $^{19}\text{F}$  NMR spectra were recorded on a Bruker AM-500.

**Crystal Structure Determination.** Crystals of the octabromo and octachloro derivatives were grown in some cases simply from the slow (3-4 days) evaporation of room

temperature  $\text{CH}_2\text{Cl}_2$  solutions ( $\text{CuTFPP}$ ,  $\text{H}_2\text{TFPP}$ ,  $\text{CuTFPPCl}_8$ ,  $\text{CuTFPPBr}_8$ ,  $\text{NiTFPPBr}_8$ ). Crystals of  $\text{H}_2\text{TFPPBr}_8$  and  $\text{ZnTFPPBr}_8$  were grown from 9:1 solutions of  $\text{CH}_2\text{Cl}_2$  : *o*-dichlorobenzene (ODCB). The porphyrin presumably crystallized from a concentrated ODCB solution. In general, it was observed that more highly purified porphyrins crystallized more easily. Structures were solved on a Enraf-Nonius CAD-4 diffractometer using  $\text{Mo K}\alpha$  radiation. Atomic scattering factors and values for  $f'$  and  $f''$  were taken from Cromer and Waber<sup>45</sup> and Cromer.<sup>46</sup> Calculations were performed using programs of the CRYM Crystallographic Computing System,<sup>47</sup> MULTAN88,<sup>48</sup> and ORTEPII.<sup>49</sup> Parameters are reported in Appendices 1-7, Tables 1-4.

**Resonance Raman.** Resonance Raman spectra were recorded at 25 °C in a  $\text{CH}_2\text{Cl}_2$  solution. The excitation source was the 441.6 nm line of a LiConix He-Cd laser (7 mW). The absorbance solutions at 442 nm were 0.5 per mm. Data were collected using a Spex 1403 monochromator.

## References and Notes:

- (1) Scheidt, W. R. In *The Porphyrins*; D. Dolphin, Ed.; Academic Press: New York, 1978; Vol. III; pp 463-511.
- (2) Hoard, J. L. *Ann. N.Y. Acad. Sci.* **1973**, *206*, 18-31.
- (3) Wijesekera, T.; Matsumoto, A.; Dolphin, D.; Lexa, D. *Angew. Chem. Int. Ed. Engl.* **1990**, *29*, 1028-1030.
- (4) J. E. Lyons and P. E. Ellis, private communication.
- (5) Birnbaum, E. R.; Hodge, J. A.; Grinstaff, M. W.; Schaefer, W. P.; Henling, L.; Labinger, J. A.; Bercaw, J. E.; Gray, H. B. *Inorg. Chem.* submitted 11/2/94.
- (6) Hoffmann, P.; Labat, G.; Robert, A.; Meunier, B. *Tetrahedron Lett.* **1990**, *31*, 1991-1994.
- (7) The preparation of the fully fluorinated *meso*-tetraphenylporphyrin has been reported in the literature (Tsuchiya, S.; Seno, M. *Chem. Lett.* **1989**, 236-266), but attempts to repeat this synthesis failed.
- (8) Typical reaction conditions: dry refluxing acetonitrile or dry dimethylsulfoxide (100 °C) and from 1 hr to several days.
- (9) The UV-vis spectra of porphyrin-like molecules with reduced aromaticity, chlorins and bacteriochlorins, typically exhibit low energy bands (700 nm) with extinction coefficients intermediate between the B and Q bands of typical porphyrins.
- (10) Barton, D. H. R.; Kervagoret, J.; Zard, S. Z. *Tetrahedron* **1990**, *46*, 7587-7598.
- (11) K. Smith and T. Forsyth, personal communication.
- (12) Barkigia, K. M.; Berber, M. D.; Fajer, J.; Medforth, C. J.; Renner, M. W.; Smith, K. *M. J. Am. Chem. Soc.* **1990**, *112*, 8851-8857.
- (13) Lindsey, J. S.; Wagner, R. W. *J. Org. Chem.* **1989**, *54*, 828-836.
- (14) The TPPX<sub>8</sub> compounds were not pursued further due to the difficulty in obtaining a pure sample and the existence of previous work (in the case of the alkyl derivatives). Although it was possible to reproduce the UV-vis spectrum of ZnTPPBr<sub>8</sub> reported in the

literature (Bhyrappa, P.; Krishnan, V. *Inorg. Chem.* **1991**, *30*, 239-245), the Q-bands were broadened, more intense, and more separated than usually observed for porphyrins.

Inability to purify the compound led to difficulty obtaining mass spectra, NMR and CV data. In fact, a low-energy band was observed to grow into the UV-vis spectrum of ZnTPPMe<sub>8</sub> as the compound decomposed. The spectrum of the decomposed ZnTPPMe<sub>8</sub> looked similar to that of ZnTPPBr<sub>8</sub>, raising some doubt about the purity of the ZnTPPBr<sub>8</sub> sample used for studies reported in the literature.

(15) The synthesis of TFPPBr<sub>8</sub> ligand can be accomplished by refluxing CoTPPBr<sub>8</sub> with NBS in CH<sub>2</sub>Cl<sub>2</sub> (D'Souza, F.; Villard, A.; Van Caemelbecke, E.; Franzen, M.; Boschi, T.; Tagliatesta, P.; Kadish, K. M. *Inorg. Chem.* **1993**, *32*, 4042-4048).

(16) EPR (Cu, Co), electrochemical, and NMR results indicate that the air-stable oxidation states of these metals (+2) are those typically seen for porphyrins.

(17) Takeda, J.; Ohya, T.; Sato, M. *Inorg. Chem.* **1992**, *31*, 2877-2880.

(18) Bhyrappa, P.; Nethaji, M.; Krishnan, V. *Chem. Lett.* **1993**, 869-872.

(19) Adler, A. D.; Longo, F. R.; Kampas, F.; Kim, J. J. *Inorg. Nucl. Chem.* **1970**, *32*, 2443-2445.

(20) Battioni, P.; Brigaud, O.; Desvaux, H.; Mansuy, D.; Traylor, T. G. *Tetrahedron Lett.* **1991**, *32*, 2893-2896.

(21) Schaefer, W. P.; Hodge, J. A.; Hughes, M. E.; Gray, H. B. *Acta Crystallogr.* **1993**, *C49*, 1342-1345.

(22) While the *Acta Cryst.* manuscript was in review, a structure was reported for NiTFPPBr<sub>8</sub>: Mandon, D.; Ochsenbein, P.; Fischer, J.; Weiss, R.; Jayaraj, K.; Austin, R. N.; Gold, A.; White, P. S.; Brigaud, O.; Battioni, P.; Mansuy, D. *Inorg. Chem.* **1992**, *31*, 2044-2049. The structure reported is in agreement with ours.

(23) Henling, L. M.; Schaefer, W. P.; Hodge, J. A.; Hughes, M. E.; Gray, H. B.; Lyons, J. E.; Ellis, P. E. *Acta Crystallogr.* **1993**, *C49*, 1743-1747.

- (24) Marsh, R. E.; Schaefer, W. P.; Hodge, J. A.; Hughes, M. E.; Gray, H. B. *Acta Crystallogr.* **1993**, *C49*, 1339-1342.
- (25) Birnbaum, E. R.; Schaefer, W. P.; Labinger, J. A.; Bercaw, J. E.; Gray, H. B. *Inorg. Chem.* submitted.
- (26) Grinstaff, M. W.; Hill, M. G.; Birnbaum, E. R.; Schaefer, W. P.; Labinger, J. A.; Gray, H. B. *Inorg. Chem.* in preparation.
- (27) Grinstaff, M. W.; Hill, M. G.; Labinger, J. A.; Gray, H. B. *Science* **1994**, *264*, 1311-1313.
- (28) Structures have also been reported for the  $\text{Fe}^{3+}$  derivatives of  $\beta$ -octahalogenated tetramesitylporphyrins (Ochsenbein, P.; Mandon, D.; Fischer, J.; Weiss, R.; Austin, R.; Jayaraj, K.; Gold, A.; Turner, J.; Bill, E.; Muther, M.; Trautwein, A. X. *Angew. Chem. Int. Ed. Engl.* **1993**, *32*, 1437-1439).
- (29) Song, H.; Scheidt, W. R. *Inorg. Chim. Acta* **1990**, *173*, 3-41.
- (30) Schauer, C. K.; Anderson, O. P.; Eaton, S. S.; Eaton, G. R. *Inorg. Chem.* **1985**, *24*, 4082-4086.
- (31) Golder, A. J.; Povey, D. C.; Silver, J.; Jassim, Q. A. A. *Acta Crystallogr.* **1990**, *C46*, 1210-1212.
- (32) Byrn, M. P.; Curtis, C. J.; Goldberg, I.; Hsiou, Y.; Khan, S. I.; Sawin, P. A.; Tendick, S. K.; Strouse, C. E. *J. Am. Chem. Soc.* **1991**, *113*, 6549-6557.
- (33) Scheidt, W. R.; Lee, Y. J. *Struct. Bonding* **1987**, *64*, 1-70.
- (34) Sparks, L. D.; Medforth, C. J.; Park, M.-S.; Chamberlain, J. R.; Ondrias, M. R.; Senge, M. O.; Smith, K. M.; Shelnutt, J. A. *J. Am. Chem. Soc.* **1993**, *115*, 581-592.
- (35) Shelnutt, J. A.; Medforth, C. J.; Berber, M. D.; Barkigia, K. M.; Smith, K. M. *J. Am. Chem. Soc.* **1991**, *113*, 407-4087.
- (36) These potential energy distributions were calculated for NiOEP (Kitagawa, T.; Ozaki, Y. *Struct. Bonding* **1987**, *64*, 71-114).
- (37) M. E. Hughes, unpublished results.



- (38) Lyons, J. E.; Ellis, P. E.; Wagner, R. W.; Thompson, P. B.; Gray, H. B.; Hughes, M. E.; Hodge, J. A. *Symposium on Natural Gas Upgrading II, Division of Petroleum Chemistry, American Chemical Society, San Francisco Meeting, April 1992*, 307-317.
- (39) Cullen, D. L.; Meyer, E. F. *J. Am. Chem. Soc.* **1974**, *96*, 2095-2102.
- (40) Meyer, E. F. *Acta Crystallogr.* **1972**, *B28*, 2162-2167.
- (41) Czernuszewicz, R. S.; Li, X.-Y.; Spiro, T. G. *J. Am. Chem. Soc.* **1989**, *111*, 7024-7031.
- (42) Barkigia, K. M.; Renner, M. W.; Furenlid, L. R.; Medforth, C. J.; Smith, K. M.; Fajer, J. *J. Am. Chem. Soc.* **1993**, *115*, 3627-3635.
- (43) Senge, M. O.; Medforth, C. J.; Sparks, L. D.; Shelnut, J. A.; Smith, K. M. *Inorg. Chem.* **1993**, *32*, 1716-1723.
- (44) A. Eckermann, unpublished results.
- (45) Cromer, D. T.; Waber, J. T. In *International Tables for X-ray Crystallography*; Kluwer Academic Publishers: Dordrecht, 1974; Vol. IV; pp 99-101.
- (46) Cromer, D. T. In *International Tables for X-ray Crystallography*; Kluwer Academic Publishers: Dordrecht, 1974; Vol. IV; pp 149-151.
- (47) Duchamp, D. J. *Am. Crystallogr. Assoc. Meet., Bozeman, Montana, Paper B14* **1964**, 29-30.
- (48) Debaerdemaeker, T.; Germain, G.; Main, P.; Refaat, L. S.; Tate, C.; Woolfson, M. M. *MULTAN88. Computer Programs for the Automatic Solution of Crystal Structures from X-ray Diffraction Data*; Univs. of York, England and Louvain, Belgium: 1988.
- (49) Johnson, C. K. "ORTEP II," Oak Ridge National Laboratory, Oak Ridge, TN, USA, 1976.
- (50) Medforth, C. J.; Senge, M. O.; Smith, K. M.; Sparks, L. D.; Shelnut, J. A. *J. Am. Chem. Soc.* **1992**, *114*, 9859-9869.
- (51) Spiro, T. G.; Czernuszewicz, R. S.; Li, X.-Y. *Coord. Chem. Rev.* **1990**, *100*, 541-571.

**Table 2.1.** Selected Average Bond Lengths (Å) for Planar Porphyrins.<sup>a</sup>

Bond	H <sub>2</sub> TFPP	CuTFPP	ZnTFPP <sup>5</sup>	Hoard's 'Average Porphyrin' <sup>b</sup>
N - C <sub>α</sub>	1.369(4)	1.376(3,2)	1.371	1.383-1.370
C <sub>α</sub> - C <sub>β</sub>	1.438(5)	1.437(4,5)	1.438	1.446
C <sub>β</sub> - C <sub>β</sub>	1.329(5)	1.334(4,2)	1.339	1.350-1.380
C <sub>α</sub> - C <sub>m</sub>	1.393(4)	1.387(4,4)	1.398	1.375-1.407
C <sub>m</sub> - C <sub>Ph</sub>	1.500(5)	1.494(4,1)	—	—
H - N	0.91(4)	—	—	—
M - N	—	1.996(2,2)	2.036	1.960-2.098
Ct - N <sup>c</sup>	2.0166 2.0882	1.996	2.036	1.960-2.098

<sup>a</sup> The numbers in parentheses represent the average error in individual bond lengths and the magnitude of the deviation observed in the crystallographically different bonds (calculated as  $[(X_{av} - X^-) - (X_{av} - X^+)/2]$ , where  $X_{av}$  = the average of the crystallographically different bonds and  $X^-$  and  $X^+$  are the maximum negative and positive deviations from the average, respectively), respectively.

<sup>b</sup> The numbers shown are for NiDeut (Deut = 2,4-Diacetyldeuteroporphyrin) and SnTPPCl<sub>2</sub>, respectively. These two porphyrins represent a contracted and an expanded core, respectively. Sn(IV) is the largest metal ion that has been observed to bind in the center of the macrocycle.<sup>1,2</sup>

<sup>c</sup> Core size is defined as the distance between the center of the molecule (Ct) and a projection of the nitrogen atoms into the porphyrin plane.

**Table 2.2.** Selected Average Bond Lengths (Å) for Distorted TFPP Derivatives.<sup>a</sup>

Bond	CuTFPPCl <sub>8</sub>	H <sub>2</sub> TFPPBr <sub>8</sub>	NiTFPPBr <sub>8</sub>	CuTFPPBr <sub>8</sub>	ZnTFPPBr <sub>8</sub> <sup>b</sup>
N - C <sub>α</sub>	1.376(5,8)	1.368(10,35)	1.387(7,9)	1.380(10,10)	1.37(3)
C <sub>α</sub> - C <sub>β</sub>	1.449(5,9)	1.456(11,18)	1.444(8,13)	1.440(11,20)	1.45(3)
C <sub>β</sub> - C <sub>β</sub>	1.346(6,4)	1.348(11,6)	1.341(8,3)	1.333(11,24)	1.35(3)
C <sub>α</sub> - C <sub>m</sub>	1.396(5,8)	1.411(11,11)	1.384(8,8)	1.396(11,13)	1.39(3)
C <sub>m</sub> - C <sub>Ph</sub>	1.501(6,4)	1.481(11,8)	1.493(9,6)	1.496(11,10)	1.48(3)
M - N	2.007(3,4)	—	1.902(4,4)	1.971(6,4)	2.042(13,10)
Ct - N <sup>c</sup>	2.007	2.0252 2.0602	1.902	1.971	2.033

<sup>a</sup> The numbers in parentheses represent the average error in individual bond lengths and the magnitude of the deviation observed in the crystallographically different bonds, respectively.

<sup>b</sup> The Zn atom is displaced 0.180 Å from the plane of the porphyrin.

<sup>c</sup> Core size is defined as the distance between the center of the molecule (Ct) and a projection of the nitrogen atoms into the porphyrin plane.

**Table 2.3.** Selected Average Angles (°) for Planar Porphyrins.<sup>a</sup>

Angles	H <sub>2</sub> TFPP	CuTFPP	ZnTFPP <sup>5</sup>	Hoard's 'Average Porphyrin' <sup>b</sup>
N1 - M - N2	—	90.0(1,4)	89.8	—
N1 - M - N3	—	180.0	179.6	—
C <sub>α</sub> - N - C <sub>α</sub>	107.4(3)	105.2(2,3)	106.2	104.4-109.2
N - C <sub>α</sub> - C <sub>m</sub>	125.4(3)	125.2(2,2)	125.1	125.3-126.4
N - C <sub>α</sub> - C <sub>β</sub>	108.5(3)	110.2(2,2)	109.6	111.0-108.2
C <sub>α</sub> - C <sub>β</sub> - C <sub>β</sub>	107.2(3)	107.2(2,2)	107.3	106.8-107.2
C <sub>α</sub> - C <sub>m</sub> - C <sub>α</sub>	127.2(3)	124.7(2,1)	126.1	123.8-126.4
C <sub>m</sub> - C <sub>α</sub> - C <sub>β</sub>	126.4(3)	124.6(2,2)	125.4	123.7-125.4
C <sub>6</sub> F <sub>5</sub> dihedral <sup>c</sup>	79(3)	78(3)	72.6	—

<sup>a</sup> The numbers in parentheses represent the average error in individual bond lengths and the magnitude of the deviation observed in the crystallographically different bonds (calculated as  $[(X_{av} - X^-) - (X_{av} - X^+)/2]$ , where  $X_{av}$  = the average of the crystallographically different bonds and  $X^-$  and  $X^+$  are the maximum negative and positive deviations from the average, respectively), respectively.

<sup>b</sup> The numbers shown are for NiDeut and SnTPPCl<sub>2</sub>, respectively. Both metals are sitting in the plane of the porphyrin.<sup>1,2</sup>

<sup>c</sup> The dihedral angle refers to the angle between the plane of the porphyrin and the plane of the C<sub>6</sub>F<sub>5</sub> group.

**Table 2.4.** Selected Average Angles (°) for Distorted TFPP Derivatives.<sup>a</sup>

Angles	CuTFPPCl <sub>8</sub>	H <sub>2</sub> TFPPBr <sub>8</sub>	NiTFPPBr <sub>8</sub>	CuTFPPBr <sub>8</sub>	ZnTFPPBr <sub>8</sub> <sup>b</sup>
N1 - M - N2	90.2(1,4)	—	90.6(2,2)	90.4(2,6)	89.6(7,2)
N1 - M - N3	173.0(1,7)	—	168.4(2,,5)	171.2(2,2)	169.4(8,1)
C <sub>α</sub> - N - C <sub>α</sub>	107.3(3,2)	108.8(6,10)	106.6(4,4)	107.6(6,8)	108.7(17)
N - C <sub>α</sub> - C <sub>m</sub>	124.9(3,6)	124.0(7,4)	121.9(5,9)	122.1(7,11)	124.6(17)
N - C <sub>α</sub> - C <sub>β</sub>	108.7(3,3)	108.1(6,22)	108.4(5,7)	107.8(6,10)	107.7(16)
C <sub>α</sub> - C <sub>β</sub> - C <sub>β</sub>	107.5(3,4)	107.4(7,12)	107.8(5,7)	108.1(7,2)	107.7(17)
C <sub>α</sub> - C <sub>m</sub> - C <sub>α</sub>	123.8(4,2)	124.6(7,-)	121.4(5,6)	123.0(7)	124.0(17)
C <sub>m</sub> - C <sub>α</sub> - C <sub>β</sub>	126.2(3,5)	127.6(7,3)	129.0(5,7)	129.5(7,8)	127.6(17)
C <sub>6</sub> F <sub>5</sub> dihedral <sup>c</sup>	68.4	54.3	45.4	45.7	54.6

<sup>a</sup> The numbers in parentheses represent the average error in individual bond lengths and the magnitude of the deviation observed in the crystallographically different bonds, respectively.

<sup>b</sup> The Zn atom is displaced 0.180 Å from the plane of the porphyrin.

<sup>c</sup> The dihedral angle refers to the angle formed between the plane of the porphyrin and the plane of the C<sub>6</sub>F<sub>5</sub> group.

**Table 2.5.** Average Deviations ( $\pm\text{\AA}$ ) of Atoms from Porphyrin Plane (defined by four N atoms) and Core Sizes for TFPP and TFPPCl<sub>8</sub> Derivatives.

Atom	H <sub>2</sub> TFPP	CuTFPP	ZnTFPP <sup>5</sup>	H <sub>2</sub> TFPPCl <sub>8</sub> <sup>5</sup>	CuTFPPCl <sub>8</sub>	ZnTFPPCl <sub>8</sub> <sup>5</sup>
N	0.00	0.00	0.00	0.088	0.122	0.10
C <sub>m</sub>	0.039	0.026	0.040	0.023	0.033	0.13
C <sub>β</sub>	0.071	0.051	0.074	0.625	0.701	0.79, 0.68
Cl 1	—	—	—	1.06	1.128	1.17
Cl 2	—	—	—	1.06	1.352	1.48
Ct - N <sup>a</sup>	2.0166 2.0882	1.996	2.036	2.075	2.007	2.029

<sup>a</sup> Core size is defined as the distance between the center of the molecule (Ct) and a projection of the nitrogen atoms into the porphyrin plane.

**Table 2.6.** Average Deviation ( $\pm\text{\AA}$ ) of atoms from Porphyrin Plane (defined by four N atoms) and Core Sizes for Distorted TFPPBr<sub>8</sub> Derivatives.

Atom	H <sub>2</sub> TFPPBr <sub>8</sub>	NiTFPPBr <sub>8</sub>	CuTFPPBr <sub>8</sub>	ZnTFPPBr <sub>8</sub>
N	0.076	0.192	0.149	0.082 <sup>a</sup>
C <sub>m</sub>	0.091	0.187	0.163	0.021
C <sub>β</sub>	0.903	1.175	1.12	0.971
Br 1	1.587	1.855	1.82	1.33
Br 2	1.851	2.249	2.16	1.71
Ct - N <sup>b</sup>	2.0252 2.0602	1.902	1.971	2.033

<sup>a</sup> Metal atom is 0.180  $\text{\AA}$  above the porphyrin plane.

<sup>b</sup> Core size is defined as the distance between the center of the molecule (Ct) and a projection of the nitrogen atoms into the porphyrin plane.

**Table 2.7.** Average Deviation ( $\pm\text{\AA}$ ) of atoms from Porphyrin Plane and Core Sizes for Distorted Octaalkyl Porphyrins.

Atom	NiOEP (ruffled) <sup>a</sup>	NiTPPEt <sub>8</sub> <sup>b</sup>	NiTPPPr <sub>8</sub> <sup>b</sup>	ZnTPPEt <sub>8</sub> <sup>c</sup>	H <sub>2</sub> TPPPh <sub>8</sub> <sup>d</sup>
N	< 0.01	0.19	0.019	0.063	0.08
C <sub>m</sub>	0.51	0.03	0.06	0.050	0.00
C <sub>B</sub>	0.21	1.24	1.29	1.079	0.99
Ct - N <sup>e</sup>	1.929(3)	1.906(3)	1.901(2)	2.048	–




<sup>a</sup> From reference 40.<sup>b</sup> From reference 42.<sup>c</sup> Metal atom is 0.240 Å above the porphyrin plane. From references 12,34.<sup>d</sup> From reference 50. Ct-N not reported.<sup>e</sup> Core size is defined as the distance between the center of the molecule (Ct) and a projection of the nitrogen atoms into the porphyrin plane.**Table 2.8.** Structure-Sensitive Resonance Raman Marker Bands (25 °C, CH<sub>2</sub>Cl<sub>2</sub>, 442 nm excitation) for Planar and Distorted Ni(II)Tetraphenylporphyrins.<sup>37,38</sup>

Compound	$\nu_4$ (cm <sup>-1</sup> )	$\nu_2$ (cm <sup>-1</sup> )
NiTFPP	1375	1568
NiTFPPCl <sub>8</sub>	1363	1557
NiTFPPBr <sub>8</sub>	1354	1542
NiPa	1376	1575
NiOEP <sup>a</sup>	1383	1600
NiTPP <sup>b</sup>	1374	1572
NiTPPMe <sub>8</sub> <sup>b</sup>	1362	1574
NiTPPEt <sub>8</sub> <sup>b</sup>	1350	1562
NiTPPPr <sub>8</sub> <sup>b</sup>	1360	1560
NiTPPPPh <sub>8</sub> <sup>b</sup>	1353	1545




<sup>a</sup> From reference 51. Recorded in CH<sub>2</sub>Cl<sub>2</sub>, excitation at 406.7 nm.<sup>b</sup> From reference 35. Recorded in CS<sub>2</sub>, excitation at 457.9 nm.

**Figure 2.1.** Scheme for synthesis of  $\beta$ -octamethyltetraphenylporphyrins. With minor modifications, the reaction can be generalized to the synthesis of most  $\beta$ -alkylated and *meso*-tetraphenylporphyrins.








**Figure 2.2.** X-ray crystallographically determined structures for  $\text{H}_2\text{TFPP}$ ,  $\text{H}_2\text{TFPPCl}_8$ , and  $\text{H}_2\text{TFPPBr}_8$ .

 $\text{H}_2\text{TFPP}$  $\text{H}_2\text{TFPPCl}_8$  $\text{H}_2\text{TFPPBr}_8$




**Figure 2.3.** X-ray crystallographically determined structures for CuTFPP, CuTFPPCl<sub>8</sub>, and CuTFPPBr<sub>8</sub>.



CuTFPP


CuTFPPCl<sub>8</sub>CuTFPPBr<sub>8</sub>

**Figure 2.4.** X-ray crystallographically determined structures for  $\text{H}_2\text{TFPP}$ ,  $\text{H}_2\text{TFPPCl}_8$ , and  $\text{H}_2\text{TFPPBr}_8$  with  $\beta$ -substituents and pentafluorophenyl groups removed. The side-view shows the slight twist-distortion of the  $\text{H}_2\text{TFPPCl}_8$  and  $\text{H}_2\text{TFPPBr}_8$ .



 $\text{H}_2\text{TFPP}$  $\text{H}_2\text{TFPPCl}_8$  $\text{H}_2\text{TFPPBr}_8$

**Figure 2.5.** X-ray crystallographically determined structures for CuTFPP, CuTFPPCl<sub>8</sub>, and CuTFPPBr<sub>8</sub> with  $\beta$ -substituents and pentafluorophenyl groups removed. The side view shows the large twist-distortion in the CuTFPPCl<sub>8</sub> and CuTFPPBr<sub>8</sub> derivatives.






CuTFPP

CuTFPPCl<sub>8</sub>CuTFPPBr<sub>8</sub>

**Figure 2.6.** Geometry of distortion. Displacements of selected atoms (Å) from the average porphyrin plane for NiTFPPBr<sub>8</sub>.



**CHAPTER 3:**  
**ELECTROCHEMISTRY**

## Introduction:

Porphyrin macrocycles, containing nonredox-active metals, such as Zn and Mg, typically undergo two reversible one-electron (1e) oxidations and two reversible 1e reductions in nonaqueous media.<sup>1</sup> The products of 1e oxidations are  $\pi$ -cation radicals whose electronic structures have been studied extensively, due to their central role in biological processes such as photosynthesis and other oxidation-reduction reactions.<sup>2,3</sup> Oxidation and reduction waves for redox-active metals, such as Co(II), Fe(III), Mn(II), and Cr(II) are frequently observable within the confines of the four ligand-centered waves. The cobalt porphyrin is unique, among these metals, in its ability to be reversibly reduced to a  $M^+$  oxidation state. The origin of redox processes can be identified through EPR and spectroelectrochemical experiments.<sup>4</sup> The UV-vis spectra of ligand-centered  $\pi$ -cation radicals and doubly oxidized species are quite distinctive.<sup>5</sup>

## Results and Discussion:

### *Non-redox Active Metals:*

The cyclic voltammograms of ZnTFPP and ZnTFPPX<sub>8</sub> (X = Cl, Br, Me) are shown in Figure 3.1. The reduction potentials are compared with that of ZnTPP in Table 3.1. Halogenation of the porphyrin causes a positive shift in the reduction potentials, as well as a merging of the two 1e oxidations into a single 2e response. The UV-vis spectral changes accompanying the oxidations of ZnTFPP are shown in Figure 3.2. As the potential is slowly cycled between 1.0 and 1.5 V, the initial absorptions of ZnTFPP decrease, giving rise to features at 390, 413, 625, and 695 nm. Further oxidation results in the appearance of a broad, sloping system with a maximum at 342 nm. Analogous spectral changes are observed during the oxidation of ZnTFPPBr<sub>8</sub>. As the potential is swept through the 2e wave, the two prominent absorption bands in the spectrum of ZnTFPPBr<sub>8</sub> (455, 585 nm) lose intensity, giving way to a band at 363 nm. However, these changes do not occur

isosbesticly; absorptions at 420 and 450 nm maximize midway through the electrolysis, indicating that a radical-disproportionation reaction is occurring.<sup>6</sup>

The UV-vis spectra of the singly and doubly oxidized species of both ZnTFPP and ZnTFPPBr<sub>8</sub> (Figure 3.3) establish that the oxidations are localized on the porphyrin ring. The spectrum of each singly oxidized species is that of a  $\pi$ -cation radical, featuring a characteristically broad, split absorption system in the Soret region (the low-energy band, at 700 nm, is difficult to see for ZnTFPPBr<sub>8</sub>); the principal absorption of each doubly oxidized complex, as expected for a porphyrin dication, is a broad, blue-shifted band.<sup>5</sup> The appearance of these spectra rule out the formation of isoporphyrins (i.e., porphyrins that are reduced/substituted at the *meso* position), because isoporphyrins are characterized by relatively intense ( $\epsilon = 2 \times 10^4 \text{ M}^{-1}\text{cm}^{-1}$ ) bands that fall between 750 and 950 nm (spectra were observed to 1000 nm).<sup>7</sup> One-electron couples can be extracted from the two-electron potentials, according to the following scheme:<sup>8</sup>

$$K_{\text{disp}} = [\text{P}][\text{P}^{2+}]/[\text{P}^+],$$

$$E = E^0_{+/0} + 0.059 \log([\text{P}^+]/[\text{P}]) = E^0_{2+/+} + 0.059 \log([\text{P}^{2+}]/[\text{P}^+]) ,$$

$$\log(K_{\text{disp}}) = (E^0_{+/0} - E^0_{2+/+})/0.059,$$

$$E^0_{2+/0} = (E^0_{2+/+} + E^0_{+/0})/2.$$

Equilibrium constants for the disproportionation of the singly oxidized porphyrin into the neutral and doubly oxidized forms ( $K_{\text{disp}}$ ) are  $12 \pm 5$  and  $5 \pm 3$  for ZnTFPPCl<sub>8</sub><sup>+</sup> and ZnTFPPBr<sub>8</sub><sup>+</sup>, respectively.<sup>9</sup>

The cyclic voltammogram of ZnTFPPMe<sub>8</sub> is similar to those of the perhalogenated porphyrins; two 1e reductions and one 2e oxidation are observed (Figure 3.1). Methylation of ZnTFPP results in a porphyrin that is easier to oxidize and harder to reduce. Slow cycling of the potential between 0.75 and 1.25 V yields spectral changes (Figure 3.4) comparable to the oxidation processes seen for ZnTFPPBr<sub>8</sub> and ZnTFPPCl<sub>8</sub>. The initial absorptions of ZnTFPPMe<sub>8</sub> (434, 570, 602 nm) decrease and ultimately yield the spectrum

of  $\text{ZnTFPPMe}_8^{2+}$  (327 nm). Again, absorptions (650-750 nm) attributable to a cation radical are observed midway through the electrolysis.  $K_{\text{disp}}$  for  $\text{ZnTFPPMe}_8^+$  is  $0.4 \pm 1$ .<sup>9</sup>

In contrast, the cyclic voltammograms (Figure 3.6) observed for Cu(II) derivatives of TFPP and TFPPMe<sub>8</sub>, clearly show two 1e oxidations. Data for the ligand-centered oxidation and reduction processes are shown in Table 3.2. The Cu(II) metal induces essentially equivalent positive shifts (average shifts = 0.04 V) in the reduction potentials for both the oxidations and reductions as compared to the Zinc(II) derivatives.

Several exceptions to the characteristic 1e transfers observed for porphyrins have been reported: Murray observed a net 2e oxidation of CuTPP and H<sub>2</sub>TPP in toluene with perchlorate as the supporting electrolyte, and attributed the multielectron response to specific metal-binding and acid-base properties of the medium;<sup>10,11</sup> Kadish observed a similar 2e wave for CoTPP in toluene;<sup>12</sup> and Saveant observed a 2e process that led to the formation of an isoporphyrin (with the accompanying loss of a proton).<sup>13</sup> Two groups have worked on the electrochemistry of CoTPPBr<sub>8</sub>: for experiments in benzonitrile, it was found that two 1e oxidation waves merge, but the identity of the 2e oxidized product was not established;<sup>14</sup> for experiments in CH<sub>2</sub>Cl<sub>2</sub>, two 1e oxidations were observed.

### *Redox-Active Metals:*

The data for the redox processes observed for Cobalt complexes of the halogenated and non-halogenated tetraphenyl porphyrins is collected in Table 3.3. Figure 3.7 contains the UV-vis spectroelectrochemical data that clearly indicate that the redox processes observed at -0.11 V and -0.08 V, for the  $\text{Co}^{2+/+}$ , couple of TFPPBr<sub>8</sub> and TFPPCl<sub>8</sub>, respectively, are metal-centered. The double-Soret observed in the Co(I) species is typical of Co(I) porphyrins although its origin has not been conclusively identified.<sup>15</sup> Similarly, the sharp UV-vis bands generated by the first oxidation identify the process as metal-centered.<sup>15</sup> The  $\text{Co}^{3+/2+}$  oxidation process was not reversible, consistent with  $\text{Co}^{3+/2+}$  couples typically being kinetically slow and extremely ligand-dependent.

## Conclusions:

Despite the changes induced in the tetraphenylporphyrin ligand by the substitution of bulky electron-withdrawing ligands, their electrochemical properties are similar to those observed for the metalloderivatives of OEP, TPP, and TFPP: the stable oxidation states observed for the metallo-derivatives are similar (exception = Fe(II)) and the ligand can undergo two reversible oxidations and reductions. The observed merging of the two 1e electron oxidations into a single electron response is shown to be dependent on the macrocycle being substituted with a perfluorophenyl group at the meso position and upon its being distorted. The effect was shown not to be a product of the electronic interaction of the halogen substituents with the oxidized species by the fact that the same phenomenon is observed for the octamethylated TFPP derivative. Porphyrins substituted with perfluorophenyl groups at the *meso* positions give  $^2A_{1u}$  cation radicals.<sup>16</sup> (See Chapter 4 for a further discussion.) Resonance Raman and IR spectra of the  $^2A_{1u}$  and  $^2A_{2u}$  cation radicals reveal distinctly different vibrational characteristics for the two types of cations.<sup>17,18</sup>

For tetraphenylporphyrins the observed  $\beta$ -substituent-induced redox potential shifts are not equivalent for ring reduction and ring oxidation. The reduction potentials for oxidations typically are less positively shifted than the potentials for reductions in the case of the  $\beta$ -halogenated porphyrins, and are more positively shifted than the potentials for reductions in the case of  $\beta$ -alkylated tetraphenylporphyrins.<sup>19-22</sup> In a comparison between ZnTFPPEt<sub>8</sub> and ZnTFPPMe<sub>8</sub>, the change in potential for reductions is negligible (0.04 V), the oxidation potential is shifted at least 0.20 V more negative. These shifts have been attributed to distortion effects that raise the energy of the HOMO preferentially over the LUMO (see Chapter 4 for more complete discussion).<sup>23</sup>

Reports for the metalloderivatives of the TPPBr<sub>8</sub> ligand show large positive shifts in reduction potentials for the substitution of Cu(II) for Zn(II). Shifts of 0.22 V for



oxidations and 0.34 V for reductions were reported.<sup>21</sup> The large shift appears to correlate with having phenyl groups as opposed to a perfluorophenyl groups in the *meso* position.

## Experimental:

**Electrochemistry.** All electrochemical experiments were performed with either a Bioanalytical Systems (BAS) Model 100 electrochemical analyzer or an EG&G Princeton Applied Research Model 173 Potentiostat/Galvanostat driven by a Model 175 Universal Programmer. Cyclic voltammetry was performed at room temperature with a normal three-electrode configuration consisting of a highly polished glassy carbon disk working electrode ( $A = 0.07 \text{ cm}^2$ ) and a AgCl/Ag reference electrode containing 1.0 M KCl. The working compartment of the electrochemical cell was separated from the reference compartment by a modified Luggin capillary. All three compartments contained a 0.1 M solution of supporting electrolyte.

Dichloromethane (Burdick and Jackson, high purity) and tetrabutylammonium hexafluorophosphate (TBAPF<sub>6</sub>) (Southwestern Analytical) were used as received. Electrolyte solutions were passed through activated alumina prior to use. Typical reactant concentrations for cyclic voltammetry were in the range of  $10^{-3}$ - $10^{-4}$  M.

Potentials are reported vs. aqueous AgCl/Ag and are not corrected for the junction potential. Under conditions identical with those employed here, the ferrocenium/ferrocene couple has  $E^\circ = 0.48 \text{ V}$ .

**Spectroelectrochemistry.** Thin-layer UV-vis spectroelectrochemistry employed an optically transparent platinum working electrode.<sup>8</sup> Spectral changes were monitored either by a Tracor Northern TN-6500 diode array apparatus employing a Xe arc lamp as the light source, or a Hewlett-Packard 8452A diode array spectrophotometer.

**EPR.** EPR spectra were recorded at  $-50^\circ \text{C}$  in  $\text{CH}_2\text{Cl}_2$ / 0.1 M TBAClO<sub>4</sub> (Southwestern analytical) solution. Solutions of oxidized species were prepared via the

bulk electrochemical oxidation in some cases in situ and in some cases on the bench top and transferred to an EPR tube via syringe.

Porphyrin syntheses and purification procedures are reported in Chapter 2.

## References and Notes:

- (1) Kadish, K. M. *Prog. in Inorganic Chem.* **1986**, *34*, 435-605.
- (2) Davis, D. G. In *The Porphyrins*; D. Dolphin, Ed.; Academic Press, Inc.: New York, 1979; Vol. V; pp 127-152.
- (3) Dolphin, D.; Felton, R. H. *Acc. Chem. Res.* **1974**, *7*, 26-32.
- (4) Grinstaff, M. W.; Hill, M. G.; Labinger, J. A.; Gray, H. B. *Science* **1994**, *264*, 1311-1313.
- (5) Fajer, J.; Borg, D. C.; Forman, A.; Dolphin, D.; Felton, R. H. *J. Am. Chem. Soc.* **1970**, *92*, 3451-3459.
- (6) Traylor, T. G.; Tsuchiya, S. *Inorg. Chem.* **1987**, *26*, 1338-1339.
- (7) Dolphin, D.; Felton, R. H.; Borg, D. C.; Fajer, J. *J. Am. Chem. Soc.* **1970**, *92*, 743-745.
- (8) Hill, M. G.; Mann, K. R. *Inorg. Chem.* **1991**, *30*, 1429-1431.
- (9) Hodge, J. A.; Hill, M. G.; Gray, H. B. *Inorg. Chem.* in press.
- (10) Geng, L.; Murray, R. W. *Inorg. Chem.* **1986**, *25*, 3115-3120.
- (11) Geng, L.; Ewing, A. G.; Jernigan, J. C.; Murray, R. W. *Anal. Chem.* **1986**, *58*, 852-860.
- (12) Mu, X. H.; Lin, X. Q.; Kadish, K. M. *Electroanalysis* **1989**, *1*, 113-116.
- (13) El-Kasmi, A.; Lexa, D.; Maillard, P.; Momenteau, M.; Saveant, J.-M. *J. Am. Chem. Soc.* **1991**, *113*, 1586-1595.
- (14) D'Souza, F.; Villard, A.; VanCaemelbecke, E.; Franzen, M.; Boschi, T.; Tagliatesta, P.; Kadish, K. M. *Inorg. Chem.* **1993**, *32*, 4042-4048.
- (15) Gouterman, M. In *The Porphyrins*; D. Dolphin, Ed.; Academic Press: New York, 1978; Vol. III; pp 1-165.
- (16) Gross, Z.; Barzilay, C. *Angew. Chem.* **1992**, *31*, 1615-1617.
- (17) Czernuszewicz, R. S.; Macor, K. A.; Li, X.-Y.; Kincaid, J. R.; Spiro, T. G. *J. Am. Chem. Soc.* **1989**, *111*, 3860-3869.

- (18) Prendergast, K.; Spiro, T. G. *J. Phys. Chem.* **1991**, *95*, 9728-9736.
- (19) Kadish, K. M.; D'Souza, F.; Villard, A.; Autret, M.; Caemelbecke, E. V.; Bianco, P.; Antonini, A.; Tagliatesta, P. *Inorg. Chem.* **1994**, *33*, 5169-5170.
- (20) Ochsenbein, P.; Ayougou, K.; Mandon, D.; Fischer, J.; Weiss, R.; Austin, R. N.; Jayaraj, K.; Gold, A.; Turner, J.; Fajer, J. *Angew. Chem.* **1994**, *33*, 348-350.
- (21) Bhyrappa, P.; Krishnan, V. *Inorg. Chem.* **1991**, *30*, 239-245.
- (22) Bhyrappa, P.; Nethaji, M.; Krishnan, V. *Chem. Lett.* **1993**, 869-872.
- (23) Takeuchi, T.; Gray, H. B.; Goddard, W. A. *J. Am. Chem. Soc.* **1994**, *116*, 9730-9732.
- (24) Felton, R. H.; Linschitz, H. *J. Am. Chem. Soc.* **1966**, *88*, 1113-1116.

**Table 3.1.** Reduction Potentials of Zinc(II) and Mg(II) Porphyrins.<sup>a</sup>

Porphyrin	$E^{o'}_{2+/0}$	$E^{o'}_{2+/+}$	$E^{o'}_{+/0}$	$E^{o'}_{0/-}$	$E^{o'}_{-/2-}$
ZnTFPP <sup>b</sup>	–	1.16	0.80	-1.33	-1.66
ZnTFPP	–	1.58	1.37	-0.95	-1.37
ZnTFPPBr <sub>8</sub>	1.55	1.53 <sup>c</sup>	1.57 <sup>c</sup>	-0.48	-0.76
MgTFPPBr <sub>8</sub>	1.54	– <sup>e</sup>	– <sup>e</sup>	-0.47	-0.76
ZnTFPPCl <sub>8</sub>	1.60	1.57 <sup>c</sup>	1.63 <sup>c</sup>	-0.47	-0.75
ZnTFPPMe <sub>8</sub>	0.98	0.99 <sup>c</sup>	0.97 <sup>c</sup>	-1.14	-1.52 <sup>d</sup>
ZnT(2,6)FPPMe <sub>8</sub>	0.80	– <sup>e</sup>	– <sup>e</sup>	-1.36	-1.66
ZnTFPPEt <sub>8</sub>	0.77	– <sup>e</sup>	– <sup>e</sup>	-1.18	-1.56

<sup>a</sup> V vs. AgCl/Ag in 1.0 M KCl;  $Fc^{+/0} = 0.48$  V; 0.1 M TBAPF<sub>6</sub>/CH<sub>2</sub>Cl<sub>2</sub>.

<sup>b</sup> Potentials are in good agreement with literature values.<sup>1</sup>

<sup>c</sup> Calculated from the respective  $K_{disp}$  and  $E^{o'}_{2+/0}$  couples, and the expressions  $\ln K_{disp} = nF(E^{o'}_{+/0} - E^{o'}_{2+/+})/RT$  and  $E_{2+/0} = (E^{o'}_{+/0} + E^{o'}_{2+/+})/2$ .

<sup>d</sup>  $E_{pc}$ .

<sup>e</sup> Not determined.

**Table 3.2.** Reduction Potentials of Copper(II) and Palladium(II) Porphyrins.<sup>a</sup>

Porphyrin	$E^{o'}_{2+/+}$	$E^{o'}_{+/0}$	$E^{o'}_{0/-}$	$E^{o'}_{-/2-}$
CuTPP	1.33 <sup>b</sup>	0.99 <sup>b</sup>	-1.20 <sup>c</sup>	-1.68 <sup>c</sup>
CuTFPP	1.63 (1.75)	1.39 (1.42)	-0.86 (-0.92)	-1.32 (-1.36)
CuTFPPBr <sub>8</sub>	1.77	1.51 (1.56)	-0.43 (-0.44)	-0.80 (-0.77)
CuTFPPCl <sub>8</sub>	≈1.80	1.58	-0.36 (-0.41)	-0.68 (-0.76)
PdTFPPCl <sub>8</sub>	–	–	(-0.43)	(-0.78)
CuTFPPMe <sub>8</sub>	1.22(1.37)	0.97(1.01)	-1.02 (-1.10)	-1.38 (-1.47)

<sup>a</sup> V vs. AgCl/Ag in 1.0 M KCl;  $Fc^{+/0} = 0.44$  V; 0.1 M TBAPF<sub>6</sub>/CH<sub>3</sub>CN. Potentials in ( ) are recorded in 0.1 M TBAPF<sub>6</sub>/CH<sub>2</sub>Cl<sub>2</sub>;  $Fc^{+/0} = 0.48$  V. Oxidations were not observed for CuTFPPCl<sub>8</sub> and PdTFPPCl<sub>8</sub> in CH<sub>2</sub>Cl<sub>2</sub>, in a potential sweep to 1.8 V.

<sup>b</sup> Recorded in benzonitrile. V vs SCE.<sup>24</sup>

<sup>c</sup> Recorded in DMSO. V vs SCE.<sup>24</sup>

**Table 3.3.** Reduction Potentials of Cobalt Porphyrins.<sup>a</sup>

Porphyrin	$E^{\circ'}_{2+/+}$	$E^{\circ'}_{+/0}$	$M^{\circ'}_{3+/2+}$	$M^{\circ'}_{2+/+}$	$E^{\circ'}_{0/-}$
CoTPP <sup>b</sup>	1.25	1.11	0.89	-0.98	-1.49 <sup>c</sup>
CoTFPP	1.77	1.54	1.24	-0.56	-1.59
CoTFPPBr <sub>8</sub>		1.75	1.21 <sup>c</sup> , 0.30 <sup>c</sup>	-0.11	-1.01
CoTFPPCl <sub>8</sub>		1.70	1.55, 0.63 <sup>d</sup>	-0.08	-1.11


<sup>a</sup> V vs. AgCl/Ag in 1.0 M KCl;  $Fc^{+/0} = 0.48$  V; 0.1 M TBAPF<sub>6</sub>/CH<sub>2</sub>Cl<sub>2</sub>.

<sup>b</sup> Potentials are in good agreement with literature values; ref. <sup>1</sup>.

<sup>c</sup>  $E_{pc}$ . Perhaps reflecting the oxidation of a unligated cobalt(II) and the reduction of a ligated cobalt(III) center.


<sup>d</sup> Waves corresponded to less than 1e, yet unlike the CoTFPPBr<sub>8</sub> case, exhibited reverse waves as well.

**Figure 3.1.** Cyclic voltammograms of ZnTFPP and ZnTFPPX<sub>8</sub> (X = Me, Cl, Br) in 0.1 M TBAPF<sub>6</sub>/CH<sub>2</sub>Cl<sub>2</sub>.







**Figure 3.2.** Changes in the absorption spectrum of ZnTFPP in 0.1 M TBAPF<sub>6</sub>/CH<sub>2</sub>Cl<sub>2</sub> recorded during a slow (4 mV/s) cyclic potential sweep.






**Figure 3.3.** (a) Electronic spectra of ZnTFPP ( $-\bullet-$ ), ZnTFPP<sup>+</sup> (—), and ZnTFPP<sup>2+</sup> (---) in 0.1 M TBAPF<sub>6</sub>/CH<sub>2</sub>Cl<sub>2</sub>. (b) Electronic spectra of ZnTFPPBr<sub>8</sub> ( $-\bullet-$ ), ZnTFPPBr<sub>8</sub><sup>+</sup> (—), and ZnTFPPBr<sub>8</sub><sup>2+</sup> (---) in 0.1 M TBAPF<sub>6</sub>/CH<sub>2</sub>Cl<sub>2</sub>. The spectrum of ZnTFPPBr<sub>8</sub><sup>+</sup> was extracted from the measured value of K<sub>disp</sub>.



**Figure 3.4.** Changes in the absorption spectrum of ZnTFPPMe<sub>8</sub> in 0.1 M /CH<sub>2</sub>Cl<sub>2</sub> recorded during a slow (4 mV/s) cyclic potential sweep.




**Figure 3.5.** EPR spectra for the electrochemically generated  $\pi$ -cation radicals of ZnTPP ( $^2A_{1u}$ )( $g = 2.03$ ), ZnTFPP ( $^2A_{1u}$ )( $g = 2.05$ ), and ZnTFPPBr<sub>8</sub> ( $^2A(^2A_{1u})$ )( $g = 2.015$ ) (top to bottom). Recorded in TBAPF<sub>6</sub>/CH<sub>2</sub>Cl<sub>2</sub>, at -50 °C. See Chapter 4 for corresponding orbital density maps.







**Figure 3.6.** Cyclic voltammograms of CuTFPP and CuTFPPMe<sub>8</sub> in 0.1 M TBAPF<sub>6</sub>/CH<sub>2</sub>Cl<sub>2</sub>.




CuTFPP




CuTFPPMeg



**Figure 3.7.** Changes in the absorption spectrum of CoTFPPBr<sub>8</sub> in 0.1 M TBAPF<sub>6</sub>/CH<sub>2</sub>Cl<sub>2</sub> recorded during a slow (4 mV/s) cyclic potential sweep showing (a.) the oxidation of Co(II) to Co(III) (occurring at approximately 0.5 V) and (b.) the reduction of Co(II) to Co(I) (occurring at approximately -0.1 V).





**CHAPTER 4:**  
**ELECTRONIC STRUCTURE**

## Introduction:

In 1956, when R. J. P. Williams published a review entitled, "The Properties of Metalloporphyrins,"<sup>1</sup> the UV and visible absorption spectra of naturally occurring porphyrins and their metallo-derivatives (especially Fe(III)) were well-documented. Although it was generally accepted that the optical absorption spectra were  $\pi$ - $\pi^*$  or possibly N- $\pi^*$  in origin, questions remained about the number of bands, the relative intensities of the bands, the shifts observed with metallo- and peripheral substitution, and changes in axial ligation at the metal-center. Figure 4.1 shows the spectrum for a typical metalloporphyrin derivative, ZnOEP. Although OEP is a synthetic porphyrin, its spectral properties closely mimic those of most natural porphyrins.

Molecular orbital calculations were reported as early as 1949, but their 'necessarily crude' nature precluded truly meaningful insight.<sup>2</sup> Most naturally occurring porphyrins are essentially planar and highly conjugated, therefore it was assumed that most electronic spectral properties originate with the  $\pi$ -electrons. Simple Hückel calculations, in which molecular orbitals are generated from linear combinations of atomic orbitals, generate the result that there are two nearly, yet accidentally, degenerate filled orbitals of  $a_{1u}$  and  $a_{2u}$  symmetry for the  $D_{4h}$  porphyrin and two degenerate  $\pi$  orbitals of  $e_g$  symmetry that are next in energy and unfilled.<sup>3</sup> Later semi-empirical self-consistent-field,<sup>4</sup> modified and extended Hückel,<sup>5</sup> and complete neglect of differential overlap methods reproduced the spirit of the simple Hückel calculations.<sup>2</sup> The labels B and Q refer to one and nine units of angular momentum in the excited state configurations, generated from transitions between the molecular orbitals.<sup>3</sup>

Gouterman proposed that the observed Q and B bands were the result of the interaction of the  $(a_{2u}e_g)$  and the  $(a_{1u}e_g)$  configurations rather than individual transitions between molecular orbitals.<sup>6</sup> Figure 4.2 shows the molecular orbitals and the states resulting from the mixing of configurations. Thus, although  $a_{1u} \rightarrow e_g$  and  $a_{2u} \rightarrow e_g$

transitions would be expected to yield bands of relatively equal intensity, a spectrum resulting from the interaction of the configurations would not. This type of configuration interaction had been used previously to explain the electronic spectra of polyenes.<sup>3,7</sup> Gouterman qualitatively explained metallo- and peripheral substitution induced changes in porphyrin electronic spectra as resulting from the interaction of the metal  $d_\pi$  and  $p_\pi$  orbitals with the porphyrin  $e_g$  and  $a_{2u}$  orbitals. He made the empirical observation that the metal  $d$  orbitals had less effect on the spectra than the  $p_z$  orbital. The increasing electronegativity of the central metal atom acts inductively to lower the energies of the  $e_g$  and  $a_{2u}$  orbitals.<sup>6</sup>

## Results and Discussion:

The UV-vis spectra of porphyrins and metalloporphyrins are dominated by two relatively intense singlet  $\pi$ - $\pi^*$  transitions, termed the B bands ( $\epsilon \approx 10^5 \text{ M}^{-1} \text{ cm}^{-1}$ ) (or Soret band) and the lower energy Q bands ( $\epsilon \approx 10^4 \text{ M}^{-1} \text{ cm}^{-1}$ ). Figure 4.1 contains a UV-vis spectrum of ZnOEP with the B and Q bands marked. These transitions are quite adequately explained by Gouterman's four orbital model. The HOMOs consist of two nearly degenerate orbitals of  $a_{1u}$  and  $a_{2u}$  symmetry and the LUMOs of two degenerate orbitals of  $e_g$  symmetry (in  $D_{4h}$  symmetry) and configuration interaction between ( $a_{1u}e_g$ ) and ( $a_{2u}e_g$ ) generates the Q and the B states (Figure 4.2).<sup>6</sup> Two bands are frequently observed in the visible region, the Q(0,0) and the higher energy Q(1,0). The spectra of the free ligands ( $\text{H}_2\text{Ps}$ ) frequently show four distinct Q bands: the  $Q_x(0,1)$ ,  $Q_x(0,0)$ ,  $Q_y(0,1)$ , and  $Q_y(0,0)$ , produced by the reduction of symmetry from  $D_{4h}$  to  $D_{2h}$ .<sup>8</sup>

The energies of the  $\pi$ - $\pi^*$  transitions are affected by substituents around the ring, metal-substitution (and ligand-substitution on the metal), and distortion of the macrocycle from planarity. From the calculated orbital electron-density maps (Figure 4.3) it is possible to see that the energy of the  $a_{2u}$  orbital should be affected both by metallosubstitution and by the electron-donating or withdrawing ability of the *meso*-substituent, since it has density



concentrated at the Ns and the *meso*-carbons. The calculated electron density on the nitrogens is in accord with EPR spin-density mappings for the porphyrin cation radical of ZnTPP in which hyperfine structure produced by coupling to the nitrogens is clearly visible.<sup>9</sup> In comparison, the  $a_{1u}$  orbital is relatively unaffected by *meso*- and metallosubstitution since electron density is concentrated at the  $\alpha$ -carbon. The  $a_{1u}$  orbital has density at the  $\beta$ -positions. Furthermore, the  $e_g$  orbitals are predicted to have density at the Ns and  $\beta$ -positions. Metal effects on the  $\pi$ - $\pi^*$  transitions take the form of metal interaction with the  $a_{2u}$  orbital (lowering the energy) and electron donation from the  $d_{xz}$ ,  $d_{yz}$  orbitals to the  $e_g$  orbitals (an interaction that raises the energies of the  $e_g$  orbitals). The ( $d_{xz}$ ,  $d_{yz}$ ) -  $e_g$  interaction is commonly referred to as metal-ligand backbonding. Additionally, it is possible to observe extra bands in the UV-vis spectra of metalloporphyrins arising from metal-to-ligand and ligand-to-metal charge transfers.

The UV-vis absorption bands of distorted  $\beta$ -substituted tetraphenylporphyrins have been observed to shift to lower energy with increasing distortion of the macrocycle. Semiempirical AM1 calculations on TFPPX<sub>8</sub> (X = H, Cl, Br) reveal that, although the distortion destabilizes both the HOMO and LUMO, the effect is greater on the HOMO. Furthermore, it was predicted that halogenation of the macrocycle lowers the energy of the HOMOs and LUMOs approximately equally.<sup>10</sup> Electrochemical data (Chapter 3) are consistent with these predictions. Relative to the flat ZnTFPP complex, ZnTFPPCl<sub>8</sub> and ZnTFPPBr<sub>8</sub> are, respectively, 0.47 and 0.48 V easier to reduce, but only 0.26 and 0.20 V harder to oxidize. In the case of ZnTFPPMe<sub>8</sub>, the macrocycle is 0.4 V easier to oxidize and only 0.19 V harder to reduce than ZnTFPP. The effect is especially evident in a comparison of ZnTFPPMe<sub>8</sub> to ZnTFPPEt<sub>8</sub>: the octaethyl macrocycle is at least 0.20V easier to oxidize, and only 0.04V harder to reduce. Electronic structure calculations show that the electron-density patterns of the  $D_{4h}$  HOMOs and LUMOs are maintained in the  $D_2$  system ( $a_{1u}$ ,  $a_{2u} \rightarrow a$ ,  $b_1$ ,  $e_g \rightarrow b_2$ ,  $b_3$ ).<sup>10</sup> Figure 4.3 contains a picture of the calculated energy distributions

of the  $a(a_{1u})$ ,  $b_1(a_{2u})$ , and  $b_2, b_3(e_g)$  orbitals. ZINDO calculations performed on ZnTFPPe<sub>8</sub> give similar results: HOMOs are raised in energy by 0.12 eV, whereas LUMOs are relatively insensitive to distortion.<sup>11</sup>

The relative extinction coefficients for the distorted porphyrins relative to the flat TFPP are shown in Figure 4.4. Although the bands for the distorted porphyrins appear to be less than half as intense as the planar one, oscillator strength estimates show that the bands are actually closer in intensity than first appearances would indicate.<sup>12</sup> Oscillator strengths for the spectra shown were calculated to be 1.82, 1.55, and 1.96 M<sup>-1</sup>cm<sup>-2</sup> for CuTFPP, CuTFPPCl<sub>8</sub> and CuTFPPBr<sub>8</sub>, respectively. This trend of wider bands accompanied by decreased extinction coefficients is true for all distorted tetraphenylporphyrin derivatives and is consistent with the large Stokes shift observed for the H<sub>2</sub>TFPPe<sub>8</sub> fluorescence, suggesting that the singlet excited state is distorted relative to the ground state.<sup>13,14</sup>

Tables 4.1 and 4.2 contain UV-vis data for metalloderivatives of various tetraphenylporphyrins and other common porphyrins. In general, metallation causes a large energy shifts for distorted porphyrins. The directions (either red or blue compared to the free ligand) are similar to those observed for TPP and OEP derivatives. Q and B bands are observed to shift in energy approximately equally. An exception is the Pd(II) derivatives in which the Q-bands are more red-shifted by metal substitution than the Soret. The shifts in Soret energy with metal-substitution observed (0.142 eV for ZnTFPPBr<sub>8</sub> to CuTFPPBr<sub>8</sub>) are larger than for the planar porphyrins (0.044 eV for ZnTFPP to CuTFPP). The perhalogenated tetraphenyl porphyrins also exhibit an accessible higher protonation state in which the Soret is red-shifted (to 490 nm in the case H<sub>4</sub>TFPPBr<sub>8</sub><sup>++</sup>). The accessibility of higher protonation states is typical of distorted halogenated porphyrins.<sup>13</sup>

Typically, a red emission is observable for the free ligands of planar porphyrins. This emission is visible under a hand-held UV lamp and can be used to follow the progress

of metallation reactions by the disappearance of the red emission. This emission was not observable for the perhalogenated metalloporphyrins, although an emission could be seen in the intense laser beam during the collection of resonance Raman data. It has been reported that weaker emission is observed for distorted octaalkylporphyrins than for planar porphyrins.<sup>14</sup>

The HOMO energy order is  $a_{1u} > a_{2u}$  for TFPP derivatives. The increasing absorption intensity of Q(0,0) relative to Q(1,0) for the series  $\text{ZnTFPPX}_8 < \text{CuTFPPX}_8 < \text{PdTFPPX}_8$  ( $X = \text{Cl, Br, Me}$ ) (Figures 4.5 and 4.6) is consistent with this assignment.<sup>15</sup>

The relative intensities of the two Q bands are dependent on the energy difference between the  $a(a_{1u})$  and the  $b_1(a_{2u})$  orbitals. The intensity of the Q(1,0) is relatively constant. The qualitative MO energy level scheme shown in Figure 4.9 is derived from this observation.  $\text{ZnTPP}^+$  and  $\text{ZnTFPP}^+$  have been assigned to  $^2A_{1u}$  and  $^2A_{1u}$  radical cations, respectively, from EPR measurements.<sup>9,16</sup> The almost complete absence of the Q (0,0) band for  $\text{ZnTFPPBr}_8$  is indicative of the closeness of the energy levels of the  $a_{1u}$  and  $a_{2u}$  orbitals. When the ligand is metallated with copper, the Cu(II) ion interacts with the  $a_{2u}$  orbital, lowering it in energy, and increasing the gap between the  $a_{1u}$  and  $a_{2u}$  orbitals, thus the (0,0) band is observable in the spectrum of  $\text{CuTFPPBr}_8$ . Furthermore, the EPR spectrum of  $\text{ZnTFPPBr}_8^+$  (recorded at  $-50^\circ\text{C}$  in  $\text{CH}_2\text{Cl}_2/\text{TBAClO}_4$ ) reveals a broad, structureless signal at  $g = 2.015$ , consistent with a  $^2A(^2A_{1u})$  ground state (see Chapter 3).

Figure 4.7 shows the spectra of  $\text{ZnTFPPMe}_8$ ,  $\text{ZnTFPPEt}_8$ , and  $\text{ZnTFPPBr}_8$ . Consistent with  $\text{TFPPMe}_8$  being less distorted than  $\text{TFPPEt}_8$ ,  $\text{ZnTFPPMe}_8$  is blue-shifted relative to  $\text{ZnTFPPEt}_8$ . Inconsistent with distortion as the only effect on the energy of the Soret transition,  $\text{ZnTFPPBr}_8$  is significantly red-shifted as compared to  $\text{ZnTFPPEt}_8$ .  $\text{ZnTFPPEt}_8$  should be more distorted than  $\text{ZnTFPPBr}_8$ , therefore it would seem that the energy of the Soret band is also affected by the substituent. It appears that  $\beta$ -substitution has a larger effect on the LUMOs than the HOMOs.

Metal- and distortion-induced shifts in the absorption energies, similar to TFPPBr<sub>8</sub>, are observed for the TPPBr<sub>8</sub> metalloderivatives (Table 4.2).<sup>13</sup> A large Q(0,0) band is observed for ZnTPPBr<sub>8</sub> and it decreases in intensity along the series Zn > Cu > Pd. The authors assign the HOMO as a<sub>2u</sub>.

A further substituent effect can be seen comparing the spectra of CuT(2,6)FPPMe<sub>8</sub> and CuTFPPMe<sub>8</sub> (Figure 4.8). The Q(0,0) band has less intensity for the T(2,6)FPPMe<sub>8</sub> derivative, implying the a<sub>1u</sub> and a<sub>2u</sub> orbitals are closer in energy in the T(2,6)FPPMe<sub>8</sub> derivative, consistent with the a<sub>2u</sub> orbital being lowered in energy by halogenation of the phenyl ring.

## Conclusions:

The electronic behavior of distorted metalloporphyrins is adequately explained in terms of Gouterman's four orbital model. Although the observed shifts are similar to those for planar porphyrins, the reason for the magnitude of the metal-induced shifts is unresolved. Using the predictions of Gouterman's calculations it is possible to determine the HOMO for the porphyrin. (It is not possible to predict this computationally.) It was determined that porphyrins substituted with as few as two fluorines on the phenyl groups have <sup>2</sup>A<sub>1u</sub> cation radicals. Figure 4.9 shows a diagram of the relative a<sub>1u</sub> and a<sub>2u</sub> energy levels for a series of tetraphenyl porphyrins. It can be seen that *meso*-substitution is the important factor in determining the HOMO.

Metal effects determined from cyclic voltammetric measurements (Chapter 3) are far less interesting than those seen in the UV-vis spectra. Cu(II) substitution shifts both the HOMOs and LUMOs to lower energy (by only about 0.04 V) approximately equally, as compared to the Zn(II) porphyrins. Thus, it is not possible to explain the observed red-shift in the UV-vis spectra from these measurements. Furthermore, although the observed red-shift in the Pd(II) spectrum is attributed to metal-to-ligand back-bonding to the unfilled

porphyrin  $e_g$  orbitals, it is not possible to observe the expected increase in LUMO energy electrochemically. Metal-to-ligand back-bonding has been observed electrochemically and UV-vis spectroscopically in the case of the Ru derivatives of TFPPPCl<sub>8</sub>.<sup>17</sup> Furthermore, the energy gap between the first oxidation and the first reduction of the porphyrin ligands for the distorted porphyrins is at around 2.0 eV. This energy falls between the energies of the B and Q bands, but corresponds most closely to that of the Q band.

**Experimental:**

UV-vis spectra were recorded on either a Hewlett-Packard 8452A diode array spectrophotometer or a Cary-14 retrofitted with an OLIS 3820 operating system. Solvents were EM Science Omnisolve grade or Burdick and Jackson, high purity. Porphyrin syntheses and purification procedures are reported in Chapter 2.

## References and Notes:

- (1) Williams, R. J. P. *Chem. Rev.* **1956**, 56, 299-328.
- (2) Chantrell, S. J.; McAuliffe, C. A.; Munn, R. W.; Pratt, A. C. *Coord. Chem. Rev.* **1974**, 16, 259-284, and references therein.
- (3) Platt, J. R. In *Radiation Biology*; A. Hollaender, Ed.; McGraw-Hill: New York, 1956; Vol. III; pp 71-123.
- (4) Weiss, C.; Kobayashi, H.; Gouterman, M. *J. Mol. Spectrosc.* **1965**, 16, 415-450.
- (5) Zerner, M.; Gouterman, M. *Theoret. Chim. Acta (Berl.)* **1966**, 4, 44-63.
- (6) Gouterman, M. *J. Chem. Phys.* **1959**, 30, 1139-1161.
- (7) Moffitt, W. *J. Chem. Phys.* **1954**, 22, 1820-1829.
- (8) Gouterman, M. In *The Porphyrins*; D. Dolphin, Ed.; Academic Press: New York, 1978; Vol. III; pp 1-165.
- (9) Fajer, J.; Borg, D. C.; Forman, A.; Dolphin, D.; Felton, R. H. *J. Am. Chem. Soc.* **1970**, 92, 3451-3459.
- (10) Takeuchi, T.; Gray, H. B.; Goddard, W. A. *J. Am. Chem. Soc.* **1994**, 116, 9730-9732.
- (11) Barkigia, K. M.; Chantranupong, L.; Smith, K. M.; Fajer, J. *J. Am. Chem. Soc.* **1988**, 110, 7566-7567.
- (12) Oscillator strenghts were estimated according to  $f = 4.60 \times 10^{-9} \epsilon_{\max} \nu_{1/2}$ . Values of extinction coefficents were taken to be 540,000, 200,000, and 200,000  $\text{M}^{-1}\text{cm}^{-1}$  for CuTFPP, CuTFPPCl<sub>8</sub> and CuTFPPBr<sub>8</sub>, respectively.
- (13) Bhyrappa, P.; Krishnan, V. *Inorg. Chem.* **1991**, 30, 239-245.
- (14) Regev, A.; Galili, T.; Medforth, C. J.; Smith, K. M.; Barkigia, K. M.; Fajer, J.; Levanon, H. *J. Phys. Chem.* **1994**, 98, 2520-2526.
- (15) Spellane, P. J.; Gouterman, M.; Antipas, A.; Kim, S.; Liu, Y. C. *Inorg. Chem.* **1980**, 19, 386-391.

- (16) Gross, Z.; Barzilay, C. *Angew. Chem.* **1992**, *31*, 1615-1617.
- (17) Birnbaum, E. R.; Schaefer, W. P.; Labinger, J. A.; Bercaw, J. E.; Gray, H. B. *Inorg. Chem.* submitted.
- (18) Grinstaff, M. W.; Hill, M. G.; Birnbaum, E. R.; Schaefer, W. P.; Labinger, J. A.; Gray, H. B. *Inorg. Chem.* in preparation.
- (19) Sparks, L. D.; Medforth, C. J.; Park, M.-S.; Chamberlain, J. R.; Ondrias, M. R.; Senge, M. O.; Smith, K. M.; Shelnutt, J. A. *J. Am. Chem. Soc.* **1993**, *115*, 581-592.
- (20) Barkigia, K. M.; Berber, M. D.; Fajer, J.; Medforth, C. J.; Renner, M. W.; Smith, K. M. *J. Am. Chem. Soc.* **1990**, *112*, 8851-8857.
- (21) Skillman, A. G.; Collins, J. R.; Loew, G. H. *J. Am. Chem. Soc.* **1992**, *114*, 9538-9544.

**Table 4.1.** Soret Bands of Metallotetraphenylporphyrins ( $\lambda_{\text{max}}$  /nm in  $\text{CH}_2\text{Cl}_2$ ).<sup>a</sup>

Metal	TPP <sup>b</sup>	TFPP	TFPPCl <sub>8</sub>	TFPPBr <sub>8</sub>	TFPPMe <sub>8</sub>	TFPPEt <sub>8</sub>
Fe(III)Cl	416 <sup>c</sup>	418 <sup>c</sup>		440 <sup>c</sup>		384,436
Co	410	404(554)	430	438(600)	– d	– d
Ni	404 <sup>e,f</sup>	406(560)	430(594)	436(600)	– d	– d
Pd			423(580)	434(592)	420(581)	– d
Cu	405 <sup>e,f</sup>	408(570)	430(602)	438(613)	424(601)	– d
Zn	418	414(580)	442 <sup>f</sup>	464 <sup>f</sup>	434(603)	450(619)
Mg	400(600) <sup>e</sup>		– d	460 <sup>f</sup>	– d	– d
H <sub>2</sub>	418	412	436	454	434	450

<sup>a</sup> Q(0,0) in ( ).<sup>b</sup> Data is in agreement with literature reports.<sup>c</sup> From reference 18.<sup>d</sup> Not determined.<sup>e</sup> From reference 8 and references therein. Recorded in the vapor phase.<sup>f</sup> Q(0,0) not observed.**Table 4.2.** Soret Bands of Related Metalloporphyrins ( $\lambda_{\text{max}}$  /nm in  $\text{CH}_2\text{Cl}_2$ ).<sup>a</sup>


Metal	OEP <sup>b</sup>	TPPBr <sub>8</sub> <sup>c</sup>	TPPEt <sub>8</sub>	T(2,6)FPPMe <sub>8</sub>
Fe(III)Cl			399, 442 <sup>d</sup>	– f
Co	382(554)	446	432 <sup>d</sup>	– f
Ni	384(558)	448		– f
Cu	388(566)	466	430 <sup>d</sup>	423
Zn	386(572)	466	454 <sup>e</sup>	434
H <sub>2</sub>		469		434

<sup>a</sup> Q(0,0) in ( ).<sup>b</sup> From reference 8 and references therein. Recorded in the vapor phase.<sup>c</sup> From reference 13. Recorded in  $\text{CH}_2\text{Cl}_2$ .<sup>d</sup> From reference 19. The solvent was not reported<sup>e</sup> From reference 20. Recorded in  $\text{CH}_2\text{Cl}_2$ .<sup>f</sup> Not determined.




**Figure 4.1.** Typical UV-vis spectrum of planar porphyrin (ZnOEP) showing B (Soret) and Q bands. Recorded in  $\text{CH}_2\text{Cl}_2$ .

## Zinc Octaethylporphyrin




**Figure 4.2.** Gouterman's Four Orbital Model. Configuration interaction between ( $a_{1u}e_g$ ) and ( $a_{2u}e_g$ ) produces excited Q and B states corresponding to observed Q and B transitions in electronic spectra of porphyrins.




MOLECULAR ORBITALS

ELECTRONIC STATES



**Figure 4.3.** Pictures of calculated electron probability distributions for the frontier orbitals of  $D_2$  porphyrins. From reference 10 .

 $e_g(c1)$ 


unoccupied

 $a_{1u}(b2)$ 


occupied

 $e_g(c2)$  $a_{2u}(b1)$


**Figure 4.4.** UV-vis spectra of CuTFPP, CuTFPPCl<sub>8</sub>, and CuTFPPBr<sub>8</sub> showing (a.) relative extinction coefficients and (b.) normalized spectra. Recorded in acetonitrile.










**Figure 4.5.** UV-vis spectra of PdTFPPBr<sub>8</sub>, CuTFPPBr<sub>8</sub>, and ZnTFPPBr<sub>8</sub>, demonstrating metal effects. Recorded in CH<sub>2</sub>Cl<sub>2</sub>.






**Figure 4.6.** UV-vis spectra of PdTFPPMe<sub>8</sub>, CuTFPPMe<sub>8</sub> and ZnTFPPMe<sub>8</sub>. Recorded in CH<sub>2</sub>Cl<sub>2</sub>.






**Figure 4.7.** UV-vis spectra of ZnTFPPMe<sub>8</sub>, ZnTFPPEt<sub>8</sub>, and ZnTFPPBr<sub>8</sub>. Recorded in CH<sub>2</sub>Cl<sub>2</sub>.






**Figure 4.8.** UV-vis spectra of CuT(2,6)FPPMe<sub>8</sub> and ZnT(2,6)FPPMe<sub>8</sub>, and CuTFPPMe<sub>8</sub>. Recorded in CH<sub>2</sub>Cl<sub>2</sub>.



**Figure 4.9.** Qualitative MO scheme showing effects of substituents on the relative energies of the  $a(a_{1u})$  and the  $b_1(a_{2u})$  orbitals for a series of tetraphenylporphyrins.



**CHAPTER 5:**  
**REVELATIONS**

Crystal structures of tetraphenylporphyrins substituted with both alkyl groups and halogens in the  $\beta$ -pyrrole positions reveal a two-fold distortion that reduces the molecular symmetry to  $D_2$ : there is a saddling (in which the pyrrole  $\beta$ -carbons are alternately above and below the mean porphyrin plane) and a smaller ruffling (in which the *meso* carbons are above and below the mean plane). The distortion reduces the repulsions attributable to the short interatomic contacts between the  $\beta$ -substituents and the ortho-carbons of the phenyl groups by twisting the phenyl ring from an approximately perpendicular orientation to a more nearly coplanar one (a difference of about  $15^\circ$ ). The distortion can be quantified as the average displacement of the *meso* and  $\beta$ - atoms from an average plane defined by the four N atoms (the N atoms are not coplanar: a tetrahedral distortion ( $\pm 0.082$  Å) is observed): ZnTFPPBr<sub>8</sub>  $C_{meso}$ ,  $\pm 0.021$  Å,  $C_\beta$   $\pm 0.971$  Å. Comparing the structures of CuTFPPX<sub>8</sub>, displacements from planarity for X = Cl are about 70% of those for X = Br.<sup>1-7</sup>

Theoretical<sup>8</sup> and experimental work on tetraphenylporphyrins has shown that a  $D_{4h} \rightarrow D_2$  distortion destabilizes the HOMOs ( $a_{1u}$ ,  $a_{2u}$  in  $D_{4h}$  to  $a$ ,  $b_1$  in  $D_2$ ) preferentially over the LUMOs ( $e_g$  in  $D_{4h}$  to  $b_2$ ,  $b_3$  in  $D_2$ ). Substituent effects on the LUMOs are larger than on those observed on the HOMOs, thus  $\beta$ -halogenation also causes a slight red-shift in the observed UV-vis spectra and  $\beta$ -alkylation a slight blue-shift. Gouterman's four orbital model performs well for distorted porphyrins.<sup>9</sup>

Electronic structure calculations show that the electron-density patterns of the  $D_{4h}$  HOMOs and LUMOs are maintained in the  $D_2$  system.<sup>8</sup> The relative ordering of the  $a(a_{1u})$  and  $b_1(a_{2u})$  orbitals is particularly sensitive to *meso* substitution, in accord with calculations and EPR spin-density mappings that indicate that the  $a(a_{1u})$  orbital localizes electron density predominantly on  $C_\alpha$ , whereas a  $b_1(a_{2u})$  electron is concentrated on the *meso* position. Absorption, emission, and EPR spectra demonstrate that the ground state of ZnTPP<sup>+</sup> is  $^2A_{2u}$ , whereas that of ZnTFPP<sup>+</sup> or ZnTFPPX<sub>8</sub><sup>+</sup> is  $^2A_{1u}$  or  $^2A(2A_{1u})$ .<sup>10-12</sup> An electron-withdrawing group at the *meso* position lowers the energy of the  $b_1(a_{2u})$  orbital relative to

the  $a(a_{1u})$ . Since neither orbital places a significant amount of density at the  $\beta$ -positions, the HOMO for porphyrins with perfluorophenyl groups in the *meso* position is  $a$  or  $a_{1u}$ .

The results of electrochemical and spectroelectrochemical experiments that show that the  $\pi$ -cation radicals derived from the highly distorted (nonplanar)  $ZnTFPPX_8$  ( $X = Cl, Br, Me$ ) complexes are kinetically unstable, disproportionating rapidly to  $ZnTFPPX_8^{2+}$  and the corresponding neutral species. We have found that *both* fluorophenyl substitution at the *meso* position and macrocyclic nonplanarity are required for  $\pi$ -cation radical disproportionation; the electronic nature of the  $\beta$ -substituent appears to be unimportant. Depopulation of the  $a(a_{1u})$  orbital lowers the electronic barrier to saddling of the porphyrin structure, particularly if there are electron-withdrawing groups at the *meso* position. We propose that the requirement for a net 2e oxidation is then met in a porphyrin whose structure is distorted toward the geometrical configuration of the ground state of the doubly oxidized species.<sup>13</sup>

It should be possible to use these distorted zinc tetrakis(pentafluorophenyl)porphyrins as donors or acceptors in reactions requiring 2e steps. A 2e donor with a potential as low as 0.77 V vs AgCl/Ag ( $ZnTFPPEt_8$ ) has been synthesized. It should be possible to further tune the potential positively 0.19 V with the  $MgT(2,6)FPPEt_8$  derivative. Furthermore it has been shown that light-absorbing properties can be modulated through distortion, metal- and substituent effects. The  $ZnTFPPMe_8$  porphyrin represents a molecule able to absorb over a wide range of wavelengths. In addition, the distorted octaalkyl tetrakis(pentafluorophenyl)porphyrins exhibit redox potentials similar to TPPs; therefore, it should be possible to test further the importance of distortion versus  $Fe^{2+/3+}$  redox potential on catalytic activity for the  $[FeTFPPX_8]Cl$  ( $X = Me, Et$ ) derivatives. Furthermore, the low oxidation potential exhibited by  $ZnTFPPEt_8$  provides the possibility that a crystal of the doubly oxidized porphyrin may be grown in order to test the theory that the  $a_{1u}$  dication is distorted.<sup>14-16</sup>



## References and Notes:

- (1) Birnbaum, E. R.; Hodge, J. A.; Grinstaff, M. W.; Schaefer, W. P.; Henling, L.; Labinger, J. A.; Bercaw, J. E.; Gray, H. B. *Inorg. Chem.* submitted 11/2/94.
- (2) Henling, L. M.; Schaefer, W. P.; Hodge, J. A.; Hughes, M. E.; Gray, H. B.; Lyons, J. E.; Ellis, P. E. *Acta Crystallogr.* **1993**, *C49*, 1743-1747.
- (3) Marsh, R. E.; Schaefer, W. P.; Hodge, J. A.; Hughes, M. E.; Gray, H. B. *Acta Crystallogr.* **1993**, *C49*, 1339-1342.
- (4) Schaefer, W. P.; Hodge, J. A.; Hughes, M. E.; Gray, H. B. *Acta Crystallogr.* **1993**, *C49*, 1342-1345.
- (5) Barkigia, K. M.; Berber, M. D.; Fajer, J.; Medforth, C. J.; Renner, M. W.; Smith, K. M. *J. Am. Chem. Soc.* **1990**, *112*, 8851-8857.
- (6) Barkigia, K. M.; Renner, M. W.; Furenlid, L. R.; Medforth, C. J.; Smith, K. M.; Fajer, J. *J. Am. Chem. Soc.* **1993**, *115*, 3627-3635.
- (7) Medforth, C. J.; Senge, M. O.; Smith, K. M.; Sparks, L. D.; Shelnutt, J. A. *J. Am. Chem. Soc.* **1992**, *114*, 9859-9869.
- (8) Takeuchi, T.; Gray, H. B.; Goddard, W. A. *J. Am. Chem. Soc.* **1994**, *116*, 9730-9732.
- (9) Gouterman, M. *Journal of Chemical Physics* **1959**, *30*, 1139-1161.
- (10) Gross, Z.; Barzilay, C. *Angew. Chem.* **1992**, *31*, 1615-1617.
- (11) Fajer, J.; Borg, D. C.; Forman, A.; Dolphin, D.; Felton, R. H. *J. Am. Chem. Soc.* **1970**, *92*, 3451-3459.
- (12) Spellane, P. J.; Gouterman, M.; Antipas, A.; Kim, S.; Liu, Y. C. *Inorg. Chem.* **1980**, *19*, 386-391.
- (13) Hodge, J. A.; Hill, M. G.; Gray, H. B. *Inorg. Chem.* in press.
- (14) Initial attempts to grow a crystal using chemical oxidants such as, Ce<sup>4+</sup> (in the form of cerium ammonium nitrate) and tris(*p*-bromophenyl)amminium Hexachloroantimonate, met with failure, at least partially due to the ease with which the porphyrin is demetallated.


Spaulding et al. reported the generation of crystals of  $[\text{ZnTPP}^+]\text{ClO}_4$  via bulk electrochemical oxidation.<sup>16</sup> (This necessitated the removal of the electrolyte before the crystal could be grown.)

(15) Scholz, W. F.; Reed, C. A.; Lee, Y. J.; Scheidt, W. R.; Lang, G. *J. Am. Chem. Soc.* **1982**, *104*, 6791-6793.

(16) Spaulding, L. D.; Eller, P. G.; Bertrand, J. A.; Felton, R. H. *J. Am. Chem. Soc.* **1974**, *96*, 982-987.

**Appendix 1.** Supplementary Material for  
the X-ray Crystal Structure Determination of H<sub>2</sub>TFPP.

**Figure A1.1.** ORTEP diagram for H<sub>2</sub>TFPP (50% probability ellipsoids) and numbering scheme for macrocycle.



**Table A1.1.** Crystal and Intensity Collection Data for H<sub>2</sub>TFPP.

Formula: C <sub>44</sub> H <sub>10</sub> N <sub>4</sub> F <sub>20</sub>	Formula Weight: 982.57
Crystal Color: dark red	Habit: plate
Crystal Size: 0.19 x 0.35 x 0.36 mm	
Crystal System: rhombohedral	Space Group: R $\bar{3}$
a = 20.327(4) Å	$\alpha$ = 90
b = 20.327(4) Å	$\beta$ = 90
c = 24.368(5) Å	$\gamma$ = 120
V = 8720(3) Å <sup>3</sup>	Z = 9
D = 1.67 g cm <sup>-3</sup>	
MoK $\alpha$ Radiation	$\lambda$ = 0.71073 Å
$\mu$ = 1.60 cm <sup>-1</sup>	T = 295 K
Enraf-Nonius Cad-4 diffractometer	$\omega$ scan
Transmission coeff. = -	range for data collection: 1 - 25
$\pm h$ = 24, $\pm k$ = 24, $\pm l$ = 28	
Number of reflections measured: 7209	
Number of independent reflections: 3403	
Goodness of fit for merging data: 0.94	
R = 0.081 on F for 2821 reflections with $F_o^2 > 0$	
R = 0.047 on F for 1805 reflections with $F_o^2 > 3\sigma(F_o^2)$	
wR = 0.011 on F <sup>2</sup> for 3403 reflections	
Final goodness of fit: 1.78 for 327 parameters and 3403 reflections	

**Table A1.2.** Final Refined Heavy Atom Parameters  $\times 10^4$  for H<sub>2</sub>TFPP.

Atom	<i>x</i>	<i>y</i>	<i>z</i>	<i>U<sub>eq</sub></i>
N1	4289(1)	−1048(1)	−295(1)	503(6)
N2	5808(1)	189(1)	−601(1)	529(7)
C1	3576(2)	−1569(2)	−116(1)	534(8)
C2	3255(2)	−2234(2)	−461(1)	611(10)
C3	3759(2)	−2117(2)	−846(1)	590(9)
C4	4412(2)	−1370(2)	−747(1)	502(7)
C5	5071(2)	−1039(2)	−1069(1)	515(7)
C6	5706(2)	−322(2)	−1005(1)	517(8)
C7	6369(2)	25(2)	−1341(1)	621(9)
C8	6849(2)	714(2)	−1139(1)	632(9)
C9	6503(2)	832(2)	−666(1)	560(8)
C10	6795(2)	1470(2)	−332(1)	560(8)
C21	5116(2)	−1512(2)	−1526(1)	553(8)
C22	4751(2)	−1615(2)	−2016(2)	899(12)
C23	4772(3)	−2072(3)	−2422(2)	1153(17)
C24	5185(3)	−2420(2)	−2341(2)	1040(15)
C25	5555(2)	−2336(2)	−1867(2)	845(12)
C26	5518(2)	−1881(2)	−1464(1)	614(9)
C31	7578(2)	2104(2)	−465(1)	595(9)
C32	8214(2)	2074(2)	−305(1)	736(11)

Atom	$x$	$y$	$z$	$U_{eq}$
C33	8938(2)	2658(3)	−411(2)	882(14)
C34	9027(2)	3280(2)	−690(2)	829(13)
C35	8419(2)	3322(2)	−864(2)	813(12)
C36	7701(2)	2740(2)	−750(1)	734(11)
F22	4344(2)	−1270(2)	−2100(1)	1461(9)
F23	4392(2)	−2170(2)	−2886(1)	2011(14)
F24	5221(2)	−2869(2)	−2732(1)	1675(10)
F25	5943(1)	−2695(1)	−1775(1)	1431(9)
F26	5897(1)	−1801(1)	−995(1)	900(6)
F32	8135(1)	1469(1)	−30(1)	1064(7)
F33	9544(1)	2619(2)	−252(1)	1385(10)
F34	9732(1)	3852(1)	−805(1)	1215(8)
F35	8515(1)	3932(1)	−1146(1)	1198(8)
F36	7105(1)	2794(1)	−921(1)	1081(7)

$$^a U_{eq} = \frac{1}{3} \sum_i \sum_j [U_{ij}(a_i^* a_j^*)(\vec{a}_i \cdot \vec{a}_j)]$$

**Table A1.3.** Complete Distances and Angles for H<sub>2</sub>TFPP.

Distance(Å)		Distance(Å)	
N1 –C1	1.371(4)	C10 –C31	1.499(5)
N1 –C4	1.365(4)	C21 –C22	1.367(5)
N2 –C6	1.369(4)	C21 –C26	1.367(5)
N2 –C9	1.372(4)	C22 –C23	1.372(7)
N2 –HN2	0.91(4)	C22 –F22	1.343(5)
C1 –C2	1.441(5)	C23 –C24	1.354(7)
C1 –C10'	1.398(4)	C23 –F23	1.326(6)
C2 –C3	1.320(5)	C24 –C25	1.342(7)
C2 –HC2	0.94(3)	C24 –F24	1.348(6)
C3 –C4	1.453(5)	C25 –C26	1.375(5)
C3 –HC3	0.92(3)	C25 –F25	1.334(5)
C4 –C5	1.400(4)	C26 –F26	1.342(4)
C5 –C6	1.391(4)	C31 –C32	1.379(5)
C5 –C21	1.502(4)	C31 –C36	1.376(5)
C6 –C7	1.424(5)	C32 –C33	1.376(6)
C7 –C8	1.338(5)	C32 –F32	1.339(4)
C7 –HC7	0.93(3)	C33 –C34	1.366(6)
C8 –C9	1.433(5)	C33 –F33	1.332(5)
C8 –HC8	0.99(3)	C34 –C35	1.350(6)
C9 –C10	1.387(4)	C34 –F34	1.347(5)

Distance(Å)		Angle(°)	
C35 -C36	1.372(5)	C4 -N1 -C1	105.3(2)
C35 -F35	1.344(5)	C9 -N2 -C6	109.5(3)
C36 -F36	1.336(4)	HN2 -N2 -C6	127.6(22)
		HN2 -N2 -C9	123.0(22)
		C2 -C1 -N1	110.3(3)
		C10' -C1 -N1	125.2(3)
		C10' -C1 -C2	124.5(3)
		C3 -C2 -C1	107.4(3)
		HC2 -C2 -C1	122.4(17)
		HC2 -C2 -C3	130.2(17)
		C4 -C3 -C2	106.9(3)
		HC3 -C3 -C2	130.0(17)
		HC3 -C3 -C4	123.0(17)
		C3 -C4 -N1	110.1(3)
		C5 -C4 -N1	125.6(3)
		C5 -C4 -C3	124.3(3)
		C6 -C5 -C4	127.2(3)
		C21 -C5 -C4	117.2(3)
		C21 -C5 -C6	115.6(3)
		C5 -C6 -N2	125.8(3)



Angle(°)				Angle(°)			
C7	-C6	-N2	106.9(3)	C24	-C23	-C22	118.9(5)
C7	-C6	-C5	127.3(3)	F23	-C23	-C22	120.2(5)
C8	-C7	-C6	108.8(3)	F23	-C23	-C24	120.8(5)
HC7	-C7	-C6	121.9(16)	C25	-C24	-C23	121.0(5)
HC7	-C7	-C8	129.2(16)	F24	-C24	-C23	120.4(5)
C9	-C8	-C7	107.9(3)	F24	-C24	-C25	118.6(4)
HC8	-C8	-C7	127.5(18)	C26	-C25	-C24	118.9(4)
HC8	-C8	-C9	124.6(18)	F25	-C25	-C24	121.4(4)
C8	-C9	-N2	106.9(3)	F25	-C25	-C26	119.7(4)
C10	-C9	-N2	125.3(3)	C25	-C26	-C21	122.7(3)
C10	-C9	-C8	127.7(3)	F26	-C26	-C21	119.4(3)
C9	-C10	-C1'	125.7(3)	F26	-C26	-C25	117.9(3)
C31	-C10	-C1'	117.5(3)	C32	-C31	-C10	121.2(3)
C31	-C10	-C9	116.8(3)	C36	-C31	-C10	122.1(3)
C22	-C21	-C5	123.0(3)	C36	-C31	-C32	116.7(3)
C26	-C21	-C5	121.0(3)	C33	-C32	-C31	122.1(4)
C26	-C21	-C22	116.0(3)	F32	-C32	-C31	119.8(3)
C23	-C22	-C21	122.5(4)	F32	-C32	-C33	118.1(3)
F22	-C22	-C21	118.8(4)	C34	-C33	-C32	118.8(4)
F22	-C22	-C23	118.7(4)	F33	-C33	-C32	121.1(4)

Angle(°)		
F33 -C33 -C34	120.1(4)	
C35 -C34 -C33	120.8(4)	
F34 -C34 -C33	119.6(4)	
F34 -C34 -C35	119.6(4)	
C36 -C35 -C34	119.7(4)	
F35 -C35 -C34	120.2(4)	
F35 -C35 -C36	120.1(4)	
C35 -C36 -C31	121.8(3)	
F36 -C36 -C31	119.3(3)	
F36 -C36 -C35	118.8(3)	

' indicates atom related by inversion

**Table A1.4.** Final Refined Hydrogen Atom Parameters for H<sub>2</sub>TFPP.

Atom	$x, y$ and $z \times 10^4$			$B$
	$x$	$y$	$z$	
HC2	2775(15)	-2661(14)	-392(10)	4.9(7)
HC3	3736(14)	-2423(14)	-1131(10)	4.2(7)
HC7	6409(13)	-207(13)	-1659(10)	3.8(6)
HC8	7357(16)	1084(16)	-1280(11)	6.3(8)
HN2	5483(18)	129(18)	-323(13)	7.9(10)

**Table A1.5.** Observed and Calculated Structure Factors for H<sub>2</sub>TFPP. The columns contain, in order,  $\ell$ ,  $10F_{obs}$ ,  $10F_{calc}$  and  $10\left(\frac{F_{obs}^2 - F_{calc}^2}{\sigma F_{obs}^2}\right)$ . A minus sign preceding  $F_{obs}$  indicates that  $F_{obs}^2$  is negative.

Tetra(pentafluorophenyl)porphyrin										Page	1						
0	0	1	3	348	398	-52	12	231	280	-40	18	730	713	12			
			6	4242	4226	5	15	221	239	-11	21	397	393	2			
			9	164	177	-9	18	391	403	-8	24	148	97	13			
3	1213	1203	9	12	666	675	-8	21	46	33	1	27	237	165	26		
6	5602	5624	-4	15	785	789	-3	24	201	146	19						
9	101	135	-18	18	223	235	-6	27	137	47	17	4	-7	1			
12	439	454	-15	21	647	649	-1										
15	689	677	9	24	235	210	10	3	-2	1	2	1491	1499	-5			
18	262	288	-17	27	168	190	-8				5	180	204	-26			
21	340	325	9					2	345	351	-9	8	786	791	-5		
24	107	69	7	2	0	1		5	1595	1615	-10	11	89	84	1		
27	139	143	-1					8	670	676	-5	14	537	519	14		
				2	1158	1184	-26	11	345	337	6	17	88	130	-13		
				5	4787	4946	-42	14	529	498	26	20	565	595	-21		
				8	2756	2790	-15	17	111	107	1	23	102	23	11		
				11	1163	1185	-20	20	479	496	-12	26	122	113	2		
				14	531	504	31	23	170	210	-16						
				17	148	185	-25	26	120	128	-2	4	-6	1			
				20	-64	15	-9										
				23	132	113	7	3	-1	1	1	102	152	-29			
				26	195	180	8				4	1326	1312	12			
								1	841	804	32	7	920	898	19		
								4	3380	3434	-16	10	-87	11	-11		
								7	412	415	-3	13	645	634	9		
								10	2145	2152	-3	16	614	644	-25		
								13	1053	1083	-23	19	418	396	14		
								16	341	327	10	22	106	33	12		
								19	250	252	-1	25	114	85	6		
								22	-81	18	-9	28	161	160	0		
								25	147	131	5						
								28	82	59	3	4	-5	1			
								3	0	1	3	635	647	-16			
											6	637	624	13			
								0	3476	3410	23	9	924	936	-8		
								3	2327	2345	-9	12	314	311	2		
								6	2831	2878	-21	15	409	427	-14		
								9	611	612	-1	18	379	368	7		
								12	94	55	15	21	183	99	26		
								15	905	861	43	24	129	118	3		
								18	239	229	8	27	61	67	0		
								21	-16	124	-30						
								24	179	137	20	4	-4	1			
								27	159	150	3						
								3	1	1	2	1053	1074	-25			
											5	3413	3390	7			
											8	1637	1644	-3			
								2	2058	2080	-10	11	786	771	12		
								5	3151	3166	-4	14	367	333	26		
								8	526	498	29	17	485	481	3		
								11	345	376	-27	20	61	99	-8		
								14	437	444	-6	23	373	326	26		
								17	378	372	3	26	-153	13	-31		
								20	632	634	-1						
								23	94	12	10	4	-3	1			
								26	164	119	13						
								3	2	1	1	444	450	-7			
											4	4295	4294	0			
											7	1263	1285	-14			
								1	1438	1442	-2	10	270	255	12		
								4	2158	2162	-2	13	827	861	-29		
								7	46	99	-13	16	490	487	1		
								10	909	930	-18	19	169	167	0		
								13	1347	1323	16	22	267	238	14		
								16	399	407	-5	25	215	160	20		
								19	202	220	-9	28	72	88	-2		
								22	357	309	26						
								25	182	179	1	4	-2	1			
								28	25	94	-9						
								3	3	1	3	419	439	-34			
											6	2565	2566	0			
											9	1047	1046	0			
								0	1789	1707	39	12	380	333	39		
								3	255	304	-49	15	103	102	0		
								6	1182	1152	23	18	79	7	9		
								9	1663	1623	19	21	444	452	-5		
								12	884	854	24	24	422	417	2		
								15	63	96	-9	27	125	93	7		

## Tetra(pentafluorophenyl)porphyrin

Page 2

4	-1	1		2	605	576	28	17	691	699	-6	26	106	49	9	
				5	941	890	42	20	84	72	2					
				8	1086	1052	25	23	281	273	3		5	4	1	
2	668	624	39	11	498	495	2	26	77	139	-15					
5	1840	1883	-21	14	521	525	-2					1	1111	1119	-4	
8	2361	2403	-19	17	146	129	5		5	-2	1	4	1561	1572	-6	
11	629	629	0	20	279	331	-30					7	145	4	54	
14	113	79	11	23	-123	24	-20	1	865	876	-9	10	78	59	4	
17	-26	0	-1	26	71	68	0	4	1097	1121	-24	13	515	468	26	
20	334	295	22					7	2078	2118	-17	16	115	121	-1	
23	126	105	5		5	-8	1	10	1380	1367	8	19	379	390	-7	
26	111	47	11					13	1128	1143	-11	22	-133	34	-25	
				1	205	224	-15	16	320	327	-5	25	89	69	3	
				4	1918	1855	34	19	425	398	18					
				7	1520	1493	17	22	302	272	15		5	5	1	
1	4053	3993	18	10	227	237	-7	25	222	234	-5					
4	1130	1118	11	13	471	506	-21	28	-41	76	-8	0	259	268	-5	
7	544	559	-20	16	366	359	4					3	107	95	4	
10	293	309	-19	19	114	150	-12		5	-1	1	6	1356	1421	-45	
13	804	804	0	22	139	151	-4					9	153	183	-16	
16	804	772	32	25	86	47	5	0	2310	2318	-4	12	690	691	0	
19	308	327	-17					3	401	380	16	15	350	391	-21	
22	432	422	8		5	-7	1	6	510	491	15	18	264	272	-4	
25	86	81	1					9	2251	2249	0	21	-127	33	-23	
28	159	80	26		3	728	705	12	172	178	-3	24	38	55	-1	
					6	978	1014	-33	15	632	652					
					9	699	658	36	18	-72	78		6	-11	1	
					12	211	217	-2	21	200	267					
0	435	436	0	15	430	391	29	24	200	194	2	2	1376	1340	24	
3	1297	1336	-25	18	732	725	5	27	50	76	-3	5	1207	1121	59	
6	1067	1059	5	21	281	310	-16					8	622	590	36	
9	2516	2541	-10	24	92	67	4		5	0	1	11	663	638	20	
12	287	298	-9	27	135	29	18					14	146	158	-5	
15	411	438	-21					2	218	239	-27	17	724	704	10	
18	152	175	-10		5	-6	1	5	421	430	-10	20	198	228	-13	
21	-54	121	-23					8	1026	1043	-17	23	159	139	6	
24	43	2	2	2	390	390	0	11	586	578	10					
27	223	194	11	5	2085	2102	-9	14	208	196	10		6	-10	1	
				8	210	188	15	17	-47	62	-14	1	384	383	0	
				11	360	365	-3	20	183	230	-32	4	922	924	-1	
2	1280	1287	-4	14	493	475	14	23	-67	75	-18	7	1581	1583	-1	
5	1346	1352	-5	17	-68	8	-7	26	214	195	10	10	670	674	-3	
8	1748	1723	11	20	501	517	-10					13	392	404	-8	
11	772	746	22	23	-45	71	-8		5	1	1	16	296	277	7	
14	165	150	6	26	71	100	-5					19	-59	64	-9	
17	382	384	-1					1	379	388	-9	22	-32	55	-5	
20	119	153	-11		5	-5	1	4	529	517	9	25	75	37	4	
23	243	229	6					7	215	282	-44					
26	196	209	-5	1	2222	2296	-41	10	163	172	-5		6	-9	1	
				4	2435	2409	11	13	121	84	12	3	1058	1055	1	
				7	1228	1197	23	16	387	378	6	6	133	170	-29	
				10	812	856	-29	19	-98	18	-14	9	390	427	-33	
1	354	384	-23	13	478	479	-1	22	90	101	-2	12	467	445	17	
4	276	261	13	16	279	278	0	25	-115	43	-19	15	266	228	15	
7	257	272	-12	19	188	143	18					18	399	407	-5	
10	554	600	-31	22	428	464	-23		5	2	1	21	-38	61	-6	
13	231	250	-12	25	66	83	-2					24	49	30	1	
16	84	85	0	28	104	84	3	0	1374	1357	12					
19	106	137	-9					3	1232	1295	-39		6	-8	1	
22	42	110	-12		5	-4	1	6	913	880	35	2	63	61	0	
25	218	197	8					9	372	331	24	5	622	627	-6	
				3	5541	5484	12	12	1748	1750	-1	8	797	781	13	
				6	563	586	-25	15	672	670	1	11	156	158	-1	
				9	2281	2217	25	18	167	220	-26	14	643	607	20	
				12	-72	29	-12	21	233	263	-15	17	671	655	11	
0	87	133	-16	15	826	770	42	24	-92	21	-11	20	-71	96	-18	
3	335	404	-75	18	458	437	15	27	-39	15	-2	23	110	56	10	
6	1205	1166	34	21	394	380	9					26	15	74	-6	
9	739	729	8	24	368	336	17		5	3	1					
12	109	80	6	27	84	71	2						6	-7	1	
15	244	263	-12					2	104	68	10					
18	96	32	11		5	-3	1	5	712	722	-9		1	2184	2197	-6
21	141	179	-14					8	1093	1109	-12		4	1396	1412	-13
24	124	107	4	2	3115	3075	14	11	208	175	13		7	585	502	74
27	-14	7	0	5	1873	1841	18	14	-59	68	-14		10	590	611	-19
				8	736	722	10	17	718	703	11					
				11	468	441	24	20	145	193	-19					
				14	956	930	19	23	429	412	10					

Tetra(pentafluorophenyl)porphyrin

Page 3

13	111	90	5					6	144	99	17		7	-7	1	
16	291	313	-14		6	0	1	9	-91	51	-27					
19	-94	50	-16					12	430	442	-8	2	1357	1367	-8	
22	287	327	-22		0	755	762	-9	15	-97	49	-17	5	884	898	-13
25	46	69	-3		3	1587	1601	-10	18	-35	34	-2	8	1803	1800	1
					6	768	755	13	21	188	200	-4	11	724	728	-3
	6	-6	1		9	218	166	46	24	120	75	9	14	243	305	-30
					12	1198	1198	0					17	435	436	0
3	382	388	-10		15	353	348	5		7	-13	1	20	156	133	7
6	5406	5321	18		18	329	354	-23					23	58	38	2
9	1240	1255	-11		21	-119	73	-37	2	777	763	11	26	194	178	5
12	375	349	15		24	173	190	-9	5	706	716	-8				
15	600	589	9		27	-83	5	-11	8	561	555	5		7	-6	1
18	-109	15	-19						11	-58	98	-20				
21	75	18	6		6	1	1		14	-79	96	-21	1	734	745	-11
24	-64	48	-8						17	385	409	-15	4	879	904	-28
27	-55	83	-11		2	1568	1580	-8	20	141	127	3	7	1060	1101	-33
					5	605	644	-30	23	168	211	-16	10	534	558	-22
	6	-5	1		8	929	970	-27					13	209	230	-9
					11	272	308	-29		7	-12	1	16	53	50	0
2	1719	1737	-11		14	102	67	9					19	190	161	12
5	1717	1725	-4		17	359	348	6	1	759	761	-1	22	404	378	15
8	1265	1265	0		20	-138	58	-32	4	440	433	5	25	71	120	-10
11	259	253	3		23	230	275	-22	7	503	487	13				
14	938	905	25		26	24	11	0	10	135	180	-21		7	-5	1
17	163	100	22						13	172	172	0				
20	675	687	-8		6	2	1		16	1056	1009	30	3	917	908	7
23	154	146	2						19	-20	18	0	6	1170	1148	17
26	63	36	3		1	233	233	0	22	181	194	-4	9	1029	1023	4
					4	310	308	1	25	41	1	1	12	357	362	-3
	6	-4	1		7	641	654	-16					15	199	118	35
					10	283	220	31		7	-11	1	18	712	713	0
1	121	114	3		13	235	259	-16					21	260	281	-11
4	2704	2717	-5		16	128	135	-2	3	1542	1531	6	24	174	118	17
7	299	292	6		19	-95	37	-14	6	1041	1042	-1	27	200	95	29
10	2706	2688	6		22	255	239	7	9	569	557	10				
13	167	94	30													

Tetra(pentafluorophenyl)porphyrin

Page 4

[illegible]

## Tetra(pentafluorophenyl)porphyrin

Page 5

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--



## Tetra(pentafluorophenyl)porphyrin

Page 6

17	70	12	4	6	238	262	-13	20	-67	30	-4	10	831	855	-19
20	212	262	-23	9	163	218	-23	23	86	47	5	13	447	411	18
23	100	24	10	12	291	258	22					16	407	411	-2
	9	5	1	15	142	102	10	10	-9	1		19	150	193	-17
				18	130	41	16					22	-56	19	-4
1	31	4	1					1	297	263	26	25	108	38	11
4	266	300	-16		10	-16	1	4	1187	1220	-24				
7	350	343	4	2	361	361	0	7	317	352	-28	10	-2	1	
10	161	192	-14	5	175	207	-15	10	1473	1487	-8				
13	99	139	-12	8	159	153	2	13	232	203	15	0	991	1018	-21
16	113	160	-14	11	178	207	-17	16	545	531	9	3	1090	1124	-26
19	79	136	-10	14	133	84	12	19	-74	87	-11	6	983	977	3
22	-89	16	-9	17	160	123	11	22	190	144	15	9	-81	5	-18
				20	76	14	6	25	80	10	6	12	278	272	2
	9	6	1					10	-8	1		15	86	16	10
0	377	344	23		10	-15	1					18	-70	71	-13
3	748	750	0	1	153	179	-12	3	32	45	-2	21	102	153	-15
6	76	47	5	4	-70	72	-16	6	642	644	-3	24	69	75	0
9	-112	116	-40	7	159	95	21	9	120	145	-10				
12	189	216	-17	10	248	282	-27	12	148	201	-27	10	-1	1	
15	158	186	-10	13	105	165	-19	15	274	260	8	2	524	542	-16
18	178	161	6	16	239	269	-15	18	-90	85	-15	5	638	572	55
21	185	197	-3	19	73	43	4	21	293	266	13	8	960	914	26
	9	7	1	22	-88	13	-9	24	235	207	11	11	655	638	9
					10	-14	1					14	-47	89	-15
2	68	112	-8					10	-7	1		17	-110	99	-31
5	374	399	-17	3	142	149	-3	2	237	236	0	20	212	248	-16
8	-126	39	-26	6	37	34	0	5	305	254	38	23	-43	7	-2
11	70	134	-16	9	466	474	-7	8	1688	1705	-10				
14	140	7	22	12	54	162	-31	11	212	193	10	10	0	1	
17	159	0	27	14	238	175	26	14	183	209	-13	1	302	285	19
20	-54	19	-3	15	206	227	-9	17	-54	34	-4	4	843	851	-7
	9	8	1	18	206	227	-9	20	319	311	4	7	426	432	-6
				21	-112	85	-24	23	124	59	13	10	-88	31	-18
1	-129	48	-20		10	-13	1	26	217	152	22	13	395	379	15
4	314	351	-24									18	98	142	-19
7	549	568	-13	2	174	224	-29		10	-6	1	19	138	206	-37
10	171	224	-22	5	137	127	4					22	-75	54	-15
13	378	370	6	8	188	195	-5	1	652	636	14	25	73	98	-6
16	484	459	15	11	239	229	5	4	1247	1294	-34				
19	92	80	2	14	696	671	17	7	366	367	-1	10	1	1	
	9	9	1	17	351	356	-3	10	431	420	9	0	328	318	7
				20	61	49	1	13	558	552	4	3	471	469	1
0	-151	4	-24	23	-69	2	-3	16	291	275	6	6	432	397	27
3	-72	24	-7		10	-12	1	19	87	64	4	9	110	144	-9
6	399	427	-18					22	321	272	24	12	314	279	15
9	-23	128	-21	1	-125	42	-35					15	-109	61	-22
12	369	322	25	4	227	227	0		10	-5	1	18	69	103	-7
15	195	209	-5	7	555	565	-10	3	1262	1268	-4	21	-95	80	-19
18	-32	81	-8	10	348	339	6	6	306	252	40	24	-51	27	-3
	10	-19	1	13	280	299	-11	9	70	27	7				
2	333	363	-18	16	169	153	5	12	-69	17	-9	10	2	1	
5	197	192	1	19	345	331	8	15	552	573	-11	2	1792	1746	24
8	208	205	1	22	-120	27	-13	18	646	657	-7	5	714	695	15
11	118	32	14		10	-11	1	21	132	33	18	8	550	521	16
14	164	155	4	3	829	840	-8	24	105	84	4	11	537	517	19
17	253	206	19	6	226	245	-18					14	-139	37	-22
				9	191	211	-11		10	-4	1	17	569	528	26
	10	-18	1	12	484	521	-29					20	162	155	2
1	-141	70	-36	15	485	473	8	2	2399	2285	42	23	147	89	14
4	-72	72	-14	18	-41	59	-6	5	912	882	24				
7	98	222	-48	21	-64	36	-4	8	177	198	-17	10	3	1	
10	212	238	-12	24	53	38	1	11	404	382	17	1	65	110	-13
13	203	115	40					14	691	643	26	4	198	199	0
16	72	28	5		10	-10	1	17	312	339	-16	7	185	146	12
19	-73	51	-9	2	216	186	27	20	481	491	-6	10	-52	54	-8
				5	1570	1565	3	23	100	72	5	13	673	700	-19
	10	-17	1	8	650	681	-26	26	122	62	11	16	-93	8	-8
3	64	123	-14	11	607	636	-23		10	-3	1	19	270	290	-10
				14	618	609	6	1	307	277	24	22	-76	122	-24
				17	160	32	28	4	1135	1125	6				
								7	431	447	-14	10	4	1	

Tetra(pentafluorophenyl)porphyrin

Page 7

3	5	752	753	-1	7	150	189	-14	11	630	585	32	10	608	600	
6	3	310	322	-8	10	121	116	1	14	533	502	21	13	491	478	10
8	6	87	142	-13	13	218	166	18	17	196	203	-2	16	562	556	3
9	692	654	28		16	95	82	2	20	-104	38	-15	19	93	23	9
12	457	462	-4						23	114	0	9	22	153	100	14
15	121	162	-13		11	-19	1						25	178	166	4
18	118	37	10						11	-11	1					
21	138	129	2		3	417	459	-28					11	-4	1	
	10	5	1		6	285	293	-3	1	128	178	-36				
					9	224	250	-12	4	148	167	-13	0	142	219	-50
2	778	737	30		12	488	431	32	7	873	870	2	3	198	262	-34
5	-34	20	-1		15	176	8	31	10	767	743	18	6	396	363	26
8	566	583	-12		11	-18	1		13	658	620	27	9	-41	33	-7
11	581	577	0						16	386	380	3	12	131	195	-3
14	295	295	0		2	-140	48	-31	19	-61	44	-7	15	-52	133	-21
17	144	69	17		5	640	582	38	22	81	63	2	18	311	300	6
20	154	30	16		8	717	707	6					21	179	152	9
	10	6	1		11	76	30	5	11	-10	1		24	134	95	
					14	119	45	13	3	936	923	10				
1	748	726	15		17	78	112	-7	6	586	602	-18	11	-3	1	
4	521	516	2						9	740	723	13	2	348	396	-43
7	-60	9	-5		11	-17	1		12	465	445	14	5	336	349	-8
10	128	156	-9		1	175	232	-28	15	337	337	0	8	328	366	-30
13	380	394	-12		4	443	433	6	18	146	116	9	11	150	114	14
16	261	242	9		7	336	353	-10	21	73	22	4	14	234	273	-16
19	149	71	18		10	475	467	5	24	178	108	19	17	204	233	-13
	10	7	1		13	189	199	-4					20	330	302	14
					16	156	129	8	11	-9	1		23	128	178	-16
0	209	199	4		19	45	107	-10	2	565	569	-3				
3	344	356	-5						5	315	307	6	11	-2	1	
6	-156	79	-46		11	-16	1		8	225	255	-20	1	79	97	-6
9	607	615	-5		3	346	338	5	11	215	200	8	4	1008	972	27
12	191	161	11		6	263	253	5	14	441	457	-11	7	-56	87	-14
15	195	51	36		9	871	839	21	17	181	166	5	10	700	691	9
18	160	99	16		12	-66	30	-6	20	-44	158	-23	13	119	81	7
	10	8	1		15	93	47	7	23							



## Tetra(pentafluorophenyl)porphyrin

Page 9

1	169	139	14	6	170	202	-9	12	111	123	-3	19	-79	108	-22
4	195	243	-30	9	275	286	-5	15	260	193	26	22	-87	51	-12
7	446	465	-14	12	333	321	6								
10	104	90	2	15	119	57	16	13	-19	1		13	-11	1	
13	125	103	4	18	95	35	8								
16	-70	113	-23					2	-14	98	-12	3	241	306	-45
19	-78	20	-8	12	7	1		5	248	298	-27	6	522	508	12
22	114	90	5	15	119	57	16	8	104	106	0	9	130	6	24
				2	148	130	5	11	197	159	13	12	455	370	53
				5	282	308	-10	14	76	35	5	15	669	694	-17
				8	259	243	7	17	78	8	6	18	111	123	-3
				11	283	294	-5					21	-107	44	-16
				14	103	90	2	13	-18	1					
				17	216	69	38					13	-10	1	
0	191	127	41					1	117	1	16				
3	220	211	7					4	582	551	20	2	367	337	22
6	620	612	8					7	75	7	6	5	231	255	-15
9	272	293	-18	12	8	1		10	-38	19	-2	8	215	212	2
12	398	416	-15					13	244	197	19	11	388	342	30
15	177	251	-50	1	403	375	16	16	-86	51	-12	14	362	361	0
18	-122	34	-30	4	-152	21	-23					17	-127	75	-29
21	-105	37	-21	7	113	140	-7	13	-17	1		20	-122	41	-21
				10	211	217	-2					23	-79	11	-5
				13	138	138	0								
								3	-52	32	-5				
2	278	290	-8	12	9	1		6	115	72	9	13	-9	1	
5	170	175	-2					9	183	182	0				
8	318	322	-3	0	182	75	29	12	141	225	-34	1	807	828	-17
11	116	151	-8	3	67	5	3	15	-82	40	-10	4	407	413	-5
14	119	185	-17	6	119	73	9	18	-146	42	-29	7	123	197	-36
17	-24	5	0	9	318	275	21					10	238	187	26
20	-121	4	-18	12	-87	27	-10	13	-16	1		13	376	386	-7
23	99	46	8									16	140	178	-14
				12	10	1		2	303	243	32	19	186	136	16
								5	79	75	0	22	215	136	18
				2	175	64	19	8	334	327	4				
1	299	335	-25	5	231	229	1	11	16	128	-20	13	-8	1	
4	-68	80	-18	8	-41	22	-2	14	123	127	-1				
7	559	558	0	11	149	80	16	17	-48	34	-4	3	393	355	29
10	560	534	13					20	-105	27	-13	6	212	218	-3
13	309	319	-7	12	11	1						9	129	158	-17
16	362	368	-2					13	-15	1		12	383	393	-7
19	-75	7	-6	1	298	252	14					15	175	159	6
22	274	223	21	4	62	56	0	1	840	837	2	18	184	183	0
				7	49	129	-15	4	168	144	9	21	133	90	7
								7	176	166	4	24	128	58	13
				12	12	1		10	316	344	-17				
0	-107	99	-35	0	339	285	18	13	315	319	-2	13	-7	1	
3	475	492	-12	3	199	170	9	16	-154	8	-32				
6	58	26	3					19	68	62	0	2	234	225	6
9	205	186	5									5	1388	1367	13
12	-72	15	-7	13	-24	1		13	-14	1		8	309	301	5
15	145	173	-10									11	223	207	8
18	-49	61	-5	1	110	51	10	3	67	3	6	14	165	183	-7
21	-73	19	-6					6	220	233	-7	17	418	437	-12
				13	-23	1		9	341	327	8	20	365	357	3
								12	192	109	28	23	128	112	4
				3	-111	55	-18	15	260	255	2				
2	-94	79	-23	6	69	13	5	18	116	111	1	13	-6	1	
5	-44	70	-9					21	-114	42	-17				
8	432	422	4												
11	696	686	6	13	-22	1						1	399	397	1
14	119	68	15	2	-114	36	-17	13	-13	1		4	201	180	11
17	250	227	10	5	48	131	-17					7	1172	1153	12
20	79	15	4	8	207	173	12	2	11	82	-15	10	308	308	0
				11	106	29	10	5	580	598	-19	13	634	673	-29
								8	388	338	32	16	-35	124	-21
				13	-21	1		11	714	704	6	19	170	75	17
1	208	264	-30					14	629	606	15	22	174	152	7
4	-154	13	-36	1	208	243	-15	17	119	217	-37				
7	356	405	-23	4	56	83	-4	20	-131	71	-28	13	-5	1	
10	215	164	20	7	170	131	12								
13	435	401	20	10	175	106	19	13	-12	1		0	631	622	7
16	116	104	3	13	328	289	18					3	102	64	7
19	63	81	-2									6	257	248	6
												9	213	209	2
				13	-20	1						12	627	594	23
												15	541	519	14
0	-114	19	-18	3	242	255	-6	10	1085	1061	15	18	444	389	23
3	132	194	-24	6	128	103	6	13	470	453	11	21	223	202	8
				9	195	204	-3	16	407	384	13				

Tetra(pentafluorophenyl)porphyrin

Page 10

[illegible]

## Tetra(pentafluorophenyl)porphyrin

Page 11

17	-41	51	-5	14	2	1	4	261	238	9	7	252	224	14
20	38	58	-1				7	105	143	-10	10	77	223	-56
23	91	34	7	0	481	492	10	94	128	-8	13	163	189	-10
				3	281	313					16	-75	5	-7
	14	-5	1	6	254	249		15	-21	1	19	102	103	0
				9	301	262								
1	-137	38	-39	12	318	301	3	280	313	-16		15	-12	1
4	504	475	15	15	172	144	6	114	119	-1				
7	486	512	-20	18	110	60	9	-76	35	-8	3	-74	30	-10
10	336	381	-31				12	-24	26	-1	6	328	317	6
13	302	286	8	14	3	1					9	45	32	2
16	101	96	1					15	-20	1	12	150	123	8
19	47	73	-2	2	487	487	0				15	334	344	-5
22	76	14	6	5	-80	49	-11	2	-50	70	18	-67	20	-6
				8	969	943	16	5	256	273	21	101	97	0
	14	-4	1	11	170	169	0	8	-49	79				
0	903	873	21	14	467	470	-1	11	105	90		15	-11	1
3	231	224	4	17	127	138	-3	14	23	1	0			
6	525	507	10									2	504	545
9	54	67	-2	14	4	1		15	-19	1		5	181	179
12	447	470	-21	1	157	174	-6	1	93	11	10	8	68	84
15	52	120	-14	4	152	225	-31	4	424	449	-15	11	-89	67
18	267	233	11	7	328	345	-10	7	49	143	-21	14	140	127
21	131	60	14	10	105	86	3	10	-54	18	-3	17	-45	86
				13	-83	28	-9	13	74	88	-2	20	87	111
	14	-3	1	16	139	149	-4	16	67	50	2		15	-10
2	722	732	-7									1	437	451
5	940	955	-11	14	5	1		15	-18	1		4	765	794
8	355	437	-43	0	226	223	1	3	379	316	34	7	318	301
11	186	168	7	3	334	339	-2	6	132	190	-21	10	258	229
14	98	114	-4	6	253	218	15	9	291	298	-3	13	-132	88
17	-123	35	-15	9	85	187	-23	12	-141	11	-26	16	187	215
20	-17	8	0	12	-95	85	-20	15	53	88	-5	19	42	2
				15	189	187	0					22	-104	67
	14	-2	1										15	-9
1	433	437	-2	14	6	1		15	-17	1				
4	763	782	-14	2	149	153	-1	2	106	7	13	3	425	423
7	174	20	38	5	-79	89	-18	5	198	227	-13	6	589	609
10	312	326	-6	8	177	125	11	8	-51	6	-3	9	405	452
13	178	180	0	11	-40	77	-8	11	-91	8	-10	12	161	202
16	88	137	-9	14	105	88	3	14	70	68	0	15	416	437
19	-75	48	-9					17	-86	62	-13	18	87	75
22	186	145	13	14	7	1						21	44	60
													15	-8
	14	-1	1	1	-25	42	-2	1	1084	1059	15			
0	244	246	-1	4	103	162	-17	4	282	272	5	2	323	330
3	341	326	9	7	-125	114	-25	7	112	132	-5	5	532	485
6	228	177	24	10	-92	9	-10	10	292	318	-14	8	121	17
9	689	713	-17	13	-89	48	-11	13	-138	7	-25	11	495	446
12	-87	49	-9					16	279	312	-16	14	251	287
15	46	56	0	14	8	1		19	-23	92	-10	17	95	14
18	113	8	14	0	143	84	14					20	94	84
21	-50	27	-3	3	83	100	-3		15	-15	1			
				6	104	147	-8	3	416	408	7		15	-7
	14	0	1	9	97	144	-12	6	400	415	-14	1	-140	8
2	120	150	-16					9	205	208	-1	4	132	68
5	221	231	-7	14	9	1		12	261	273	-6	7	597	593
8	594	594	0	2	-73	57	-10	15	173	254	-36	10	191	123
11	615	617	-2	5	136	154	-3	18	92	45	7	13	110	137
14	562	535	21	8	177	170	2		15	-14	1	16	108	145
17	-20	81	-11									19	262	236
20	64	81	-4	14	10	1		2	112	128	-5	22	61	11
								5	371	374	-1		15	-6
	14	1	1	1	-19	119	-16	8	526	538	-12			
1	51	127	-19					11	733	746	-8	0	-78	14
4	389	389	0	15	-23	1		14	293	261	15	3	342	327
7	269	211	28	2	300	262	17	17	83	198	-36	6	584	591
10	485	478	4	5	-70	83	-13	20	75	29	5	9	933	853
13	211	152	15						15	-13	1	12	318	327
16	219	200	5	15	-22	1						15	-12	63
19	197	163	11	1	210	163	16	1	166	223	-29	18	-124	73
								4	-173	8	-52	21	132	135

## Tetra(pentafluorophenyl)porphyrin

Page 12

15	-5	1	13	198	170	7	11	52	60	-1	16	-10	1		
			16	223	208	8	14	-137	5	-23					
2	-11	64	-6	15	3	1	16	-18	1		2	281	305	-15	
5	1054	1042	6								5	262	297	-21	
8	156	83	22	0	18	85	-8	1	256	269	-6	8	786	773	9
11	384	366	11	3	300	335	-19	4	141	141	0	11	323	343	-16
14	164	86	21	6	-81	11	-8	7	147	239	-39	14	-116	97	-30
17	50	8	2	9	23	127	-19	10	34	64	-4	17	217	263	-21
20	18	130	-13	12	156	221	-18	13	115	95	4	20	-96	4	-11
				15	-67	15	-5	16	106	16	11				
15	-4	1	15	4	1		16	-17	1		1	328	335	-4	
1	264	247	9	2	213	199	5	3	164	131	10	4	-87	8	-11
4	695	697	-1	5	95	121	-6	6	258	227	14	7	614	623	-6
7	174	162	3	8	33	16	1	9	387	407	-17	10	458	477	-12
10	143	8	25	11	121	26	10	12	260	255	2	13	80	120	-9
13	141	169	-13	14	112	80	6	15	195	172	8	16	340	304	19
16	69	52	2									19	-65	4	-5
19	210	219	-2	15	5	1	16	-16	1		16	-8	1		
22	158	59	21	1	62	146	-21	2	150	182	-17	3	229	226	1
				4	-120	20	-19	5	285	238	18	6	303	256	26
0	745	687	42	7	233	257	-11	8	-120	76	-46	9	130	119	3
3	154	154	0	10	39	109	-8	11	-11	52	-3	12	495	522	-25
6	541	535	4	13	85	47	5	14	30	22	0	15	117	95	5
9	197	4	31					17	192	183	3	18	-75	127	-26
12	583	590	-4	15	6	1						21	-51	44	-5
15	-34	92	-12					16	-15	1		16	-7	1	
18	100	130	-5	0	147	163	-5	1	328	352	-15	2	153	145	2
21	225	217	3	3	93	79	2	4	438	443	-3	5	202	123	31
				6	-92	3	-10	7	187	191	-1	8	131	133	0
15	-2	1		9	-45	129	-15	10	121	178	-19	11	147	111	11
2	160	83	24	12	-25	85	-8	13	90	63	4	14	684	690	-4
5	1594	1570	13					16	292	304	-6	17	119	146	-8
8	509	468	27	15	7	1		19	-126	16	-19	20	133	125	2
11	670	640	14	2	35	30	0								
14	223	233	-6	5	225	206	7	16	-14	1		16	-6	1	
17	384	370	5	8	134	117	3	3	173	255	-41	1	308	317	-6
20	174	102	19					6	232	268	-19	4	216	228	-4
				15	8	1		9	126	141	-6	7	83	45	6
15	-1	1		1	209	189	7	12	198	198	0	10	181	61	33
1	80	42	6	4	-103	14	-13	15	-46	22	-3	13	366	316	38
4	1071	1062	6	7	135	77	8	18	78	6	6	16	77	135	-14
7	233	123	42									19	-52	43	-5
10	123	97	6	16	-23	1		16	-13	1					
13	247	271	-8	3	-49	100	-14	2	260	293	-19	16	-5	1	
16	178	94	16	6	62	2	4	5	83	157	-23	0	792	818	-19
19	-56	62	-8					8	669	677	-5	3	419	388	20
				16	-22	1		11	346	385	-24	6	346	275	29
15	0	1		2	158	176	-6	14	52	165	-29	9	1098	1126	-18
0	322	324	-1	5	-87	48	-11	17	-26	101	-12	12	50	11	2
3	677	658	17	8	15	75	-6	20	-62	113	-19	15	232	276	-21
6	517	478	35									18	178	134	14
9	142	61	26	16	-21	1		1	70	186	-41	21	-54	39	-3
12	217	157	32					4	147	243	-47				
15	83	62	4	1	25	18	0	7	61	123	-15	16	-4	1	
18	115	96	6	7	91	165	-21	10	102	141	-16	2	187	164	9
				10	-61	26	-5	13	302	309	-4	5	317	356	-25
15	1	1						16	74	107	-7	8	925	911	7
2	456	440	10	16	-20	1		19	-49	113	-17	11	541	496	29
5	156	169	-4									14	135	189	-28
8	67	32	4	3	68	19	5	16	-11	1		17	143	146	0
11	405	357	27	6	84	72	2	3	228	238	-5	20	56	9	2
14	222	254	-10	9	99	124	-6	6	305	305	0				
17	81	71	1	12	-45	10	-3	9	68	138	-18	16	-3	1	
												1	223	100	45
15	2	1		16	-19	1		12	317	301	8	4	164	28	31
1	-88	47	-13					15	-137	67	-31	7	306	220	42
4	384	366	10	2	110	141	-8	18	116	156	-11	10	172	143	7
7	295	281	7	5	548	530	11	21	80	52	4	13	-29	104	-14
10	237	251	-6	8	179	165	4								

## Tetra(pentafluorophenyl)porphyrin

Page 13

16	180	168	4							16	60	68	-1	20	130	65	13
19	141	78	10	0	181	164	5			19	-98	5	-11				
				3	76	5	6										
	16	-2	1		6	53	2	3			17	-13	1		17	-5	1
0	859	845	10							3	99	169	-23	1	73	121	-12
3	585	556	20							6	333	330	1	4	241	269	-15
6	260	228	15	1	35	19	1			9	-145	44	-32	7	653	604	23
9	-44	24	-3	4	-11	45	-2			12	444	446	-1	10	313	324	-6
12	216	252	-12							15	153	128	7	13	139	196	-21
15	212	208	2							18	-116	56	-20	16	119	119	0
18	110	77	4											19	44	20	1
				3	-67	53	-8				17	-12	1		17	-4	1
	16	-1	1	6	104	44	9			2	-113	74	-26	0	458	471	-9
2	1423	1416	4							5	334	367	-20	3	137	57	19
5	432	422	6							8	140	126	4	6	518	470	30
8	225	286	-32	2	22	104	-12			11	324	351	-21	9	282	308	-10
11	195	192	1	5	-134	29	-24			14	43	66	-3	12	-60	48	-8
14	240	287	-16	8	-89	47	-12			17	54	76	-3	15	-86	8	-11
17	174	106	13	11	67	50	2							18	73	106	-6
											17	-11	1		17	-3	1
	16	0	1							1	451	484	-24	2	219	195	10
1	242	201	26	1	194	163	11			4	464	440	15	5	444	439	3
4	223	194	18	4	152	101	13			7	323	347	-14	8	426	458	-20
7	281	279	1	7	104	141	-9			10	394	386	5	11	-37	109	-11
10	305	298	5	10	154	138	4			13	-96	33	-13	14	-108	5	-15
13	-61	3	-6	13	110	63	8			16	-35	122	-19	17	107	37	10
16	53	52	0							19	-101	39	-14				
											17	-10	1		17	-2	1
	16	1	1	3	332	327	3			3	837	814	16	1	687	695	-5
0	76	90	-2	6	245	239	2			6	685	699	-9	4	130	59	25
3	312	328	-8	9	54	104	-9			9	148	191	-16	7	41	24	1
6	71	7	6	12	148	99	12			12	115	192	-38	10	-81	17	-8
9	68	102	-6							15	211	191	8	13	274	230	13
12	25	0	0							18	70	67	0	16	-94	80	-26
15	299	281	6								17	-9	1		17	-1	1
				2	146	107	11			2	375	353	14	0	576	584	-5
	16	2	1	5	357	372	-8			5	460	446	9	3	191	162	10
2	390	408	-11	8	-120	58	-23			8	133	0	21	6	198	264	-32
5	504	529	-16	11	-46	52	-5			11	-131	54	-27	9	162	159	0
8	125	158	-10	14	93	111	-3			14	-39	126	-21	12	133	206	-27
11	221	197	9							17	129	114	4	15	-120	57	-15
14	-79	55	-7							20	124	116	1				
				1	447	450	-2				17	-8	1		17	0	1
	16	3	1	4	210	191	10			1	-175	26	-37	2	176	186	-5
1	114	94	4	7	142	150	-4			4	181	237	-28	5	181	215	-20
4	79	101	-4	10	197	210	-5			7	702	729	-19	8	95	116	-7
7	362	368	-3	13	-81	25	-8			10	384	358	15	11	145	207	-33
10	202	125	25	16	263	238	10			13	143	186	-22	14	100	68	8
13	196	140	13							16	-104	6	-13				
										19	99	57	7		17	1	1
	16	4	1	3	424	408	10				17	-7	1	1	168	187	-7
0	258	250	4	6	421	407	8			0	-157	35	-42	4	159	203	-17
3	-121	24	-19	9	-131	18	-33			3	477	499	-11	7	54	168	-30
6	285	271	6	12	-80	52	-11			6	87	103	-3	10	262	219	18
9	58	61	0	15	174	147	8			9	256	218	17	13	177	149	9
12	49	68	-1							12	246	305	-32		17	2	1
										15	151	159	-2	0	45	61	-2
	16	5	1							18	-80	82	-15	3	28	22	0
2	242	224	7											6	-57	70	-10
5	422	403	10											9	283	285	-1
8	471	437	19											12	307	273	16
11	109	3	8														
															17	3	1
	16	6	1							2	450	451	0	2	53	14	3
1	192	120	22							5	199	203	-1	5	-58	115	-19
4	53	77	-3							8	795	819	-16	8	67	7	5
7	238	261	-10							11	81	110	-6				
										14	-110	10	-22				
	16	7	1							17	155	128	8				



Tetra(pentafluorophenyl)porphyrin

Page 14

11	30	53	-2					9	93	92	0						
	17	4	1		2	-92	67	-17	12	-85	83	-18		2	143	126	4
					5	611	649	-26	15	134	129	1		5	303	275	12
					8	87	158	-20	18	113	116	0					
1	132	92	9		11	274	275	0							19	-22	1
4	145	117	7		14	129	29	17		18	-5	1					
7	-32	18	-1		17	154	123	8						2	-69	57	-9
10	-45	55	-5						2	297	306	-4					
						18	-13	1	5	182	204	-8			19	-21	1
									8	228	98	30					
						1	-131	98	11	-75	3	-7		1	209	156	18
0	-108	42	-16		4	273	335	-36	14	215	216	0		4	194	178	5
3	221	237	-7		7	528	550	-14	17	-132	43	-24		7	138	136	0
6	101	74	5		10	470	448	14									
					13	174	200	-10									
					16	-94	41	-12		18	-4	1			19	-20	1
									1	549	552	-2		3	91	134	-10
2	-53	59	-7						4	623	605	12		6	52	66	-1
									7	38	80	-6		9	237	196	15
									10	-154	51	-25					
									13	-53	118	-20			19	-19	1
									16	-36	23	-3					
														2	169	184	-7
										18	-3	1		5	122	115	2
														8	-29	28	-2
									0	431	386	27		11	249	212	14
3	-117	3	-17						3	132	48	17					
6	107	79	5						6	139	114	7			19	-18	1
9	25	42	-1		2	250	212	18	9	318	308	5					
					5	718	719	0	12	-67	32	-4		1	327	322	3
					8	422	439	-10	15	44	26	1		4	47	115	-13
					11	-94	67	-17						7	194	185	3
2	-72	14	-6		14	175	139	11		18	-2	1		10	148	146	1
5	45	11	2		17	-131	35	-23						13	-65	9	-4
8	-60	17	-4														
11	176	82	33						2	149	166	-6			19	-17	1
									5	112	65	9					
									8	265	262	1					
					1	284	301	-9	11	73	191	-36		3	146	175	-10
					4	423	448	-17	14	93	20	6		6			

Tetra(pentafluorophenyl)porphyrin

Page 15

[illegible]


Tetra(pentafluorophenyl)porphyrin

Page 16

2	114	37	12	4	-110	37	-17	9	-97	45	-13	23	-16	1
5	102	105	0	7	320	289	11					3	67	97
8	-47	3	-2	10	163	185	-7	22	-13	1		6	139	104
11	107	137	-7	13	-74	10	-6							8
	21	-16	1		21	-6	1	2	308	347	-21			
								5	-43	92	-12		23	-15
1	-36	32	-2	0	-112	5	-16	8	234	220	6	2	164	148
4	75	49	3	3	368	343	13	11	108	124	-3	5	72	150
7	123	75	10	6	137	52	17		22	-12	1			-19
10	-76	52	-10	9	49	2	1						23	-14
	21	-15	1	12	20	49	-2	1	-107	23	-15			1
					21	-5	1	4	-68	47	-8	1	75	89
3	348	266	39	2	96	53	7	7	151	200	-17	4	-106	52
6	71	24	5	5	241	200	16	10	-82	72	-10	7	92	48
9	-104	33	-14	8	223	205	7		22	-11	1		23	-13
12	17	32	0	11	-128	9	-14	3	-33	117	-17	3	116	77
	21	-14	1		21	-4	1	6	131	200	-24	6	272	242
								9	93	73	3			13
2	478	467	6	1	131	120	3		22	-10	1		23	-12
5	108	85	5	4	303	261	19					2	90	79
8	192	248	-24	7	79	10	6	2	357	310	16	5	159	127
11	-57	80	-11	10	251	245	2	5	-94	82	-19	8	-83	78
	21	-13	1		21	-3	1	8	-99	23	-12		23	-11
								11	121	189	-21			1
1	814	771	26	0	106	97	1		22	-9	1	1	135	2
4	-52	30	-4	3	-33	14	-1					4	134	156
7	143	123	5	6	119	102	4	1	146	42	20	7	133	188
10	111	136	-6	9	175	70	24	4	118	43	9			-18
13	39	13	1		21	-2	1	7	-109	37	-16		23	-10
	21	-12	1					10	68	3	5			1
									22	-8	1	0	-112	40
3	54	137	-18	2	-82	96	-18					3	145	121
6	213	199	5	5	176	171	1	0	-106	15	-14	6	115	80
9	159	71	21	8	151	75	17	3	261	245	6		23	-9
12	116	112	0		21	-1	1	8	-125	39	-15			1
	21	-11	1					9	-120	6	-17	2	32	53
				1	-41	6	-1		22	-7	1	5	-68	33
2	336	328	5	4	82	5	7					8	119	96
5	123	139	-4		22	-19	1	2	-86	54	-12		23	-8
8	-40	85	-10					5	122	108	3			1
11	33	5												

**Appendix 2.** Supplementary Material for  
the X-ray Crystal Structure Determination of CuTFPP.

**Figure A2.1.** ORTEP diagram for CuTFPP (50% probability ellipsoids) and numbering scheme for macrocycle.



**Table A2.1.** Crystal and Intensity Collection Data for CuTFPP.

Formula: $\text{CuC}_{44}\text{H}_8\text{N}_4\text{F}_{20}$	Formula Weight: 1044.10
Crystal Color: ruby red	Habit: plate
Crystal Size: 0.28 x 0.52 x 0.54 mm	
Crystal System: rhombohedral	Space Group: $R\bar{3}$
$a = 20.358(5) \text{ \AA}$	$\alpha = 90$
$b = 20.358(5) \text{ \AA}$	$\beta = 90$
$c = 24.347(6) \text{ \AA}$	$\gamma = 120$
$V = 8739(4) \text{ \AA}^3$	$Z = 9$
$D = 1.77 \text{ g cm}^{-3}$	
MoK $\alpha$ Radiation	$\lambda = 0.71073 \text{ \AA}$
$\mu = 6.96 \text{ cm}^{-1}$	$T = 298 \text{ K}$
Enraf-Nonius Cad-4 diffractometer	$\omega$ scan
Transmission coeff. = 0.75 - 0.84	range for data collection: 1-25
$\pm h = 28, \pm k = 28, \pm l = 34$	
Number of reflections measured: 12512	
Number of independent reflections: 5651	
Goodness of fit for merging data: 0.95	
$R = 0.0791$ on $F$ for 4625 reflections with $F_o^2 > 0$	
$R = 0.0491$ on $F$ for 3104 reflections with $F_o^2 > 3\sigma(F_o^2)$	
$wR = 0.009$ on $F^2$ for 5651 reflections	
Final goodness of fit: 1.99 for 329 parameters and 5651 reflections	

**Table A2.2.** Final Refined Heavy Atom Parameters  $\times 10^4$  for CuTFPP.

$x, y, z$ and $U_{eq}^a \times 10^4$				
Atom	$x$	$y$	$z$	$U_{eq}$
Cu	5000	0	0	417(1)
N1	4300(1)	-1035(1)	-296(1)	429(4)
N2	5763(1)	163(1)	-576(1)	446(4)
C1	3587(1)	-1551(1)	-107(1)	470(6)
C2	3266(2)	-2221(1)	-439(1)	563(7)
C3	3772(1)	-2114(1)	-830(1)	532(6)
C4	4420(1)	-1373(1)	-743(1)	439(5)
C5	5069(1)	-1051(1)	-1066(1)	457(5)
C6	5690(1)	-330(1)	-990(1)	465(6)
C7	6354(2)	7(2)	-1336(1)	570(7)
C8	6826(2)	691(2)	-1130(1)	593(7)
C9	6463(1)	796(1)	-661(1)	487(6)
C10	6775(1)	1441(1)	-338(1)	494(6)
C21	5112(1)	-1524(1)	-1518(1)	506(6)
C22	4748(2)	-1627(2)	-2009(1)	816(9)
C23	4780(3)	-2081(2)	-2417(1)	1074(14)
C24	5193(3)	-2436(2)	-2330(2)	961(12)
C25	5552(2)	-2348(2)	-1854(2)	803(9)
C26	5516(1)	-1892(1)	-1454(1)	575(7)
C31	7558(1)	2065(1)	-472(1)	556(7)

Atom	$x$	$y$	$z$	$U_{eq}$
C32	8192(2)	2032(2)	−313(1)	671(8)
C33	8919(2)	2615(2)	−430(1)	775(10)
C34	9011(2)	3233(2)	−711(1)	753(10)
C35	8403(2)	3286(2)	−878(1)	758(10)
C36	7680(2)	2702(2)	−758(1)	667(8)
F22	4345(2)	−1282(1)	−2098(1)	1347(8)
F23	4398(2)	−2179(2)	−2884(1)	1876(12)
F24	5223(2)	−2877(1)	−2727(1)	1580(9)
F25	5944(1)	−2703(1)	−1767(1)	1386(8)
F26	5893(.9)	−1810(.9)	−986(.8)	844(5)
F32	8107(1)	1429(1)	−40(1)	975(6)
F33	9522(1)	2566(1)	−271(1)	1252(8)
F34	9719(1)	3800(1)	−823(1)	1056(7)
F35	8505(1)	3896(1)	−1158(1)	1112(7)
F36	7092(1)	2767(1)	−926(1)	997(6)

$$^a U_{eq} = \frac{1}{3} \sum_i \sum_j [U_{ij}(a_i^* a_j^*)(\vec{a}_i \cdot \vec{a}_j)]$$

**Table A2.3.** Complete Distances and Angles for CuTFPP.

Distance(Å)		Distance(Å)	
Cu -N1	1.997(2)	C9 -C10	1.383(4)
Cu -N2	1.994(2)	C10 -C31	1.495(4)
N1 -C1	1.377(3)	C21 -C22	1.367(4)
N1 -C4	1.373(3)	C21 -C26	1.371(4)
N2 -C6	1.375(3)	C22 -C23	1.379(6)
N2 -C9	1.378(3)	C22 -F22	1.339(4)
C1 -C2	1.432(4)	C23 -C24	1.371(6)
C1 -C10'	1.388(4)	C23 -F23	1.335(5)
C2 -C3	1.337(4)	C24 -C25	1.334(6)
C2 -HC2	0.96(3)	C24 -F24	1.341(5)
C3 -C4	1.439(4)	C25 -C26	1.372(5)
C3 -HC3	0.95(2)	C25 -F25	1.334(4)
C4 -C5	1.388(4)	C26 -F26	1.337(3)
C5 -C6	1.390(4)	C31 -C32	1.382(4)
C5 -C21	1.493(4)	C31 -C36	1.380(4)
C6 -C7	1.442(4)	C32 -C33	1.387(5)
C7 -C8	1.332(4)	C32 -F32	1.329(4)
C7 -HC7	0.99(3)	C33 -C34	1.360(5)
C8 -C9	1.434(4)	C33 -F33	1.339(4)
C8 -HC8	0.88(3)	C34 -C35	1.357(5)



Distance(Å)		Angle(°)	
C34 -F34	1.348(4)	N1 -Cu -N2	90.4(1)
C35 -C36	1.383(5)	N1 -Cu -N2'	89.6(1)
C35 -F35	1.339(4)	N1 -Cu -N1'	180.0
C36 -F36	1.333(4)	N2 -Cu -N2'	180.0
		Cu -N1 -C1	127.4(2)
		Cu -N1 -C4	127.1(2)
		Cu -N2 -C6	127.1(2)
		Cu -N2 -C9	128.0(2)
		C4 -N1 -C1	105.5(2)
		C9 -N2 -C6	104.9(2)
		C2 -C1 -N1	110.0(2)
		C10' -C1 -N1	125.4(2)
		C10' -C1 -C2	124.6(2)
		C3 -C2 -C1	107.4(2)
		HC2 -C2 -C1	125.1(16)
		HC2 -C2 -C3	127.4(16)
		C4 -C3 -C2	107.1(2)
		HC3 -C3 -C2	131.4(15)
		HC3 -C3 -C4	121.5(15)
		C3 -C4 -N1	110.0(2)

Angle(°)				Angle(°)			
C5	-C4	-N1	125.3(2)	C22	-C21	-C5	122.8(3)
C5	-C4	-C3	124.7(2)	C26	-C21	-C5	120.9(2)
C6	-C5	-C4	124.8(2)	C26	-C21	-C22	116.3(3)
C21	-C5	-C4	117.5(2)	C23	-C22	-C21	121.9(3)
C21	-C5	-C6	117.7(2)	F22	-C22	-C21	119.2(3)
C5	-C6	-N2	125.3(2)	F22	-C22	-C23	118.8(3)
C7	-C6	-N2	110.3(2)	C24	-C23	-C22	119.2(4)
C7	-C6	-C5	124.4(2)	F23	-C23	-C22	119.6(4)
C8	-C7	-C6	107.0(3)	F23	-C23	-C24	121.1(4)
HC7	-C7	-C6	126.8(15)	C25	-C24	-C23	120.2(4)
HC7	-C7	-C8	126.2(15)	F24	-C24	-C23	119.1(4)
C9	-C8	-C7	107.4(3)	F24	-C24	-C25	120.6(4)
HC8	-C8	-C7	126.8(19)	C26	-C25	-C24	119.7(3)
HC8	-C8	-C9	125.7(19)	F25	-C25	-C24	120.1(3)
C8	-C9	-N2	110.4(2)	F25	-C25	-C26	120.1(3)
C10	-C9	-N2	124.9(2)	C25	-C26	-C21	122.6(3)
C10	-C9	-C8	124.7(2)	F26	-C26	-C21	119.5(3)
C9	-C10	-C1'	124.6(2)	F26	-C26	-C25	117.9(3)
C31	-C10	-C1'	117.4(2)	C32	-C31	-C10	121.5(2)
C31	-C10	-C9	118.1(2)	C36	-C31	-C10	121.6(2)

Angle(°)	
C36 -C31 -C32	116.9(3)
C33 -C32 -C31	121.6(3)
F32 -C32 -C31	119.5(3)
F32 -C32 -C33	118.9(3)
C34 -C33 -C32	119.4(3)
F33 -C33 -C32	120.1(3)
F33 -C33 -C34	120.5(3)
C35 -C34 -C33	120.9(3)
F34 -C34 -C33	119.2(3)
F34 -C34 -C35	119.9(3)
C36 -C35 -C34	119.4(3)
F35 -C35 -C34	120.1(3)
F35 -C35 -C36	120.6(3)
C35 -C36 -C31	121.9(3)
F36 -C36 -C31	119.8(3)
F36 -C36 -C35	118.3(3)

' indicates atom related by inversion

**Table A2.4.** Final Refined Hydrogen Atom Parameters for CuTFPP.

Atom	$x, y \text{ and } z \times 10^4$			$B$
	$x$	$y$	$z$	
HC2	2778(14)	-2659(13)	-384(9)	4.6(6)
HC3	3752(12)	-2425(12)	-1128(9)	3.9(5)
HC7	6435(12)	-214(13)	-1674(10)	4.4(5)
HC8	7270(16)	1026(15)	-1263(10)	5.7(7)

**Table A2.5.** Anisotropic Displacement Parameters for CuTFPP.

Atom	$U_{11}$	$U_{22}$	$U_{33}$	$U_{12}$	$U_{13}$	$U_{23}$
Cu	406(2)	366(2)	518(2)	223(2)	26(2)	-12(2)
N1	416(11)	365(10)	523(12)	209(9)	39(9)	-15(9)
N2	435(11)	378(10)	538(12)	212(9)	54(9)	-13(9)
C1	440(13)	392(13)	603(16)	226(11)	5(12)	-31(11)
C2	456(15)	413(15)	740(19)	158(13)	18(14)	-83(13)
C3	523(15)	441(14)	630(18)	239(13)	-17(13)	-135(13)
C4	472(14)	416(13)	519(14)	289(12)	-21(11)	-28(11)
C5	496(14)	446(13)	505(15)	292(12)	-5(11)	-28(11)
C6	498(14)	466(14)	493(15)	287(12)	50(11)	-4(11)
C7	586(17)	540(16)	583(17)	281(14)	120(14)	-33(14)
C8	501(16)	539(17)	692(19)	224(14)	180(14)	19(14)
C9	452(14)	450(14)	580(16)	241(12)	62(12)	-22(12)
C10	425(13)	428(13)	619(16)	205(11)	48(12)	-24(12)
C21	539(15)	435(14)	521(16)	226(12)	49(12)	-60(11)
C22	1094(26)	878(23)	640(21)	616(21)	-133(19)	-125(18)
C23	1566(39)	1028(29)	537(22)	580(29)	-184(23)	-241(20)
C24	1233(33)	726(23)	788(26)	388(23)	287(23)	-217(20)
C25	727(21)	627(19)	1097(28)	371(17)	207(20)	-146(19)
C26	514(16)	504(15)	696(18)	246(13)	82(14)	-71(13)
C31	461(14)	465(15)	678(18)	183(12)	94(13)	-63(13)

Atom	$U_{11}$	$U_{22}$	$U_{33}$	$U_{12}$	$U_{13}$	$U_{23}$
C32	505(17)	658(19)	770(21)	231(15)	65(14)	-62(16)
C33	455(17)	862(24)	885(24)	236(17)	42(16)	-178(19)
C34	504(18)	618(20)	824(23)	46(16)	145(16)	-248(17)
C35	700(21)	450(17)	927(24)	139(16)	184(17)	-65(16)
C36	502(16)	512(17)	905(22)	191(14)	115(15)	-50(15)
F22	1931(24)	1634(21)	1016(16)	1296(21)	-617(16)	-273(15)
F23	3015(39)	2059(29)	736(15)	1405(29)	-657(20)	-547(18)
F24	2070(26)	1255(19)	1242(19)	701(19)	455(18)	-551(15)
F25	1185(17)	1168(17)	2184(25)	872(15)	165(17)	-444(16)
F26	791(12)	864(12)	1074(14)	562(10)	-190(10)	-147(10)
F32	691(12)	1006(14)	1277(16)	461(11)	22(10)	219(12)
F33	486(11)	1475(20)	1654(21)	385(12)	-58(12)	13(16)
F34	584(11)	814(12)	1186(15)	-89(9)	229(10)	-323(11)
F35	1001(14)	574(11)	1501(19)	199(11)	352(13)	202(11)
F36	729(12)	710(12)	1552(18)	359(10)	143(12)	300(11)

$U_{i,j}$  values have been multiplied by  $10^4$

The form of the displacement factor is:

$$\exp -2\pi^2(U_{11}h^2a^{*2} + U_{22}k^2b^{*2} + U_{33}\ell^2c^{*2} + 2U_{12}hka^*b^* + 2U_{13}h\ell a^*c^* + 2U_{23}k\ell b^*c^*)$$

**Table A2.6.** Observed and Calculated Structure Factors for CuTFPP. The columns contain, in order,  $\ell$ ,  $10F_{obs}$ ,  $10F_{calc}$  and  $10\left(\frac{F_{obs}^2 - F_{calc}^2}{\sigma F_{obs}^2}\right)$ . A minus sign preceeding  $F_{obs}$  indicates that  $F_{obs}^2$  is negative.

Tetra(pentafluorophenyl)porphinato Copper(II)												Page	1		
0	0	1	13	652	686	-37	29	-110	74	-14	5	2615	2597	7	
			16	1333	1328	3	32	104	80	3	8	212	254	-43	
			19	1147	1135	8					11	874	908	-33	
3	3351	3507	-54	22	-12	71	-6	3	-4	1	14	77	123	-17	
6	3661	3813	-48	25	199	221	-9				17	670	665	5	
9	1742	1757	-9	28	371	355	8	1	4053	4083	-8	20	974	955	14
12	1032	1053	-19	31	330	287	17	4	2782	2761	8	23	306	197	52
15	379	407	-27	34	151	114	6	7	856	887	-34	26	99	43	7
18	513	519	-5					10	1826	1780	27	29	-113	48	-12
21	1173	1169	3	2	-1	1		13	391	382	8	32	80	122	-6
24	528	478	35					16	128	80	16				
27	529	498	20	3	518	465	82	19	570	558	10	3	2	1	
30	380	338	19	6	4593	4751	-40	22	1137	1114	16				
33	222	132	20	9	373	344	36	25	125	110	3	1	878	847	34
				12	1195	1227	-26	28	44	109	-9	4	2757	2761	-1
				15	1205	1222	-13	31	158	152	1	7	737	755	-21
1	-1	1		18	551	543	8					10	1576	1599	-15
				21	460	465	-4	3	-3	1		13	885	854	28
2	1357	1337	16	24	-57	99	-15					16	69	50	3
5	1613	1583	20	27	314	312	1	3	3113	3059	20	19	531	510	17
8	1001	1031	-29	30	224	203	6	6	4598	4723	-32	22	575	515	44
11	1622	1655	-21	33	62	50	1	9	570	582	-15	25	350	334	9
14	1073	1052	17					12	179	133	29	28	134	234	-32
17	-27	89	-15					15	697	706	-9	31	-107	32	-9
20	135	65	18	2	0	1		18	69	111	-11				
23	-28	48	-3					21	340	292	30	3	3	1	
26	260	247	5	2	3312	3476	-66	24	104	73	5				
29	261	226	12	5	3066	2966	40	27	-25	173	-30	0	996	933	85
32	-78	18	-4	8	872	835	46	30	197	113	19	3	1172	1203	-27
				11	388	391	-5	33	-56	90	-8	6	495	467	34
1	0	1		14	1837	1814	14					9	1319	1270	36
				17	823	814	9	3	-2	1		12	1217	1213	3
4	3045	3232	-79	20	833	816	18					15	445	439	5
7	1431	1414	14	23	732	710	22	2	1289	1201	80	18	1063	1054	7
10	1762	1776	-9	26	101	124	-7	5	2839	2777	24	21	727	731	-3
13	834	859	-30	29	306	247	32	8	1432	1425	5	24	346	318	16
16	271	245	27	32	247	187	24	11	121	91	14	27	108	81	4
19	251	267	-14					14	314	240	61	30	98	56	4
22	318	379	-60	2	1	1		17	461	431	26	33	-103	55	-9
25	266	259	4					20	281	286	-3				
28	179	143	14	1	1848	1766	49	23	338	374	-24	4	-7	1	
31	-92	2	-9	4	1196	1165	27	26	-59	16	-3	2	977	941	35
34	-17	59	-3	7	1379	1392	-9	29	-66	3	-3	5	355	357	-3
				10	354	371	-21	32	111	100	1	8	1363	1368	-3
1	1	1		13	731	768	-38					11	722	688	34
				16	1694	1715	-12	3	-1	1		14	964	982	-15
0	984	918	71	19	293	263	19					17	478	446	27
3	1695	1673	15	22	45	51	0	1	1663	1536	83	20	408	432	-18
6	80	78	0	25	81	102	-3	4	2641	2597	18	23	195	160	12
9	1305	1301	2	28	-49	137	-20	7	452	448	5	26	-118	18	-14
12	-91	24	-22	31	81	159	-14	10	2841	2787	21	29	-105	76	-13
15	-39	69	-12	34	-86	34	-5	13	1410	1434	-17	32	-30	57	-3
18	350	341	7					16	119	2	24				
21	437	421	12					19	62	78	-3				
24	130	53	15					22	209	229	-9	4	-6	1	
27	-75	78	-11	0	1328	1243	67	25	-127	1	-18				
30	147	154	-1	3	5300	5541	-59	28	70	26	4	1	2040	1986	29
33	127	88	5	6	2818	2863	-18	31	120	89	4	4	3312	3289	8
				9	2427	2437	-4	34	116	35	8	7	2604	2626	-9
2	-3	1		12	2649	2669	-8					10	1367	1466	-76
				15	646	663	-17	3	0	1		13	526	568	-44
2	1225	1130	91	18	1452	1465	-8					16	1648	1697	-30
5	1799	1752	29	21	314	293	13	0	4296	4337	-12	19	385	365	14
8	274	279	-6	24	838	797	30	3	1729	1680	36	22	589	563	20
11	716	703	14	27	406	378	15	6	2155	2125	17	25	576	517	39
14	734	742	-8	30	216	201	4	9	1381	1396	-13	28	-84	82	-12
17	281	292	-7	33	267	199	20	12	376	409	-50	31	-67	145	-19
20	279	261	11					15	485	451	43				
23	66	22	4					18	586	579	8	4	-5	1	
26	180	216	-13	3	-5	1		21	298	313	-13	3	89	99	-8
29	157	110	10					24	377	328	41	6	-27	34	-5
32	63	19	2	2	1721	1683	24	27	287	291	-2	9	441	465	-29
				5	1575	1600	-17	30	-94	16	-10	12	40	159	-48
				8	605	578	32	33	148	59	17	15	784	765	16
2	-2	1		11	848	829	18					18	673	679	-5
				14	293	274	15	3	1	1		21	384	327	37
1	2485	2375	56	17	416	392	19					24	274	259	7
4	3854	4043	-57	20	362	359	1								
7	2438	2450	-5	23	176	24	32	2	1365	1323	33				
10	2939	2936	1	26	140	49	16								

## Tetra(pentafluorophenyl)porphinato Copper(II)

Page 2

27	-159	22	-26	8	545	499	56	28	-109	69	-14	10	1275	1225	38
30	-87	66	-9	9	3160	3196	-13	31	33	15	0	13	929	951	-20
33	143	52	12	12	126	165	-21					16	106	83	7
				15	-104	31	-21		5	-7	1	19	-72	103	-23
	4	-4	1	18	-49	139	-31					22	119	141	-6
				21	306	329	-14	3	222	180	39	25	330	361	-18
2	3397	3365	12	24	235	150	31	6	591	599	-9	28	242	217	9
5	5232	5451	-49	27	141	119	5	9	130	57	30	31	115	58	7
8	100	45	21	30	-164	41	-23	12	247	258	-9				
11	674	703	-32	33	169	80	14	15	778	763	13		5	-1	1
14	857	894	-35					18	1028	1033	-3				
17	1453	1445	5		4	2	1	21	178	238	-28	0	3210	3122	31
20	815	786	23					24	-87	34	-9	3	238	256	-21
23	90	99	-1	2	802	805	-4	27	174	151	6	6	175	189	-13
26	329	303	13	5	607	614	-11	30	-181	24	-27	9	2865	2814	19
29	270	234	13	8	3537	3543	-2	33	-169	1	-20	12	196	187	6
32	24	152	-16	11	2196	2197	0					15	388	390	-2
				14	923	946	-20		5	-6	1	18	276	292	-11
	4	-3	1	17	503	509	-5					21	391	428	-28
				20	471	492	-16	2	312	327	-19	24	361	390	-18
1	1191	1136	49	23	751	732	14	5	2696	2697	0	27	137	3	17
4	3818	3814	1	26	629	624	3	8	308	290	19	30	-87	47	-7
7	444	428	20	29	-129	52	-16	11	61	62	0	33	106	27	7
10	1196	1188	6	32	130	126	0	14	887	876	9				
13	1427	1472	-32					17	280	276	2		5	0	1
16	843	849	-5		4	3	1	20	746	754	-6				
19	93	100	-2					23	294	321	-15	2	974	958	18
22	526	522	2	1	1193	1181	10	26	-164	13	-28	5	1195	1205	-10
25	94	142	-11	4	306	332	-34	29	-164	6	-22	8	1724	1716	5
28	116	157	-10	7	782	777	5	32	-128	23	-12	11	179	176	2
31	143	55	12	10	174	131	25					14	150	122	18
				13	673	676	-2		5	-5	1	17	282	293	-10
	4	-2	1	16	516	524	-7					20	470	488	-20
				19	86	97	-10	1	1599	1546	40	23	217	232	-10
3	3079	3079	0	22	212	227	-6	4	3072	3029	16	26	387	369	14
6	4683	4803	-30	25	327	314	7	7	1951	1929	12	29	166	175	-3
9	2491	2503	-5	28	-114	103	-20	10	201	189	10	32	-68	29	-5
12	916	986	-69	31	-218	76	-42	13	29	46	-2				
15	1291	1266	18					16	104	46	14		5	1	1
18	954	933	18		4	4	1	19	441	428	10				
21	1173	1140	23					22	391	408	-11	1	267	267	0
24	-32	41	-3	0	1782	1790	-5	25	194	186	2	4	168	181	-11
27	179	153	8	3	1267	1209	45	28	-150	0	-21	7	392	369	26
30	287	249	14	6	2846	2863	-7	31	-152	24	-18	10	156	215	-44
33	172	138	7	9	2204	2263	-29					13	92	84	2
				12	1143	1162	-16		5	-4	1	16	-83	63	-17
	4	-1	1	15	1271	1311	-29					19	193	269	-43
				18	777	768	7	3	6324	6386	-12	22	250	265	-7
2	1349	1272	60	21	313	246	36	6	1138	1133	4	25	218	178	14
5	1499	1480	13	24	240	238	0	9	1921	1783	75	28	-23	6	0
8	1999	1950	26	27	335	323	6	12	493	499	-6	31	90	61	3
11	141	30	43	30	-111	124	-21	15	1319	1273	32				
14	347	364	-16					18	238	194	24		5	2	1
17	364	378	-12		5	-9	1	21	619	609	8				
20	155	32	29					24	560	551	6	0	833	777	59
23	164	97	19	2	119	97	11	27	90	40	6	3	655	649	6
26	-121	34	-16	5	363	228	124	30	-125	39	-14	6	1348	1344	3
29	175	153	5	8	653	649	3	33	-64	59	-5	9	766	728	37
32	48	92	-4	11	-47	149	-45					12	2307	2312	-1
				14	959	956	3		5	-3	1	15	412	419	-6
	4	0	1	17	59	70	-2					18	-75	70	-14
				20	116	181	-22	2	4017	4090	-21	21	484	503	-14
1	1898	1785	72	23	150	158	-2	5	2573	2526	20	24	203	201	0
4	1035	1077	-51	26	187	221	-12	8	538	509	34	27	-156	94	-32
7	1532	1560	-22	29	-156	90	-26	11	869	821	45	30	-203	45	-35
10	1419	1430	-9	32	-86	7	-5	14	469	433	34	33	73	106	-3
13	2116	2114	1					17	482	451	27				
16	132	180	-34		5	-8	1	20	161	101	20		5	3	1
19	471	463	9					23	490	512	-17				
22	1099	1075	21	1	653	659	-7	26	-121	24	-16	2	415	435	-26
25	468	471	-2	4	1592	1508	55	29	-92	27	-7	5	1303	1306	-2
28	168	138	11	7	1067	1028	33	32	161	33	17	8	1539	1581	-28
31	116	81	7	10	163	146	9					11	588	576	12
				13	-27	98	-18		5	-2	1	14	314	338	-19
	4	1	1	16	664	640	21					17	967	1008	-33
				19	306	342	-24	1	119	24	45	20	-118	10	-18
0	244	253	-11	22	-101	26	-12	4	411	414	-7	23	307	354	-27
3	685	663	27	25	37	52	-1	7	2759	2754	2	26	158	129	7



## Tetra(pentafluorophenyl)porphinato Copper(II)

Page 3

29	-135	20	-14	17	81	17	8					18	143	172	-11
32	-120	56	-12	20	624	645	-17	2	2694	2591	42	21	120	159	-12
				23	574	529	32	5	2932	2877	23	24	151	151	0
	5	4	1	26	277	252	11	8	869	957	-95	27	-113	139	-27
				29	150	195	-11	11	1150	1167	-14	30	94	4	6
1	2002	2007	-2	32	61	98	-4	14	598	619	-21				
4	2380	2385	-2					17	765	762	2		6	4	1
7	551	599	-72		6	-7	1	20	518	481	29				
10	554	586	-33					23	455	419	24	2	1687	1713	-16
13	923	923	0	1	2876	2794	31	26	453	415	23	5	2132	2085	-23
16	150	175	-10	4	819	824	-5	29	350	275	31	8	903	928	-29
19	226	281	-31	7	1217	1161	45	32	294	201	29	11	1040	1096	-48
22	-112	128	-32	10	1128	1171	-37					14	991	1010	-15
25	-116	29	-14	13	278	291	-11		6	-1	1	17	333	305	18
28	-106	61	-12	16	664	676	-11					20	363	358	2
31	-67	132	-15	19	358	338	14	1	660	667	-8	23	337	307	16
				22	172	204	-12	4	2049	2092	-23	26	272	241	12
	5	5	1	25	100	64	5	7	1189	1186	2	29	270	274	-1
				28	-165	49	-25	10	719	662	59	32	101	145	-7
0	326	354	-31	31	-160	122	-31	13	1894	1837	31				
3	788	763	25					16	638	642	-3		6	5	1
6	1954	2001	-26		6	-6	1	19	-140	95	-43				
9	640	619	20					22	127	140	-3	1	1515	1448	44
12	364	399	-31	3	2183	2189	-3	25	220	117	33	4	1957	1985	-15
15	696	725	-26	6	6986	7234	-42	28	159	89	14	7	352	307	40
18	541	581	-33	9	3034	3087	-19	31	166	104	12	10	842	841	1
21	-89	207	-57	12	937	992	-50					13	682	677	4
24	-70	132	-22	15	1631	1636	-2		6	0	1	16	352	403	-38
27	106	135	-5	18	796	759	30					19	372	387	-10
30	149	100	8	21	678	660	14	0	1292	1305	-12	22	274	269	2
				24	446	422	15	3	3502	3490	4	25	-101	72	-14
	6	-11	1	27	182	206	-8	6	955	999	-56	28	-135	54	-16
				30	203	177	7	9	1240	1308	-65	31	82	77	0
2	1939	1848	49	33	200	161	9	12	2306	2323	-9				
5	634	551	81					15	1446	1459	-10		6	6	1
8	98	78	9		6	-5	1	18	474	471	3				
11	974	971	2					21	684	655	29	0	3294	3325	-10
14	-47	130	-27	2	1214	1179	29	24	684	650	32	3	1935	1912	12
17	482	485	-3	5	1215	1159	46	27	347	317	21	6	1317	1290	19
20	392	410	-11	8	1695	1737	-26	30	212	192	8	9	1020	1064	-45
23	316	323	-3	11	66	75	-2	33	213	177	12	12	1397	1437	-27
26	149	95	10	14	636	606	29					15	807	783	20
29	-76	33	-5	17	466	470	-4		6	1	1	18	628	600	21
				20	1074	1069	3					21	719	708	7
	6	-10	1	23	-124	9	-18	2	1095	1091	3	24	229	248	-7
				26	116	119	0	5	55	4	8	27	124	175	-11
1	1392	1377	10	29	77	11	4	8	336	363	-29	30	159	127	6
4	2833	2803	11	32	-84	47	-6	11	196	198	-1				
7	190	162	25					14	316	351	-29		7	-13	1
10	454	503	-50		6	-4	1	17	-129	20	-25				
13	1418	1444	-17					20	-14	155	-29	2	1161	1136	19
16	492	498	-4	1	2320	2272	22	23	472	477	-3	5	420	406	13
19	658	631	21	4	823	780	55	26	88	124	-7	8	136	119	7
22	546	509	26	7	1362	1370	-5	29	-67	36	-4	11	492	530	-34
25	298	296	0	10	1195	1140	43	32	188	140	10	14	-70	97	-19
28	277	343	-28	13	1611	1634	-14					17	495	539	-34
31	-127	48	-13	16	1988	2003	-7		6	2	1	20	269	316	-24
				19	1270	1278	-4					23	-126	70	-20
	6	-9	1	22	338	310	17	1	2207	2201	3	26	-97	67	-11
				25	146	92	12	4	2259	2254	2	29	-73	45	-5
3	1550	1521	19	28	338	298	18	7	2367	2370	-1				
6	269	234	44	31	126	105	3	10	1081	1133	-45		7	-12	1
9	885	928	-41					13	872	886	-12				
12	58	112	-16		6	-3	1	16	817	807	8	1	290	267	19
15	566	570	-3					19	611	602	7	4	583	569	13
18	182	242	-31					22	732	712	15	7	280	253	5
21	-88	58	-13	3	4537	4640	-26	25	328	325	1	10	100	141	-15
24	89	70	3	6	1410	1387	16	28	110	139	-5	13	407	426	-15
27	-123	11	-13	9	626	598	31	31	152	156	0	16	891	857	26
30	-69	79	-8	12	1601	1596	2					19	203	202	0
				15	245	203	27		6	3	1	22	318	322	-1
	6	-8	1	18	63	94	-7					25	78	73	0
				21	144	116	8					28	-95	85	-12
2	1951	1869	45	24	127	115	3	0	3022	2949	27	31	195	157	8
5	1079	1079	0	27	225	150	24	3	1845	1810	20				
8	2477	2499	-9	30	169	96	14	6	141	89	26		7	-11	1
11	1185	1241	-45	33	225	112	24	9	678	693	-16				
14	351	374	-20					12	441	443	-2	3	2102	2067	18
					6	-2	1	15	327	354	-21				

## Tetra(pentafluorophenyl)porphinato Copper(II)

Page 4

6	1544	1528	10	7	-5	1	16	361	378	-19	1	217	185	20	
9	218	240	-16				19	173	226	-36	4	932	972	-35	
12	42	34	0	3	1686	1678	5	22	126	143	-7	7	300	349	-42
15	404	400	2	6	1826	1808	10	25	67	24	5	10	468	481	-15
18	283	304	-12	9	1775	1733	25	28	-56	47	-6	13	246	295	-31
21	29	139	-20	12	934	930	3	31	98	14	9	16	40	123	-15
24	117	104	2	15	182	93	37					19	36	153	-23
27	97	8	7	18	604	622	-15		7	1	1	22	177	210	-11
30	-105	61	-10	21	195	213	-8					25	157	161	-1
				24	220	217	0	0	710	713	-3	28	-90	21	-6
	7	-10	1	27	267	225	17	3	330	323	7				
				30	-139	51	-17	6	1280	1277	2		7	7	1
				33	-140	29	-14	9	505	527	-23				
2	1229	1201	22					12	1115	1108	5	0	594	623	-28
5	438	376	62					15	1275	1309	-24	3	955	959	-3
8	712	701	10	7	-4	1		18	346	365	-14	6	655	661	-5
11	224	225	-1					21	-40	148	-26	9	450	439	9
14	33	2	1	2	1665	1547	74	24	-172	18	-32	12	336	381	-33
17	256	268	-6	5	2927	2927	0	27	-19	89	-7	15	187	223	-15
20	44	51	0	8	2050	1958	48	30	51	30	1	18	142	212	-25
23	257	250	3	11	109	0	24					21	339	332	3
26	145	128	4	14	1538	1502	23					24	127	133	-1
29	106	75	4	17	528	512	14		7	2	1	27	-43	110	-10
				20	107	81	6								
	7	-9	1	23	189	190	0	2	790	804	-14				
				26	274	224	21	5	1791	1669	70		8	-15	1
				29	64	76	-1	8	303	278	30				
				32	-65	26	-3	11	675	698	-22	2	233	244	-7
								14	344	390	-38	5	511	492	16
					7	-3	1	17	283	294	-6	8	189	179	4
								20	361	388	-17	11	-118	108	-50
				1	1069	965	93	23	130	178	-14	14	542	568	-20
				4	2431	2405	12	26	-167	9	-27	17	266	245	10
				7	1269	1284	-12	29	-206	1	-34	20	257	255	0
				10	878	902	-24	32	-5	74	-3	23	-176	39	-28
				13	540	514	25					26	-112	36	-10
				16	190	159	15		7	3	1	29	137	6	12
				19	212	259	-26								
				22	344	361	-11	1	862	765	91		8	-14	1
				25	239	207	13	4	139	48	36				
				28	319	268	21	7	693	656	37	1	1374	1376	-1
				31	203	19	28	10	232	218	9	4	860	892	-28
								13	123	214	-45	7	1654	1685	-19
					7	-2	1	16	512	554	-36	10	1189	1188	0
				0	16	105	-32	19	-144	28	-26	13	750	732	15
				3	1598	1616	-12	22	-99	191	-49	16	229	152	30
				6	1090	1098	-8	25	-87	139	-25	19	486	512	-18
				9	243	240	3	28	-42	138	-16	22	627	597	19
				12	1281	1280	1	31	130	24	11	25	172	152	4
				15	245	207	24					28	111	89	3
				18	255	235	11		7	4	1				
				21	188	202	-5	0	591	573	19		8	-13	1
				24	291	297	-3	3	529	496	34	3	1166	1119	36
				27	326	268	27	6	1112	1095	14	6	938	935	0
				30	254	189	19	9	473	500	-35	9	886	922	-39
				33	-127	17	-11	12	-93	121	-37	12	483	454	23
								15	-40	96	-14	15	472	479	-5
					7	-1	1	18	162	216	-22	18	518	522	-3
								21	-149	96	-35	21	293	316	-12
				2	2165	2173	-4	24	117	119	0	24	-59	108	-14
				5	1009	1007	1	27	111	92	2	27	-66	86	-9
				8	1478	1348	88	30	164	152	2	30	-120	15	-10
				11	239	223	12								
				14	392	320	60		7	5	1				
				17	58	101	-10						8	-12	1
				20	476	507	-25	2	1524	1498	16	2	1548	1558	-6
				23	187	167	7	5	808	815	-6	5	732	753	-20
				26	64	131	-12	8	611	649	-39	8	513	521	-10
				29	211	169	11	11	29	72	-6	11	1430	1475	-30
				32	129	9	11	14	380	417	-28	14	637	640	-3
								17	393	453	-44	17	584	568	12
					7	0	1	20	-147	89	-33	20	763	751	9
								23	187	204	-5	23	399	392	4
				1	531	532	-1	26	-147	51	-20	26	-68	138	-19
				4	1059	1070	-12	29	154	116	7	29	153	145	1
				7	918	933	-18								
				10	357	344	18		7	6	1				
				13	645	656	-13						8	-11	1

## Tetra(pentafluorophenyl)porphinato Copper(II)

Page 5

1	1110	1122	-10	32	70	27	2	17	1129	1125	4	5	817	822	-4
4	90	105	-5					20	893	913	-20	8	1449	1467	-12
7	841	846	-5		8	-5	1	23	454	455	-1	11	827	825	2
10	1644	1714	-44					26	221	221	0	14	549	577	-22
13	890	893	-1	1	1026	1025	0	29	287	253	17	17	217	198	7
16	366	405	-30	4	1642	1662	-13	32	-6	99	-9	20	371	348	13
19	369	393	-16	7	122	7	35					23	378	351	14
22	296	284	6	10	1231	1154	59	8	1	1		26	184	190	-1
25	162	196	-10	13	319	308	9					29	153	138	2
28	-170	22	-23	16	753	764	-9	1	439	422	19				
31	157	19	16	19	887	892	-4	4	167	121	28	8	7	1	
	8	-10	1	22	432	422	6	7	815	827	-12				
				25	189	87	26	10	946	928	15	1	1190	1189	0
3	1787	1815	-17	28	231	119	29	13	352	379	-22	4	640	666	-24
6	1099	1159	-61	31	126	95	4	16	605	638	-29	7	449	451	-1
9	2195	2215	-9		8	-4	1	19	494	516	-16	10	427	454	-22
12	1172	1181	-7					22	274	261	6	13	281	355	-48
15	658	647	9	3	3595	3528	21	25	149	177	-8	16	497	494	1
18	1084	1065	14	6	781	655	150	28	149	183	-8	19	89	69	3
21	566	554	9	9	1560	1662	-70	31	135	127	1	22	-108	68	-15
24	594	566	18	12	2132	2145	-6		8	2	1	25	150	124	5
27	231	248	-6	15	2252	2241	5					28	-130	19	-12
30	99	52	5	18	1001	1020	-15	0	1160	1202	-36		8	8	1
	8	-9	1	21	-117	26	-18	3	2095	2154	-31				
				24	679	614	46	6	3817	3879	-18	0	1188	1160	20
2	786	752	34	27	453	420	19	9	815	823	-9	3	751	782	-28
5	1809	1780	19	30	327	307	8	12	403	399	3	6	742	717	21
8	1218	1241	-18		8	-3	1	15	790	776	11	9	551	570	-17
11	344	380	-33					18	772	798	-21	12	1169	1157	10
14	547	572	-23	2	324	348	-28	21	669	681	-9	15	634	643	-7
17	476	495	-15	5	166	121	28	24	529	516	8	18	478	484	-4
20	-77	112	-22	8	924	851	67	27	242	248	-1	21	204	240	-13
23	-46	49	-4	11	723	726	-3	30	183	220	-10	24	170	206	-9
26	36	58	-1	14	161	30	40		8	3	1	27	-110	118	-18
29	76	39	3	17	331	313	13								
32	-187	9	-25	20	421	417	3	2	583	600	-18				

## Tetra(pentafluorophenyl)porphinato Copper(II)

Page 6

11	575	624	-44	8	1127	1122	4					18	-104	51	-15
14	391	370	14	11	374	396	-20		9	-2	1	21	-147	42	-25
17	176	192	-5	14	276	256	13					24	286	302	-7
20	273	264	4	17	306	313	-5		2	1350	1283	49	27	133	132
23	105	132	-5	20	134	152	-5		5	-25	61	-9	30	162	33
26	-110	86	-15	23	132	179	-15		8	232	257	-28			
29	-137	61	-16	26	-5	36	-1		11	967	976	-8		9	4
				29	196	158	9		14	386	389	-2			
	9	-13	1	32	-37	23	-1		17	481	499	-16		2	177
									20	-59	19	-4		5	509
1	1031	999	26		9	-7	1		23	298	278	10		8	1290
4	150	120	13						26	78	91	-2		11	791
7	156	134	10	1	1011	937	66		29	150	90	10		14	-141
10	579	626	-43	4	3113	2913	70		32	-103	57	-9		17	206
13	415	475	-49	7	1207	1221	-11							20	-89
16	277	318	-24	10	1574	1577	-1		9	-1	1			23	84
19	290	292	0	13	88	83	1							26	50
22	52	116	-10	16	351	359	-6		1	529	513	18		29	282
25	56	87	-3	19	410	421	-8		4	-89	13	-18			
28	-165	8	-20	22	481	452	20		7	336	312	21		9	5
				25	172	50	25		10	218	172	29			
	9	-12	1	28	148	9	17		13	403	421	-15		1	315
				31	-101	25	-7		16	476	479	-2		4	26
									19	87	118	-7		7	120
3	97	19	16		9	-6	1		22	199	164	12		10	169
6	-68	118	-35						25	-134	0	-18		13	409
9	446	463	-15	3	1301	1210	68		28	146	0	16		16	-153
12	547	570	-21	6	48	23	5		31	-139	83	-19		19	68
15	435	420	12	9	840	854	-14							22	58
18	281	260	11	12	584	575	9		9	0	1			25	139
21	217	229	-5	15	156	82	25							28	148
24	114	157	-10	18	200	169	13		0	247	180	73			
27	118	136	-3	21	93	82	2		3	74	22	15		9	6
30	150	138	2	24	-64	11	-4		6	-113	15	-39			
				27	242	147	28		9	1652	1652	0		0	112
	9	-11	1	30	89	75	1		12	806	803	3		3	542
									15	411	392	21		6	267
2	529	492	37		9	-5	1		18	224	264	-30		9	167
5	584	509	72						21	-96	94	-29		12	-140
8	732	733	0	2	213	197	13		24	-87	10	-10		15	332
11	301	279	16	5	175	128	29		27	-15	62	-4		18	361
14	453	443	7	8	647	610	39		30	-35	40	-3		21	-129
17	132	116	4	11	31	32	0							24	150
20	339	346	-4	14	282	290	-6		9	1	1			27	-42
23	196	222	-10	17	330	351	-15								
26	143	84	10	20	275	305	-17		2	726	727	-1		9	7
29	-122	30	-11	23	473	444	19		5	605	618	-14			
				26	386	359	14		8	472	456	16		2	346
	9	-10	1	29	248	173	22		11	287	312	-19		5	109
				32	98	93	0		14	416	422	-4		8	349
									17	93	188	-32		11	129
1	456	500	-49		9	-4	1		20	-71	73	-11		14	197
4	197	203	-4						23	-93	32	-9		17	58
7	293	275	15						26	-135	19	-15		20	-64
10	261	239	15						29	73	33	3		23	-131
13	-40	84	-13	1	1149	1125	19							26	-89
16	274	271	2	4	458	394	69		1	181	120	33			
19	212	247	-17	7	1297	1264	28		4	515	505	10		1	360
22	213	182	11	10	570	553	18		7	1355	1337	13		4	496
25	263	182	29	13	854	845	7		10	-95	77	-37		7	323
28	-108	76	-13	16	577	590	-11		13	-88	143	-41		10	78
31	-94	36	-7	19	76	71	0		16	568	605	-31		13	567
				22	-133	114	-36		19	465	465	0		16	745
	9	-9	1	25	48	25	1		22	-160	28	-28		19	202
				28	228	156	20		25	90	83	1		22	-147
3	421	415	7	31	196	108	18		28	-42	134	-14		25	-182
6	943	912	28						31	48	45	0			
9	1307	1289	13											9	9
12	1411	1472	-43						9	3	1				
15	-83	6	-10	0	1574	1591	-11							0	178
18	88	128	-11	3	721	735	-15							3	151
21	330	292	21	6	1211	1170	32							6	273
24	124	43	13	9	112	150	-19							9	163
27	-118	61	-14	12	170	64	41							12	630
30	-78	31	-5	15	622	590	28							15	-110
				18	639	648	-7		0	175	125	26		18	159
	9	-8	1	21	226	266	-20		3	457	492	-36			
				24	133	57	14		6	1709	1667	24			
2	3129	3019	39	27	266	225	14		9	70	56	2			
5	1150	1110	37	30	123	17	10		12	173	207	-16			
									15	603	628	-20			

## Tetra(pentafluorophenyl)porphinato Copper(II)

Page 7

21	160	141	4	5	424	420	3	2	180	120	37	30	225	190	9
24	79	101	-2	8	432	424	9	5	650	620	31				
				11	-61	46	-8	8	2218	2223	-2	10	-1	1	
	10	-19	1	14	437	453	-12	11	187	243	-39				
				17	572	628	-44	14	170	176	-3	2	1083	1023	49
2	560	522	28	20	282	253	4	17	222	226	-2	5	-65	30	-10
5	300	309	-5	23	126	143	-4	20	192	221	-13	8	666	608	54
8	135	90	11	26	-35	53	-3	23	167	69	23	11	365	319	38
11	277	208	31	29	-119	59	-12	26	116	44	10	14	298	271	18
14	133	15	24					29	246	182	19	17	106	135	-9
17	439	398	23		10	-12	1					20	133	104	7
20	-70	80	-9						10	-6	1	23	100	162	-16
23	-77	74	-8	1	1229	1229	-0					26	165	123	9
				4	965	990	-22	1	637	657	-22	29	211	188	6
	10	-18	1	7	625	644	-24	4	2656	2702	-19				
				10	820	780	34	7	1008	1008	0		10	0	1
1	801	826	-21	13	540	523	15	10	1789	1801	-6				
4	786	836	-41	16	716	741	-20	13	389	403	-11	1	1801	1805	-2
7	465	458	19	19	865	848	12	16	585	577	7	4	559	600	-57
10	732	721	8	22	494	456	24	19	695	676	14	7	845	847	-2
13	393	385	6	25	349	316	15	22	184	140	14	10	1161	1159	2
16	503	477	16	28	281	231	16	25	451	418	20	13	560	603	-52
19	460	428	18					28	425	330	43	16	545	557	-13
22	203	166	9		10	-11	1	31	269	144	32	19	740	763	-23
25	163	200	-8									22	373	346	22
	10	-17	1	3	1266	1280	-10		10	-5	1	25	123	173	-18
				6	589	620	-41					28	316	285	27
3	63	49	2	9	148	136	5	3	900	875	23	31	139	107	7
6	112	85	7	12	225	236	-6	6	160	248	-66				
9	-87	79	-17	15	687	690	-2	9	344	356	-11		10	1	1
12	454	447	7	18	243	202	19	12	379	370	8				
15	261	320	-30	21	232	246	-6	15	1066	1092	-21	0	161	151	6
18	198	187	4	24	225	218	2	18	1054	1098	-34	3	1163	1170	-4
21	-51	125	-15	27	221	111	26	21	147	154	-2	6	152	180	-15
24	-97	37	-8	30	-129	42	-13	24	116	30	12	9	211	220	-5
27	-54	54	-3					27	152	28	18	12	593	584	7
					10	-10	1	30	155	10					

## Tetra(pentafluorophenyl)porphinato Copper(II)

Page 8

21	231	240	-3			11	-21	1		23	109	189	-19	29	180	149	7
24	301	282	7							26	-53	20	-2				
27	292	274	6			2	108	132	-5						11	-8	1
						5	264	206	25		11	-14	1				
	10	5	1			8	276	250	12					1	571	540	32
						11	191	76	28	1	33	72	-6	4	574	569	5
2	377	361	13			14	503	460	26	4	290	298	-5	7	90	96	-2
5	259	280	-14			17	-42	14	-1	7	537	513	20	10	565	596	-30
8	867	905	-32			20	-172	61	-25	10	194	245	-28	13	59	103	-10
11	333	356	-16			23	-108	64	-10	13	368	408	-29	16	29	92	-10
14	-125	151	-45							16	84	39	6	19	219	243	-12
17	343	322	11			11	-20	1		19	154	168	-4	22	129	117	3
20	140	220	-26							22	-80	79	-12	25	165	78	18
23	86	96	-1			1	382	417	-23	25	-88	101	-14	28	143	25	15
26	-123	43	-12			4	591	568	17	28	145	141	0	31	-126	63	-14
						7	316	370	-33								
	10	6	1			10	200	9	39		11	-13	1				
						13	187	110	21						11	-7	1
1	219	235	-9			16	-114	15	-12	3	216	180	20	3	523	485	39
4	290	304	-9			19	107	109	0	6	167	164	1	6	495	491	4
7	918	901	13			22	-99	35	-8	9	-30	100	-16	9	-108	40	-26
10	733	685	39							12	125	66	14	12	383	392	-7
13	183	141	20			11	-19	1		15	234	152	33	15	332	310	16
16	679	652	19							18	95	76	3	18	266	273	-4
19	256	261	-2			3	31	88	-8	21	96	115	-3	21	64	59	0
22	325	344	-8			6	70	64	0	24	233	225	2	24	242	143	33
25	-119	102	-18			9	155	132	7	27	-69	9	-3	27	218	27	35
28	24	119	-9			12	721	701	14					30	286	271	5
						15	263	197	25		11	-12	1				
	10	7	1			18	238	189	16						11	-6	1
						21	-113	15	-10	2	1057	1068	-8				
0	562	565	-2			24	-168	59	-23	5	-115	45	-28	2	705	722	-18
3	-106	36	-18							8	748	750	-3	5	1197	1201	-3
6	385	448	-50			11	-18	1		11	960	966	-4	8	505	515	-12
9	974	997	-17							14	917	929	-10	11	743	734	8
12	-30	33	-2														

## Tetra(pentafluorophenyl)porphinato Copper(II)

Page 9

20	169	175	-2	14	148	276	-60	23	-153	38	-18								
23	-70	121	-20	17	-87	37	-10					3	185	125	21				
26	107	95	1	20	-145	73	-27					6	537	529	6				
29	29	4	0	23	-187	11	-31					9	831	807	18				
				26	31	23	0	1	221	197	9	12	874	871	3				
	11	-2	1	29	160	117	7	4	182	194	-4	15	558	596	-27				
								7	361	323	21	18	447	411	20				
1	219	247	-21		11	4	1	10	215	188	10	21	219	265	-16				
4	605	549	-54					13	302	267	15	24	170	139	6				
7	383	443	-57	1	539	545	-5	16	246	205	18								
10	1242	1248	-5	4	498	489	7	19	182	166	3		12	-17	1				
13	315	293	16	7	174	198	-12	22	41	20	0								
16	48	94	-8	10	322	329	-5					2	396	424	-21				
19	164	57	26	13	145	120	10		11	11	1	5	800	809	-7				
22	417	420	-2	16	-128	65	-23					8	176	112	21				
25	261	197	24	19	-156	5	-25	0	144	54	17	11	234	252	-13				
28	144	51	13	22	-118	30	-13	3	690	709	-13	14	654	692	-29				
31	-94	18	-6	25	228	204	6	6	-54	29	-3	17	-129	7	-17				
				28	206	170	8	9	121	151	-7	20	107	179	-17				
	11	-1	1					12	164	85	17	23	65	70	0				
					11	5	1	15	250	144	30	26	100	62	4				
0	58	88	-8					18	47	162	-17								
3	568	615	-49	0	535	545	-9	21	-134	0	-12		12	-16	1				
6	184	203	-11	3	619	623	-4												
9	442	451	-7	6	229	246	-9		12	-23	1	1	444	467	-19				
12	859	849	8	9	136	129	2					4	710	790	-73				
15	377	376	1	12	624	649	-20	2	175	186	-3	7	140	93	14				
18	-63	83	-13	15	374	411	-23	5	-135	5	-18	10	653	607	47				
21	-103	64	-16	18	447	421	15	8	308	324	-7	13	649	662	-10				
24	-85	125	-22	21	64	87	-3	11	209	96	26	16	431	435	-2				
27	168	81	14	24	-154	66	-22	14	28	9	0	19	379	387	-4				
30	221	138	19	27	142	47	12	17	-130	6	-18	22	328	328	0				
								20	107	67	4	25	75</						

## Tetra(pentafluorophenyl)porphinato Copper(II)

Page 10

15	861	830	24	15	433	418	11	9	1312	1331	-15	15	373	328	34
18	753	754	0	18	-77	9	-7	12	1241	1272	-29	18	430	429	0
21	406	356	29	21	431	386	28	15	880	910	-30	21	292	314	-8
24	323	283	17	24	587	544	28	18	541	521	20	24	77	185	-20
27	306	259	17	27	299	246	19	21	387	379	6				
				30	165	126	7	24	132	99	8	12	7	1	
	12	-11	1					27	160	165	-1				
					12	-5	1					2	-119	92	-28
2	283	282	0						12	1	1	5	141	51	19
5	943	938	3	2	437	454	-17					8	-95	22	-11
8	45	111	-17	5	110	110	0	2	185	189	-2	11	487	497	-7
11	1053	1114	-49	8	513	503	9	5	357	345	10	14	137	89	10
14	348	302	30	11	617	620	-2	8	738	747	-7	17	62	110	-7
17	104	104	0	14	433	438	-3	11	108	39	13	20	218	233	-4
20	229	248	-8	17	264	265	0	14	351	404	-37	23	16	10	0
23	32	103	-9	20	240	234	3	17	151	229	-30				
26	245	230	4	23	-49	69	-7	20	103	173	-18	12	8	1	
29	-35	4	0	26	88	85	0	23	55	171	-23				
				29	-85	66	-8	26	71	74	0	1	1077	1049	19
	12	-10	1					29	-116	82	-14	4	759	740	14
					12	-4	1					7	641	655	-10
1	673	667	5						12	2	1	10	711	706	3
4	1295	1281	10	1	1331	1386	-41					13	589	594	-4
7	1330	1363	-27	4	942	953	-9	1	1370	1374	-3	16	336	313	15
10	525	520	5	7	1536	1513	14	4	993	973	16	19	292	251	15
13	153	110	15	10	2069	2067	1	7	1542	1553	-7	22	184	207	-5
16	393	334	39	13	1564	1544	12	10	191	162	13				
19	663	642	15	16	716	664	42	13	976	978	-1	12	9	1	
22	592	584	5	19	158	54	24	16	980	964	11				
25	141	139	0	22	346	306	21	19	499	474	16	0	188	124	19
28	-64	120	-14	25	222	231	-3	22	-81	36	-7	3	279	293	-7
				28	248	254	-2	25	-27	151	-18	6	102	101	0
	12	-9	1					28	172	159	2	9	479	439	25
					12	-3	1					12	187	126	17
3	91	16	14						12	3	1	15	136	65	11
6	1330	1285	31	0	1309	1230	56					18	137	88	8
9	487	494	-6	3	1080	1111	-26	0	237	231	3	21	180	161	4
12	194	1													



## Tetra(pentafluorophenyl)porphinato Copper (II)

Page 11

1	-89	109	-18	18	-136	110	-30				30	191	74	20
4	80	78	0	21	-125	43	-14		13	-10	1			
7	194	164	8	24	-150	23	-17					13	-4	1
10	-134	55	-17					2	103	8	18			
13	-92	51	-8		13	-16	1	5	518	555	-36	2	435	421
16	-62	59	-5					8	545	553	-10	5	503	462
					2	724	697	22	11	681	635	8	595	566
	13	-23	1		5	493	470	18	14	78	95	-3	11	781
					8	117	91	6	17	150	145	1	14	946
3	-127	22	-16		11	354	373	-12	20	226	180	17	17	48
6	217	202	5		14	-15	72	-6	23	-107	61	-14	20	228
9	163	3	21		17	-104	54	-14	26	172	124	10	23	-14
12	262	254	2		20	-70	50	-7	29	123	28	9	26	201
15	206	199	1		23	-38	52	-3					29	-138
18	-53	95	-8		26	188	163	5		13	-9	1		22
														-14
	13	-22	1		13	-15	1		1	1258	1236	16		13
									4	819	799	17	1	577
2	218	281	-29		1	592	615	-21	7	174	129	20	4	-102
5	311	297	7		4	422	418	2	10	542	525	15	7	359
8	-40	65	-5		7	440	456	-13	13	144	173	-12	10	801
11	181	97	20		10	143	176	-12	16	272	340	-43	13	-71
14	298	250	18		13	131	132	0	19	142	41	19	16	-95
17	-150	149	-34		16	199	281	-39	22	131	76	11	19	215
20	-137	34	-14		19	217	261	-18	25	74	21	4	22	78
					22	148	147	0	28	137	189	-12	25	137
	13	-21	1		25	151	57	14					28	-86
					28	-111	95	-14						21
1	-188	83	-48							13	-8	1		13
4	147	205	-20		13	-14	1		3	270	306	-29		-2
7	82	53	3						6	579	561	17	0	146
10	340	337	1		3	268	258	6	9	-93	29	-21	3	139
13	192	112	21		6	512	489	19	12	197	225	-15	6	362
16	223	236	-4		9	822	594	23	15	473	487	-11	9	391
19	-154	32	-19		12	225	159	28	18	-98	34	-13	12	80
22	92	109	-2		15	567	556	8	21	-89	14	-8	15	70
					18	316	306	5	24	-111	7	-12	18	152
	13	-20	1		21	-93	21	-8	27	79	40	3	21	312
					24	-26	136	-15	30	230	142	21	24	164
3	550	540	7		27	116	131	-2					27	-107
6	327	329	-1							13	-7	1		70
9</														

## Tetra(pentafluorophenyl)porphinato Copper(II)

Page 12

[illegible]

## Tetra(pentafluorophenyl)porphinato Copper(II)

Page 13

14 -10 1	0 20 82 -10	6 411 407 3	14 9 1
3 1315 1300 10	3 756 782 -23	9 296 277 11	2 194 194 0
6 530 507 20	6 1668 1656 7	12 318 257 33	5 293 334 -21
9 258 273 -15	9 968 922 35	15 702 697 5	8 370 366 2
12 843 850 -5	12 1206 1203 2	18 461 492 -20	11 219 222 -1
15 765 709 43	15 455 476 -15	21 257 286 -11	14 111 52 7
18 727 695 24	18 803 761 31	24 240 266 -8	17 178 107 14
21 481 446 22	21 436 403 20	27 276 219 16	20 -45 107 -9
24 250 222 10	24 324 340 -7	14 3 1	14 10 1
27 -66 11 -3	27 254 197 17	2 791 825 -28	1 236 182 18
14 -9 1	14 -3 1	5 337 359 -15	4 429 419 5
2 400 420 -18	2 340 336 3	8 718 741 -18	7 457 471 -7
5 279 225 35	5 1498 1522 -15	11 460 486 -18	10 301 292 3
8 502 469 28	8 -147 95 -45	14 746 758 -9	13 345 304 17
11 178 109 25	11 120 53 14	17 329 330 0	16 97 112 -2
14 247 300 -32	14 384 342 27	20 -107 3 -9	14 11 1
17 24 146 -24	17 180 177 1	23 -159 80 -24	0 171 224 -15
20 -50 24 -3	20 114 113 0	26 187 132 11	3 105 48 6
23 -132 78 -23	23 182 130 13	14 4 1	6 225 254 -10
26 -92 19 -7	26 157 201 -11	1 570 572 -2	9 182 164 4
29 -106 18 -8	29 -126 24 -11	4 993 965 20	12 288 210 25
14 -8 1	14 -2 1	7 343 293 29	15 253 113 33
1 1524 1494 19	1 1544 1524 12	10 494 449 31	14 12 1
4 1488 1427 39	4 1836 1847 -6	13 516 464 35	2 256 252 1
7 1590 1602 -7	7 959 989 -24	16 538 513 22	5 384 340 19
10 849 869 -22	10 570 536 27	19 391 430 -19	8 349 309 16
13 206 138 28	13 464 457 7	22 177 171 1	11 340 281 22
16 620 587 26	16 365 366 0	25 335 252 28	14 194 169 6
19 598 591 5	19 474 456 12	14 5 1	14 13 1
22 203 190 4	22 534 494 25	0 524 527 -2	1 115 110 0
25 297 239 21	25 412 343 32	3 627 614 9	4 -84 14 -5
28 250 168 22	28 117 76 5	6 97 48 7	7 89 7 5
14 -7 1	14 -1 1	9 -85 47 -10	10 189 156 7
3 781 773 7	3 524 541 -14	12 -25 72 -6	14 14 1
6 1320 1302 12	6 -81 57 -14	15 133 89 9	0 238 254 -4
9 90 56 7	9 389 296 62	18 161 115 9	3 175 192 -4
12 63 171 -35	12 288 317 -18	21 54 146 -13	6 227 176 13
15 387 391 -2	15 436 391 31	24 87 97 -1	15 -28 1
18 239 195 19	18 227 216 4	14 6 1	1 53 126 -9
21 151 99 12	18 219 160 21	2 754 760 -5	4 207 112 19
24 223 137 23	21 161 110 12	5 701 706 -3	15 -27 1
27 -21 9 0	24 401 365 17	8 699 673 19	3 -32 80 -5
14 -6 1	14 0 1	11 365 335 16	6 100 81 2
2 844 856 -10	2 761 774 -14	14 353 322 16	9 236 221 4
5 1113 1144 -24	5 1316 1333 -14	17 374 380 -3	15 -26 1
8 1506 1493 8	8 417 385 32	20 470 444 13	2 106 24 8
11 367 345 22	11 1385 1396 -9	23 177 194 -4	5 -109 64 -12
14 1378 1377 0	14 1161 1156 4	14 7 1	8 47 101 -5
17 590 552 28	17 418 413 4	1 154 138 4	11 238 118 28
20 448 472 -16	20 306 278 19	4 386 384 0	14 -83 73 -8
23 349 308 20	23 298 286 6	7 302 304 -1	15 -25 1
26 107 84 3	26 128 129 0	10 184 181 0	1 283 297 -5
29 190 147 9	14 1 1	13 23 120 -13	4 82 1 5
14 -5 1	1 245 208 20	16 139 187 -12	7 176 184 -2
1 402 410 -6	4 851 862 -9	19 131 48 10	10 149 99 9
4 912 870 35	7 483 499 -12	22 -87 22 -5	13 88 41 4
7 906 917 -9	10 688 677 9	14 8 1	16 62 48 1
10 763 831 -59	13 339 301 22	0 365 352 7	15 -24 1
13 677 662 12	16 419 455 -23	3 558 569 -7	
16 353 312 25	19 -117 7 -13	6 638 637 0	
19 232 221 4	22 116 154 -7	9 574 578 -2	
22 119 95 4	25 145 178 -7	12 304 266 15	
25 100 124 -4	14 2 1	15 234 186 14	
28 168 143 5	0 1369 1401 -21	18 203 161 15	
14 -4 1	3 1163 1172 -6	21 149 183 -7	

## Tetra(pentafluorophenyl)porphinato Copper(II)

Page 14

[illegible]

## Tetra(pentafluorophenyl)porphinato Copper(II)

Page 15

13	307	287	10	15	95	57	5	2	647	641	4	10	310	363	-34	
16	151	128	8	18	-179	29	-24	5	529	498	19	13	42	93	-7	
19	-109	77	-14					8	346	365	-10	16	179	227	-18	
22	242	235	2		15	10	1	11	578	506	41	19	124	118	1	
25	-89	81	-10					14	361	356	3	22	223	225	0	
					2	126	138	-2	17	167	143	5	25	-142	41	-16
15	3	1			5	196	163	8	20	157	150	1				
					8	-146	114	-27						16	-14	1
0	302	289	7	11	77	162	-15		16	-21	1					
3	-32	111	-16	14	92	13	5						3	1140	1158	-13
6	104	204	-35					1	24	57	-2	6	363	366	-1	
9	302	324	-12		15	11	1	4	209	207	0	9	785	768	17	
12	150	113	10					7	289	321	-16	12	376	384	9	
15	101	39	8	1	129	132	0	10	185	155	9	15	554	551	2	
18	346	381	-16	4	106	69	4	13	84	107	-5	18	379	382	-1	
21	109	38	7	7	119	53	8	16	-148	52	-19	21	281	276	1	
24	123	50	8	10	-52	7	-2	19	-193	18	-29	24	-76	173	-27	
				13	93	7	5					27	186	109	14	
					15	12	1		16	-20	1					
2	416	401	10					3	574	567	5		16	-13	1	
5	283	292	-5	0	67	82	-1	6	611	581	21	2	560	560	0	
8	103	149	-12	3	-70	121	-14	9	636	615	14	5	33	133	-22	
11	87	103	-3	6	177	173	0	12	465	435	25	8	419	432	-9	
14	259	263	-1	9	239	143	23	15	326	302	10	11	619	627	-6	
17	186	163	8					18	122	35	10	14	319	340	-12	
20	87	23	5		15	13	1	21	180	144	8	17	-13	42	-2	
23	286	238	15									20	221	255	-14	
				2	108	36	7		16	-19	1	23	259	147	32	
15	5	1		5	64	38	1					26	-114	26	-10	
1	151	59	20		16	-28	1	2	156	94	16					
4	142	175	-10					5	751	747	2		16	-12	1	
7	476	496	-14	2	402	320	32	8	372	348	14					
10	241	237	1	5	281	195	24	11	-97	84	-24	1	1137	1149	-8	
13	117	13	12					14	46	129	-13	4	1222	1254	-23	
16	103	55	6					17	204	205	0	7	675	677	-1	
19	170	184	-3		16	-27	1	20	-174	20	-24	10	511	525	-15	
22	87	38	4	1	-68	10	-3	23	229	171	14					

## Tetra(pentafluorophenyl)porphinato Copper(II)

Page 16

28	177	60	16	0	131	15	21	21	470	401	31	17	-26	1	
	16	-8	1	3	137	10	23								
				6	409	381	19		16	5	1	1	162	60	16
3	1301	1295	4	9	693	720	-21					4	-81	52	-7
6	489	478	9	12	168	290	-57	2	462	442	12	7	-152	5	-17
9	897	907	-8	15	794	784	29	5	256	286	-14	10	116	114	0
12	118	134	-6	18	560	537	15	8	375	373	1	13	48	91	-4
15	618	606	9	21	521	456	36	11	186	129	16				
18	559	558	0	24	312	260	19	14	117	70	7	17	-25	1	
21	420	398	12	27	94	48	4	17	112	3	9				
24	165	198	-8					20	247	208	11	3	-109	74	-14
27	218	203	4		16	-1	1					6	8	128	-12
				2	1120	1151	-22		16	6	1	9	202	201	0
				5	145	254	-49	1	590	577	8	12	63	21	2
				8	642	674	-24	4	348	357	-4	15	122	16	10
2	64	166	-33	11	-169	29	-34	7	179	126	14				
5	103	167	-23	14	478	502	-16	10	402	326	37	17	-24	1	
8	533	565	-27	17	279	266	6	13	207	230	-7	2	105	82	3
11	506	531	-19	20	76	49	2	16	133	157	-5	5	115	3	10
14	551	579	-21	23	184	141	10	19	195	172	7	8	205	197	2
17	38	19	1	26	96	42	5					11	141	48	13
20	303	276	13					16	7	1		14	162	170	-1
23	19	158	-20		16	0	1					17	110	110	0
26	-145	4	-16					0	372	367	2				
				1	838	801	37	3	203	177	8	17	-23	1	
				4	547	536	11	6	190	151	11				
				7	924	904	18	9	-79	93	-12	1	166	164	0
1	586	616	-27	10	161	179	-9	12	-88	25	-6	4	200	240	-15
4	1226	1223	2	13	466	433	30	15	-74	52	-6	7	189	231	-13
7	919	817	77	16	437	415	21	18	-100	31	-8	10	247	225	7
10	983	963	15	19	208	240	-15					13	172	178	-1
13	366	376	-9	22	321	302	10	16	8	1		16	-151	0	-17
16	371	351	12	25	57	138	-15								
19	451	409	26					2	473	465	4	17	-22	1	
22	400	396	1		16	1	1	5	448	423	13				
25	-116	143	-26					8	347	321	11	3	194	196	0
28	232	152	19	0	259	265	-3	11	187	207	-5	6	30	72	-4
				3	51	107	-10	14	141	145	0	9	56	99	-5
				6	149	165	-5	17	-33	42	-2	12	202	138	16
				9	146	93	13					15	101	102	0
0	563	601	-34	12	228	247	-9	16	9	1		18	-132	55	-14
3	768	715	43	15	553	534	12								
6	75	10	7	18	266	267	0	1	135	129	1	17	-21	1	
9	1656	1674	-10	21	-91	46	-8	4	261	221	13				
12	439	410	19	24	-138	27	-14	7	210	198	3	2	295	283	5
15	-56	119	-19					10	114	45	8	5	201	211	-3
18	287	261	12		16	2	1	13	-128	16	-12	8	105	98	1
21	241	183	21									11	-78	58	-8
24	116	70	6	2	228	249	-10	16	10	1		14	142	152	-2
27	-61	30	-3	5	-148	46	-29					17	-182	16	-26
				8	354	339	9	0	430	401	14	20	101	117	-2
				11	656	663	-4	3	470	451	10				
				14	332	327	2	6	406	408	0	17	-20	1	
2	1043	1052	-6	17	527	505	18	9	365	306	23				
5	1033	1011	16	20	328	322	2	12	114	44	7	1	374	401	-16
8	1802	1806	-2	23	251	236	4					4	162	168	-1
11	1319	1331	-7					16	11	1		7	-91	20	-9
14	421	426	-4		16	3	1					10	242	268	-11
17	264	221	19					2	161	221	-16	13	124	187	-17
20	374	306	34	1	182	149	11	5	190	185	1	16	62	71	0
23	397	352	21	4	-11	154	-26	8	222	109	24	19	-105	25	-8
26	166	189	-5	7	136	210	-26					22	127	20	10
				10	97	40	8	16	12	1					
				13	356	331	13					17	-19	1	
				16	141	112	6	1	43	153	-14				
1	162	132	10	19	128	133	0	4	276	306	-10	3	298	331	-18
4	177	8	38	22	149	125	4					6	115	77	7
7	555	502	40					17	-28	1		9	307	332	-13
10	485	484	0		16	4	1	3	220	116	22	12	-77	38	-7
13	291	340	-28									15	-159	26	-23
16	-54	15	-3	0	870	876	-4					18	-61	95	-10
19	136	51	15	3	548	537	7	17	-27	1		21	-152	39	-18
22	280	235	16	6	194	199	-2								
25	220	216	1	9	367	327	22	2	-90	19	-6	17	-18	1	
				12	375	416	-24	5	138	83	8				
				15	311	281	12	8	157	113	8	2	285	279	3
				18	274	222	24					5	222	247	-11

## Tetra(pentafluorophenyl)porphinato Copper(II)

Page 17

8	310	314	-1	1	202	246	-24	16	250	238	5	3	-117	151	-41
11	154	142	3	4	789	758	25	19	-78	7	-6	6	130	129	0
14	-173	23	-31	7	687	727	-33	22	128	57	10	9	515	503	8
17	170	203	-9	10	171	246	-34	25	100	89	1	12	426	373	31
20	208	250	-13	13	85	125	-9					15	119	111	1
23	245	152	23	16	174	45	28	17	-4	1		18	-36	6	-1
				19	111	79	5					21	238	189	13
	17	-17	1	22	-80	2	-5	0	-58	25	-5				
				25	-24	56	-2	3	290	295	-3	17	3	1	
1	722	739	-17					6	698	679	14				
4	203	223	-12	17	-10	1		9	496	487	6	2	84	132	-10
7	69	51	3					12	-114	97	-25	5	-84	5	-7
10	69	14	5	3	1206	1212	-4	15	-67	138	-35	8	168	88	19
13	214	213	0	6	513	550	-30	18	240	270	-13	11	226	155	23
16	360	371	-6	9	351	416	-46	21	-97	96	-15	14	16	78	-4
19	178	177	0	12	430	463	-33	24	208	140	16	17	144	167	-5
22	96	122	-4	15	443	390	34					20	152	33	15
				18	-157	10	-26	17	-3	1					
	17	-16	1	21	39	109	-8					17	4	1	
				24	125	122	0	2	316	249	37				
3	671	692	-17	27	190	46	22	5	705	680	19	1	38	3	1
6	653	663	-7					8	174	264	-41	4	220	231	-4
9	-48	144	-36	17	-9	1		11	233	281	-23	7	211	202	3
12	109	85	4					14	125	205	-26	10	271	245	11
15	323	300	11	2	123	110	3	17	80	70	1	13	170	103	14
18	237	196	13	5	698	703	-4	20	188	108	18	16	145	137	1
21	157	98	11	8	421	394	19	23	119	9	10	19	207	144	21
24	-140	28	-15	11	323	331	-4	26	141	65	10				
				14	264	263	0					17	5	1	
	17	-15	1	17	256	215	17	17	-2	1					
				20	247	218	11					0	192	75	28
2	824	846	-17	23	131	170	-9	1	1259	1279	-13	3	454	459	-3
5	304	343	-24	26	174	107	12	4	387	338	30	6	145	201	-17
8	-158	71	-36					7	236	211	10	9	103	9	-9
11	-182	16	-40	17	-8	1		10	143	198	-19	12	-34	38	-2
14	389	412	-14					13	35	130	-15	15	-107	4	-9
17	298	296	0	1	347	390	-32	16	223	221	1	18	23	16	0
20	-75	23	-5	4	466	510	-37	19	294						

Tetra(pentafluorophenyl)porphinato Copper(II)

Page 18

17	11	1		18 -19	1					21	180	214	-10		
0	95	58	3	1	108	222	-38	3	820	861	-33	24	163	163	0
3	-49	6	-1	4	670	662	6	6	470	465	3				
				7	154	100	13	9	825	783	31	18	-5	1	
18 -28	1			10	47	66	-3	12	610	603	7	2	561	562	-1
				13	-115	108	-24	15	402	394	4	5	232	148	33
1	373	319	21	16	71	133	-10	18	349	302	24	8	137	136	0
4	157	138	3	19	40	96	-5	21	401	417	-8	11	272	261	5
				22	162	23	17	24	266	250	5	14	-131	58	-21
18 -27	1							18 -11	1			17	104	68	5
3	60	120	-7	3	438	403	31	2	523	534	-8	20	68	115	-7
6	17	3	0	6	509	521	-10	5	348	426	-57	23	-129	41	-14
9	113	69	5	9	561	562	-2	8	215	265	-25	26	46	48	0
				12	277	265	5	11	172	227	-22				
18 -26	1			15	299	291	3	14	404	414	-7	18	-4	1	
2	315	228	30	18	440	426	7	17	96	107	-2	1	1410	1380	19
5	113	128	-2	21	392	338	23	20	60	100	-5	4	1436	1403	20
8	386	299	34					23	130	57	10	7	725	718	5
11	294	190	31	18 -17	1			26	90	14	5	10	551	576	-18
				2	-62	18	-4					13	370	374	-2
18 -25	1			5	433	426	4	18 -10	1			16	368	361	5
1	-56	95	-9	8	527	517	7	1	1162	1150	8	19	232	239	-2
4	-99	59	-10	11	86	131	-10	4	352	284	41	22	339	303	14
7	-77	39	-5	14	-142	69	-25	7	707	735	-23	25	204	173	7
10	81	27	4	17	62	98	-4	10	445	389	36				
13	123	30	9	20	125	26	11	13	882	868	13	18 -3	1		
				23	-114	6	-9	16	419	444	-16	0	540	489	37
18 -24	1							19	332	309	11	3	274	158	48
3	317	323	-2					22	233	201	9	6	170	126	13
6	226	226	0	18 -16	1			25	247	185	17	9	88	137	-11
9	135	151	-3	1	783	790	-5					12	60	148	-18
12	170	203	-8	4	1065	1055	7	18 -9	1			15	105	197	-25
15	-108	110	-24	7	745	727	13	3	230	164	28	18	-128	9	-14
				10	627	618	8	6	495	448	33	21	258	231	9
18 -23	1			13	323	332	-4	9	516	539	-17	24	-76	76	-8
2	133	36	13	16	322	333	-5	12	-134	59	-23				
5	-155	20	-21	19	331	300	12	15	251	215	15	18 -2	1		
8	-133	1	-14	22	146	79	10	18	47	48	0	2	927	918	7
11	-93	21	-7					21	132	143	-2	5	778	810	-25
14	-106	31	-13	18 -15	1			24	45	59	-1	8	280	277	1
17	125	49	9	3	-117	86	-25					11	228	224	1
				6	-114	42	-17	18 -8	1			14	448	466	-11
18 -22	1			9	330	297	18	2	966	935	24	17	215	203	5
1	547	572	-17	12	253	243	4	5	531	515	12	20	385	343	19
4	505	498	4	15	223	255	-14	8	222	179	18	23	121	176	-11
7	349	328	10	18	-39	73	-5	11	48	171	-29				
10	292	254	15	21	287	247	14	14	358	362	-3	18 -1	1		
13	50	162	-26	24	61	53	0	17	569	565	3	1	306	294	6
16	124	131	-1					20	279	275	1	4	407	425	-11
19	-111	69	-11	18 -14	1			23	127	136	-1	7	61	194	-34
				2	789	760	22	26	208	174	8	10	117	230	-38
18 -21	1			5	-158	59	-35					13	290	327	-18
3	145	103	9	8	319	320	0	18 -7	1			16	207	239	-11
6	269	265	1	11	839	845	-5	1	727	712	12	19	268	178	28
9	260	253	2	14	563	528	24	4	135	139	-1	22	143	1	14
12	-93	53	-13	17	231	201	11	7	167	280	-54				
15	-136	94	-22	20	281	258	9	10	74	119	-9	18	0	1	
18	-158	8	-19	23	199	176	6	13	-173	11	-33	0	761	767	-5
								16	111	119	-1	3	501	503	-2
18 -20	1							19	299	317	-8	6	261	309	-35
2	532	489	28	18 -13	1			22	27	54	-1	9	615	608	7
5	565	551	10	1	427	430	-1	25	-131	4	-12	12	401	392	7
8	527	470	36	4	-88	97	-20					15	153	159	-2
11	424	431	-6	7	338	383	-29	18 -6	1			18	255	231	14
14	178	173	1	10	687	673	10					21	154	169	-4
17	60	120	-8	13	412	404	5	0	665	674	-7				
20	179	124	11	16	-104	117	-25	3	551	570	-15	18	1	1	
				19	151	133	4	6	942	899	32	2	242	240	1
				22	180	152	6	9	538	547	-6	5	-111	21	-13
				25	-96	44	-8	12	459	482	-15	8	426	441	-10
								15	281	270	7	11	202	162	13
				18 -12	1			18	444	431	7				



## Tetra(pentafluorophenyl)porphinato Copper(II)

Page 19

14	106	15	9					7	55	105	-8	12	-57	2	
17	79	97	-2	1	160	97	10	10	369	367	1	15	-28	9	0
20	204	92	22	4	145	45	12	13	94	93	0	18	145	10	17
				7	-77	105	-11	16	136	87	8	21	-113	65	-13
	18	2	1					19	353	292	24	24	116	96	3
					19	-26	1	22	239	184	14				
1	498	460	24										19	-10	1
4	150	70	11	3	-46	71	-5		19	-17	1				
7	537	530	4	6	-41	75	-5					2	173	271	-48
10	824	804	13	9	-63	65	-5	3	156	102	14	5	835	854	-14
13	467	468	0					6	121	88	7	8	-151	48	-29
16	159	155	0		19	-25	1	9	108	102	1	11	177	277	-44
19	341	327	7					12	-106	110	-23	14	56	42	1
				2	191	203	-3	15	-74	4	-4	17	-39	24	-2
	18	3	1	5	207	223	-5	18	173	194	-5	20	170	154	4
0	530	522	5	8	125	130	0	21	122	21	10	23	-27	57	-3
3	146	112	8	11	229	142	21								
6	-56	39	-4	14	153	22	15		19	-16	1		19	-9	1
9	391	374	9		19	-24	1	2	481	469	8	1	233	287	-29
12	225	159	19					5	535	555	-14	4	382	401	-13
15	-154	9	-14	1	262	222	13	8	43	112	-11	7	-163	71	-37
18	223	118	24	4	236	227	2	11	-131	61	-31	10	94	175	-22
				7	-97	46	-9	14	196	197	0	13	-145	8	-22
	18	4	1	10	116	23	9	17	-76	104	-14	16	177	163	4
2	559	572	-8	13	151	25	15	20	-70	1	-3	19	41	58	-1
5	103	78	4					23	-104	11	-7	22	-50	35	-2
8	391	346	21		19	-23	1					25	80	16	4
11	448	437	6	3	207	221	-4		19	-15	1				
14	221	211	3	6	-117	68	-15	1	235	256	-10		19	-8	1
17	229	219	2	9	-121	17	-12	4	297	331	-20	0	222	201	9
				12	138	135	0	7	404	409	-3	3	-107	143	-38
	18	5	1	15	-36	90	-6	10	241	281	-19	6	140	230	-35
1	194	193	0		19	-22	1	13	-138	26	-20	9	220	244	-10
4	90	24	6					16	106	73	5	12	198	235	-14
7	-70	29	-4	2	149	105	9	19	-92	42	-8	15	127	109	5
10	173	176	0	5	60	160	-18	22	136	84	8	18	108	96	2
13	166	175	-2	8	197	151	12		19	-14	1	21	-113	2	-10
16	111	74	4	11	140	73	11					24	-54	27	-2

## Tetra(pentafluorophenyl)porphinato Copper(II)

Page 20

2	566	559	5	13	218	207	3	13	166	134	9	14	-51	70	-7
5	826	769	41	16	-118	8	-10	16	257	169	23	17	77	181	-21
8	171	205	-12									20	89	120	-4
11	33	139	-18	19	4	1		20	-22	1		23	110	35	7
14	198	255	-22												
17	-126	64	-24	0	142	96	8	3	402	395	3		20	-14	1
20	115	75	5	3	276	309	-14	6	234	237	0				
23	-82	40	-6	6	75	17	4	9	304	255	18	1	271	210	27
				9	35	22	0	12	220	245	-11	4	523	500	16
19	-3	1		12	186	98	18	15	315	284	11	7	642	632	7
				15	63	90	-2	18	194	156	8	10	543	547	-2
1	343	337	3									13	481	481	0
4	672	631	29	19	5	1		20	-21	1		16	409	402	3
7	141	159	-5									19	317	298	7
10	-165	90	-37	2	207	209	0	2	-104	17	-10	22	326	214	37
13	-105	179	-41	5	383	347	16	5	-106	53	-13				
16	-202	67	-39	8	81	33	4	8	313	286	11		20	-13	1
19	173	146	6	11	159	92	12	11	83	116	-7				
22	139	10	13	14	132	77	8	14	-96	94	-14	3	33	73	-4
								17	80	79	0	6	115	160	-13
19	-2	1		19	6	1						9	246	258	-5
0	51	0	2	1	57	12	2		20	-20	1	12	209	270	-26
3	524	529	-3	4	205	115	20	1	405	420	-12	15	200	165	11
6	271	248	10	7	272	220	16	4	510	526	-14	18	219	267	-17
9	-129	96	-26	10	160	25	17	7	648	604	39	21	84	112	-4
12	318	326	-4	13	140	46	11	10	281	239	27	24	167	74	14
15	-81	88	-12					13	138	141	0				
18	224	202	9	19	7	1		16	146	162	-3		20	-12	1
21	72	3	3					19	352	340	4	2	188	140	16
				0	139	81	9					5	582	578	2
19	-1	1		3	199	152	11		20	-19	1	8	607	613	-4
				6	76	111	-4					11	432	405	16
2	-22	7	0	9	155	150	0	3	267	197	28	14	331	317	9
5	255	302	-23					6	205	170	12	17	397	360	18
8	291	287	2	19	8	1		9	64	51	1	20	494	448	24
11	43	119	-11					12	55	161	-19	23	224	207	4
14	-194	21	-33	2	86	115	-4	15	225	228	0				
17	126	199	-17	5	-17	12	0	18	229	119	26		20	-11	1
20	80	15	4	8	-83	20	-5	21	135	5	12				
												1	350	348	1
19	0	1		19	9	1			20	-18	1	4	295	271	12
1	152	127	9	1	-38	45	-2	2	472	476	-2	7	235	212	9
4	-83	106	-26					5	445	439	3	10	-118	177	-47
7	-81	74	-17		20	-27	1	8	732	740	-5	13	389	422	-19
10	184	185	0					11	498	467	26	16	276	279	-1
13	239	267	-15	2	114	111	0	14	283	281	0	19	109	77	4
16	148	167	-6	5	-162	52	-20	17	382	299	35	22	111	120	-1
19	190	186	1					20	482	425	27				
					20	-26	1						20	-10	1
19	1	1		1	304	275	10		20	-17	1	3	490	446	30
0	230	251	-9	4	257	193	18	1	-28	112	-14	6	639	647	-6
3	159	152	1	7	258	278	-6	4	164	154	3	9	374	366	4
6	301	226	33	10	410	317	36	7	277	262	7	12	230	283	-23
9	228	105	35					10	95	0	8	15	411	388	18
12	197	160	10		20	-25	1	13	118	162	-11	18	272	262	3
15	-3	118	-11					16	177	147	7	21	282	224	19
18	136	90	7	3	-102	88	-13	19	265	225	13	24	306	213	29
21	-131	87	-17	6	-94	0	-6	22	210	103	21				
				9	135	167	-6						20	-9	1
19	2	1		12	295	241	17		20	-16	1	2	-139	35	-24
												5	263	292	-15
2	83	109	-4		20	-24	1	3	307	256	25	8	-68	146	-27
5	334	323	5					6	667	643	17	11	124	147	-5
8	325	266	27	2	495	506	-5	9	412	397	9	14	-74	123	-19
11	252	217	12	5	348	335	5	12	384	379	3	17	66	0	3
14	38	44	0	8	206	253	-15	15	286	267	7	20	117	64	7
17	167	196	-7	11	311	253	20	18	296	273	9	23	126	70	7
20	140	113	6	14	381	338	24	21	251	203	14				
													20	-8	1
19	3	1			20	-23	1		20	-15	1	1	601	592	6
1	251	273	-9	1	53	4	2	2	-75	75	-12	4	888	865	16
4	191	206	-4	4	-215	45	-41	5	-68	52	-7	7	382	322	33
7	107	53	7	7	29	116	-9	8	97	108	-2	10	332	346	-8
10	181	195	-3	10	62	112	-6	11	-123	61	-19	13	514	489	15

## Tetra(pentafluorophenyl)porphinato Copper(II)

Page 21

[illegible]

## Tetra(pentafluorophenyl)porphinato Copper(II)

Page 22

[illegible]

## Tetra(pentafluorophenyl)porphinato Copper(II)

Page 23

[illegible]

## Tetra(pentafluorophenyl)porphinato Copper(II)

Page 24

0	66	116	-6	3	445	429	8	24	-9	1	0	63	108	-7	
3	157	167	-2	6	202	177	6	0	-64	61	-6	3	293	302	-4
6	-92	83	-11	9	303	285	7	3	122	169	-10	6	217	227	-3
9	-145	55	-18	12	404	376	12	6	234	245	-3	24	1	1	
12	-114	42	-10	15	156	179	-7	9	-106	133	-22	2	205	165	9
23	0	1		24	-17	1		12	58	43	1	25	-24	1	
2	188	209	-8	2	-108	25	-10	15	-109	47	-10	1	-59	49	-4
5	169	88	20	5	-145	141	-34	18	-146	33	-15	4	-90	43	-6
8	137	147	-2	8	-105	66	-12	24	-8	1		25	-23	1	
11	-73	60	-8	11	-78	4	-4	2	245	266	-8	3	-37	41	-2
23	1	1		14	-27	111	-9	5	238	205	10	6	133	181	-10
1	146	37	14	17	-108	12	-8	8	452	416	18	25	-22	1	
4	173	67	17	24	-16	1		11	293	317	-9	2	189	174	3
7	195	18	25	1	567	588	-13	14	46	144	-13	5	140	45	12
10	55	72	-1	4	398	422	-12	17	23	124	-10	8	-107	26	-8
23	2	1		7	315	321	-2	24	-7	1		25	-21	1	
0	131	43	10	10	275	302	-10	1	18	70	-3	1	132	158	-5
3	212	184	7	13	261	282	-7	4	-135	67	-18	4	114	99	-2
6	171	145	5	16	113	149	-9	7	-180	26	-27	7	-93	108	-14
23	3	1		24	-15	1		10	-22	101	-8	10	106	96	1
2	92	69	2	3	-171	9	-25	13	247	273	-8	25	-20	1	
24	-25	1		6	-89	68	-10	16	-182	18	-24	3	317	275	16
1	-85	36	-5	9	-179	1	-26	0	452	438	7	6	-85	85	-10
4	148	137	1	12	-152	129	-31	3	241	256	-5	9	100	52	5
24	-24	1		15	107	204	-20	6	188	209	-6	12	-39	90	-6
3	130	114	3	18	-105	48	-9	9	366	383	-7	25	-19	1	
6	293	244	22	2	311	256	23	12	212	208	1	2	-39	100	-8
24	-23	1		5	362	396	-16	15	184	111	14	5	-216	5	-38
2	-110	51	-11	8	499	488	6	24	-5	1		8	64	56	0
5	-158	40	-19	11	-82	107	-14	2	201	218	-5	11	25	55	-1
8	-71	76	-7	14	283	299	-6	8	106	166	-12	14	22	92	-5
24	-22	1		17	-61	108	-15	11	83	153	-12	25	-18	1	
1	247	238	3	24	-13	1		14	155	178	-5	1	208	246	-12
4	-88	146	-21	1	228	230	0	24	-70	1	-3	4	-48	161	-21
7	207	219	-3	4	349	380	-15	1	471	475	-2	7	-104	137	-22
10	230	244	-4	7	206	196	2	4	143	162	-4	10	156	118	7
24	-21	1		10	-40	151	-19	7	108	230	-29	13	310	299	4
3	128	87	6	13	-56	86	-7	10	259	244	4	25	-17	1	
6	-80	13	-5	16	-68	159	-21	13	255	227	8	3	92	143	-9
9	-82	59	-7	24	-12	1		24	-3	1		6	-77	32	-5
12	-126	132	-23	3	539	520	12	0	109	138	-5	9	-22	7	0
24	-20	1		6	337	330	3	3	-152	80	-22	12	-70	91	-9
2	428	398	14	9	270	268	0	6	-180	46	-26	15	-116	78	-13
5	180	249	-21	12	335	344	-3	9	135	171	-7	25	-16	1	
8	261	217	14	15	250	243	2	12	-162	77	-23	2	191	191	0
11	177	103	13	18	259	264	-2	0	109	138	-5	5	130	211	-20
14	-45	64	-6	24	-11	1		3	-152	80	-22	8	-66	148	-20
24	-19	1		2	232	219	5	6	-180	46	-26	11	-143	127	-27
1	157	162	-1	5	202	234	-10	9	135	171	-7	14	-166	34	-20
4	-94	81	-12	8	157	206	-13	11	198	237	-10	25	-15	1	
7	-182	49	-29	11	-161	5	-20	1	-49	28	-2	1	177	216	-11
10	98	131	-5	14	-83	31	-5	4	132	46	10	4	-89	68	-10
13	25	34	0	17	-150	72	-20	7	233	210	6	7	-97	15	-7
24	-18	1		24	-10	1		10	-133	43	-13	10	-148	82	-21
				1	545	548	-1	24	0	1		13	-88	68	-8
				4	382	372	4					16	-157	71	-20
				7	447	425	11								
				10	473	456	8								
				13	397	405	-3								
				16	-204	72	-35								

## Tetra(pentafluorophenyl)porphinato Copper(II)

Page 25

25 -14 1	0 55 57 0	9 89 101 -1	
3 -167 28 -24	3 147 103 7	12 304 275 10	1 218 216 0
6 174 245 -22	6 -69 104 -11		4 197 166 7
9 34 118 -9	9 -97 135 -19	26 -15 1	7 -72 104 -11
12 267 239 9	12 76 126 -6		
15 78 27 3	25 -4 1	2 269 261 2	26 -4 1
		5 176 148 6	
25 -13 1	2 176 169 1	8 -182 42 -26	0 318 303 5
	5 -186 30 -26	11 172 131 8	3 236 192 11
2 50 99 -5	8 -155 87 -22	14 -126 45 -12	6 160 212 -12
5 -173 22 -25	11 -176 61 -24	26 -14 1	26 -3 1
8 -111 44 -11	25 -3 1	1 258 217 13	2 -162 41 -19
11 61 26 2		4 331 333 0	
14 -207 13 -32	1 -158 30 -19	7 185 215 -8	27 -21 1
25 -12 1	4 180 138 8	10 310 303 2	
	7 -160 28 -19	13 255 254 0	3 -17 139 -13
1 81 115 -5	10 -86 77 -9	26 -13 1	27 -20 1
4 171 182 -2	25 -2 1	3 438 396 19	2 189 124 13
7 -87 55 -8	0 -119 88 -15	6 -42 167 -21	5 -62 49 -4
10 231 231 0	3 15 4 0	9 -118 44 -11	
13 350 337 5	6 102 157 -9	12 181 209 -7	27 -19 1
16 265 175 23	25 -1 1	26 -12 1	1 -24 111 -9
25 -11 1	2 -114 38 -10	2 576 584 -4	4 -68 54 -5
0 104 151 -9	5 -128 14 -11	5 328 354 -11	7 215 175 9
3 69 49 4		8 105 130 -4	27 -18 1
6 -28 53 -2	26 -23 1	11 318 288 11	
9 -164 1 -21	1 -53 121 -12	14 327 321 2	3 -53 146 -17
12 -61 76 -6	26 -22 1	26 -11 1	6 214 187 7
15 -97 46 -8	3 300 271 9	1 236 163 20	9 28 7 0
25 -10 1	6 131 186 -11	4 149 110 7	27 -17 1
2 305 276 11	26 -21 1	7 -32 206 -31	2 -157 86 -24
5 121 59 8		10 62 130 -9	5 32 4 0
8 -126 48 -14	2 99 20 6	13 88 4 5	8 -128 120 -21
11 365 366 0	5 -148 39 -17	26 -10 1	27 -16 1
14 -144 126 -26	8 -72 36 -4	0 500 476 12	1 -130 64 -15
25 -9 1	26 -20 1	3 447 414 15	4 124 64 7
1 141 142 0	1 317 297 7	6 201 242 -12	7 -133 17 -12
4 173 189 -4	4 206 190 4	9 340 329 4	10 178 82 16
7 261 157 29	7 -149 123 -27	12 308 296 4	27 -15 1
10 124 135 -2	10 165 125 7	26 -9 1	
13 -106 57 -10	26 -19 1	2 62 144 -12	3 -142 25 -15
25 -8 1	3 -53 14 -2	5 258 256 0	6 -168 22 -21
0 -129 54 -15	6 -123 21 -11	8 50 101 -5	9 -133 12 -12
3 158 102 10	9 -169 3 -21	11 -106 40 -9	27 -14 1
6 113 117 0	26 -18 1	26 -8 1	
9 46 112 -7	2 245 288 -15	1 350 318 13	2 154 105 8
12 -28 141 -14	5 255 235 6	4 273 251 7	5 113 4 8
15 -101 49 -8	8 -107 120 -18	7 163 211 -12	8 -167 69 -23
25 -7 1	11 318 297 7	10 178 212 -8	11 71 51 1
2 -111 42 -11	26 -17 1	26 -7 1	27 -13 1
5 250 247 0	1 182 178 0	0 200 133 15	1 -150 53 -19
8 179 139 8	4 -130 11 -13	3 -87 12 -5	4 113 18 8
11 -133 54 -15	7 -163 22 -20	6 -126 94 -18	7 69 144 -11
14 -178 21 -22	10 58 14 2	9 120 155 -6	10 -103 74 -11
25 -6 1	13 193 155 8	26 -6 1	27 -12 1
1 317 291 10	26 -16 1	2 415 386 13	0 328 313 5
4 -40 39 -2	3 380 351 12	5 189 224 -9	3 401 355 19
7 52 70 -1	6 206 231 -7	8 -84 197 -31	6 83 94 -1
10 -111 9 -8		26 -5 1	9 -47 18 -1
13 -132 38 -13			27 -11 1

## Tetra(pentafluorophenyl)porphinato Copper(II)


Page 26

2	19	13	0	2	-87	20	-5	2	-49	28	-2
5	-76	52	-6	5	263	246	5	5	-108	32	-8
8	-128	12	-11	8	-149	77	-19	3	-127	131	-23
								28	-16	1	
27	-10	1		27	-7	1		2	-105	22	-8
1	165	191	-6	1	181	191	-2	5	51	107	-5
4	190	196	-1	4	-204	17	-30				
7	-50	83	-6					28	-15	1	
10	-121	69	-13	27	-6	1		1	-125	4	-11
								4	-126	23	-11
27	-9	1		0	170	65	16				
				3	148	46	12	28	-14	1	
0	246	265	-6					3	185	180	1
3	-158	55	-20	28	-18	1		6	190	215	-6
6	-185	112	-34								
9	-195	80	-31	1	168	140	5	2	223	237	-4
				4	291	217	22		28	-9	1
27	-8	1									
				28	-17	1		28	-13	1	
								1	96	47	4



**Appendix 3.** Supplementary Material for  
the X-ray Crystal Structure Determination of  $\text{CuTFPPCl}_8$ .

**Figure A3.1.** ORTEP diagram for  $\text{CuTFPPCl}_8$  (50% probability ellipsoids) and numbering scheme for macrocycle.



**Table A3.1.** Crystal and Intensity Collection Data for CuTFPPCl<sub>8</sub>.

Formula: CuC <sub>44</sub> Cl <sub>8</sub> N <sub>4</sub> F <sub>20</sub> • CH <sub>2</sub> Cl <sub>2</sub>	Formula Weight: 1396.58
Crystal Color: dark red	Habit: prismatic
Crystal Size: 0.33 x 0.52 x 0.63 mm	
Crystal System: triclinic	Space Group: P $\bar{1}$
a = 11.794(5) Å	$\alpha$ = 87.51(5)
b = 14.492(4) Å	$\beta$ = 73.48(5)
c = 14.731(2) Å	$\gamma$ = 78.40(3)
V = 2364(3) Å <sup>3</sup>	Z = 2
D = 1.96 g cm <sup>-3</sup>	
MoK $\alpha$ Radiation	$\lambda$ = 0.71073 Å
$\mu$ = 11.5 cm <sup>-1</sup>	T = 294 K
Enraf-Nonius Cad-4 diffractometer	$\theta$ - 2 $\theta$ scan
Transmission coeff. =	range for data collection: 1-25°
$\pm h$ = 14, $\pm k$ = 17, $\pm l$ = 17	
Number of reflections measured: 16705	
Number of independent reflections: 8290	
Goodness of fit for merging data: 1.11	
R = 0.052 on F for 7734 reflections with $F_o^2 > 0$	
R = 0.052 on F with $F_o^2 > 3\sigma(F_o^2)$	
wR = 0.014 on F <sup>2</sup> for 8290 reflections	
Final goodness of fit: 1.78 for 582 parameters and 8290 reflections	

**Table A3.2.** Final Refined Heavy Atom Parameters  $\times 10^4$  for CuTFPPCl<sub>8</sub>.

$x, y, z$ and $U_{eq}^a \times 10^4$				
Atom	$x$	$y$	$z$	$U_{eq}$ or $B$
Cu	2201(.4)	4601(.3)	8305(.3)	284(1)
Cl1	1502(1)	3108(1)	4943(1)	502(3)
Cl2	1485(1)	5302(1)	4548(1)	458(2)
Cl3	3138(1)	8111(1)	6452(1)	504(3)
Cl4	3000(1)	8401(1)	8604(1)	624(3)
Cl5	840(1)	6347(1)	12058(1)	578(3)
Cl6	844(1)	4147(1)	12421(1)	512(3)
Cl7	3341(1)	848(1)	9803(1)	603(4)
Cl8	3747(1)	593(1)	7574(1)	620(4)
N1	2238(3)	4426(2)	6950(2)	2.3(1)*
N2	2238(3)	5969(2)	8080(2)	2.3(1)*
N3	1922(3)	4798(2)	9700(2)	2.4(1)*
N4	2361(3)	3210(2)	8506(2)	2.3(1)*
C1	2172(3)	3605(2)	6552(3)	2.3(1)*
C2	1868(3)	3822(3)	5671(3)	2.5(1)*
C3	1853(3)	4743(3)	5508(3)	2.5(1)*
C4	2118(3)	5126(3)	6307(3)	2.4(1)*
C5	2308(3)	6032(3)	6380(3)	2.3(1)*
C6	2432(3)	6398(3)	7206(3)	2.3(1)*
C7	2727(3)	7301(3)	7300(3)	2.6(1)*

Atom	<i>x</i>	<i>y</i>	<i>z</i>	<i>U</i> <sub>eq</sub> or <i>B</i>
C8	2674(3)	7421(3)	8211(3)	2.8(1) *
C9	2332(3)	6592(3)	8719(3)	2.5(1) *
C10	2041(3)	6473(3)	9698(3)	2.6(1) *
C11	1740(3)	5650(3)	10150(3)	2.6(1) *
C12	1328(4)	5522(3)	11160(3)	2.9(1) *
C13	1325(3)	4599(3)	11310(3)	2.8(1) *
C14	1753(3)	4130(3)	10393(3)	2.4(1) *
C15	2087(3)	3161(3)	10227(3)	2.5(1) *
C16	2457(3)	2743(3)	9331(3)	2.5(1) *
C17	2932(4)	1751(3)	9100(3)	2.9(1) *
C18	3084(4)	1635(3)	8165(3)	2.9(1) *
C19	2660(3)	2544(3)	7801(3)	2.4(1) *
C20	2467(3)	2710(3)	6907(3)	2.4(1) *
C21	2368(3)	6654(3)	5532(3)	2.7(1) *
C22	1373(4)	7286(3)	5455(3)	458(11)
F22	327(2)	7326(2)	6132(2)	592(7)
C23	1391(6)	7873(3)	4692(4)	651(14)
F23	398(4)	8477(2)	4642(3)	1041(11)
C24	2440(7)	7813(4)	3985(4)	777(18)
F24	2471(5)	8389(3)	3234(3)	1272(14)
C25	3458(6)	7201(4)	4029(3)	682(17)
F25	4501(4)	7160(3)	3338(2)	1140(15)

175a

Atom	<i>x</i>	<i>y</i>	<i>z</i>	$U_{eq}$ or <i>B</i>
C26	3425(5)	6610(3)	4803(3)	492(12)
F26	4423(3)	6016(2)	4850(2)	731(9)
C31	2205(4)	7224(3)	10290(3)	3.1(1) *
C32	3285(5)	7155(3)	10480(3)	524(12)
F32	4153(3)	6390(2)	10180(2)	709(8)
C33	3553(6)	7860(4)	10938(3)	671(15)
F33	4629(4)	7762(3)	11104(3)	1064(12)
C34	2710(8)	8667(4)	11204(4)	773(19)
F34	2965(4)	9375(2)	11613(2)	1116(13)
C35	1596(7)	8747(3)	11064(3)	709(19)
F35	764(4)	9541(2)	11320(3)	1129(14)
C36	1342(5)	8031(3)	10617(3)	557(13)
F36	257(3)	8127(2)	10478(2)	792(9)
C41	2076(3)	2529(3)	11066(3)	2.7(1) *
C42	1113(4)	2106(3)	11482(3)	420(10)
F42	158(3)	2278(2)	11148(2)	670(8)
C43	1096(5)	1516(3)	12244(3)	559(14)
F43	142(3)	1129(2)	12622(2)	882(10)
C44	2062(6)	1356(4)	12610(3)	689(17)
F44	2039(4)	791(3)	13361(2)	1153(14)
C45	3026(5)	1755(4)	12230(4)	654(14)
F45	3967(4)	1587(3)	12585(3)	1169(13)

Atom	<i>x</i>	<i>y</i>	<i>z</i>	<i>U<sub>eq</sub></i> or <i>B</i>
C46	3029(4)	2341(3)	11454(3)	490(11)
F46	4000(3)	2726(2)	11070(2)	759(9)
C51	2593(3)	1880(3)	6289(3)	2.4(1) *
C52	3594(4)	1634(3)	5518(3)	345(9)
F52	4449(2)	2148(2)	5311(2)	538(6)
C53	3734(4)	868(3)	4957(3)	407(10)
F53	4724(3)	641(2)	4216(2)	627(8)
C54	2877(4)	329(3)	5155(3)	451(11)
F54	3029(3)	−439(2)	4622(2)	729(9)
C55	1864(4)	554(3)	5904(3)	455(11)
F55	1018(3)	25(2)	6088(2)	717(8)
C56	1733(4)	1327(3)	6462(3)	393(10)
F56	734(2)	1551(2)	7189(2)	631(7)
CS1	4144(11)	4448(10)	2258(10)	2054(50)
ClS1	4351(2)	3873(3)	3268(3)	2286(15)
ClS2	4720(4)	5382(3)	2089(4)	2479(19)

$$^a U_{eq} = \frac{1}{3} \sum_i \sum_j [U_{ij}(a_i^* a_j^*)(\vec{a}_i \cdot \vec{a}_j)]$$

\* Isotropic displacement parameter, *B*

**Table A3.3.** Complete Distances and Angles for CuTFPPCl<sub>8</sub>.

Distance(Å)			Distance(Å)		
Cu	-N1	2.010(3)	C17	-C18	1.350(6)
Cu	-N2	2.003(3)	C18	-C19	1.449(5)
Cu	-N3	2.011(3)	C19	-C20	1.401(5)
Cu	-N4	2.003(3)	C20	-C51	1.498(5)
Cl1	-C2	1.717(4)	C21	-C22	1.365(6)
Cl2	-C3	1.719(4)	C21	-C26	1.386(6)
Cl3	-C7	1.712(4)	C22	-F22	1.340(5)
Cl4	-C8	1.707(4)	C22	-C23	1.378(7)
Cl5	-C12	1.714(4)	C23	-F23	1.332(7)
Cl6	-C13	1.719(4)	C23	-C24	1.362(9)
Cl7	-C17	1.713(4)	C24	-F24	1.354(8)
Cl8	-C18	1.704(4)	C24	-C25	1.358(9)
N1	-C1	1.374(5)	C25	-F25	1.348(7)
N1	-C4	1.371(5)	C25	-C26	1.392(8)
N2	-C6	1.385(5)	C26	-F26	1.329(6)
N2	-C9	1.373(5)	C31	-C32	1.363(6)
N3	-C11	1.375(5)	C31	-C36	1.387(7)
N3	-C14	1.376(5)	C32	-F32	1.342(6)
N4	-C16	1.387(5)	C32	-C33	1.383(8)
N4	-C19	1.371(5)	C33	-F33	1.338(7)
C1	-C2	1.448(5)	C33	-C34	1.364(9)
C1	-C20	1.394(5)	C34	-F34	1.336(8)
C2	-C3	1.342(5)	C34	-C35	1.368(9)
C3	-C4	1.459(5)	C35	-F35	1.342(7)
C4	-C5	1.388(5)	C35	-C36	1.379(8)
C5	-C6	1.405(5)	C36	-F36	1.332(6)
C5	-C21	1.502(5)	C41	-C42	1.376(6)
C6	-C7	1.441(5)	C41	-C46	1.376(6)
C7	-C8	1.343(5)	C42	-F42	1.329(5)
C8	-C9	1.453(5)	C42	-C43	1.380(7)
C9	-C10	1.395(5)	C43	-F43	1.326(6)
C10	-C11	1.400(5)	C43	-C44	1.369(8)
C10	-C31	1.500(6)	C44	-F44	1.345(7)
C11	-C12	1.444(6)	C44	-C45	1.347(8)
C12	-C13	1.347(6)	C45	-F45	1.332(7)
C13	-C14	1.447(5)	C45	-C46	1.393(7)
C14	-C15	1.393(5)	C46	-F46	1.344(6)
C15	-C16	1.392(5)	C51	-C52	1.383(5)
C15	-C41	1.504(5)	C51	-C56	1.377(6)
C16	-C17	1.451(5)	C52	-F52	1.331(5)

Distance(Å)		Angle(°)	
C52 -C53	1.368(6)	N2 -Cu -N1	90.3(1)
C53 -F53	1.346(5)	N3 -Cu -N1	172.3(1)
C53 -C54	1.360(6)	N4 -Cu -N1	90.5(1)
C54 -F54	1.342(5)	N3 -Cu -N2	90.4(1)
C54 -C55	1.370(6)	N4 -Cu -N2	173.7(1)
C55 -F55	1.340(5)	N4 -Cu -N3	89.7(1)
C55 -C56	1.376(6)	C1 -N1 -Cu	125.6(2)
C56 -F56	1.341(5)	C4 -N1 -Cu	126.3(2)
CS1 -ClS1	1.728(15)	C4 -N1 -C1	107.1(3)
CS1 -ClS2	1.613(15)	C6 -N2 -Cu	125.5(2)
		C9 -N2 -Cu	125.7(2)
		C9 -N2 -C6	107.6(3)
		C11 -N3 -Cu	125.9(2)
		C14 -N3 -Cu	126.7(2)
		C14 -N3 -C11	107.1(3)
		C16 -N4 -Cu	126.1(2)
		C19 -N4 -Cu	125.1(2)
		C19 -N4 -C16	107.5(3)
		C2 -C1 -N1	108.9(3)
		C20 -C1 -N1	124.5(3)
		C20 -C1 -C2	126.4(3)
		C1 -C2 -Cl1	129.5(3)
		C3 -C2 -Cl1	122.7(3)
		C3 -C2 -C1	107.7(3)
		C2 -C3 -Cl2	122.9(3)
		C4 -C3 -Cl2	130.0(3)
		C4 -C3 -C2	107.0(3)
		C3 -C4 -N1	108.9(3)
		C5 -C4 -N1	125.1(3)
		C5 -C4 -C3	125.8(3)
		C6 -C5 -C4	123.5(3)
		C21 -C5 -C4	118.1(3)
		C21 -C5 -C6	118.4(3)
		C5 -C6 -N2	125.6(3)
		C7 -C6 -N2	108.4(3)
		C7 -C6 -C5	125.9(3)
		C6 -C7 -Cl3	129.6(3)
		C8 -C7 -Cl3	122.4(3)
		C8 -C7 -C6	107.9(3)
		C7 -C8 -Cl4	122.1(3)



Angle(°)		Angle(°)	
C9 -C8 -C14	130.3(3)	C26 -C21 -C22	117.7(4)
C9 -C8 -C7	107.6(3)	F22 -C22 -C21	119.3(4)
C8 -C9 -N2	108.4(3)	C23 -C22 -C21	122.5(4)
C10 -C9 -N2	125.0(3)	C23 -C22 -F22	118.3(4)
C10 -C9 -C8	126.3(3)	F23 -C23 -C22	120.6(5)
C11 -C10 -C9	124.0(4)	C24 -C23 -C22	118.6(5)
C31 -C10 -C9	117.9(3)	C24 -C23 -F23	120.8(5)
C31 -C10 -C11	117.7(3)	F24 -C24 -C23	119.2(6)
C10 -C11 -N3	124.7(3)	C25 -C24 -C23	121.3(6)
C12 -C11 -N3	108.8(3)	C25 -C24 -F24	119.5(6)
C12 -C11 -C10	126.1(4)	F25 -C25 -C24	121.0(5)
C11 -C12 -C15	129.4(3)	C26 -C25 -C24	119.4(5)
C13 -C12 -C15	122.9(3)	C26 -C25 -F25	119.6(5)
C13 -C12 -C11	107.6(3)	C25 -C26 -C21	120.5(4)
C12 -C13 -C16	122.8(3)	F26 -C26 -C21	120.1(4)
C14 -C13 -C16	130.0(3)	F26 -C26 -C25	119.4(4)
C14 -C13 -C12	107.2(3)	C32 -C31 -C10	119.2(4)
C13 -C14 -N3	108.8(3)	C36 -C31 -C10	123.8(4)
C15 -C14 -N3	124.6(3)	C36 -C31 -C32	116.8(4)
C15 -C14 -C13	126.1(3)	F32 -C32 -C31	119.4(4)
C16 -C15 -C14	123.9(3)	C33 -C32 -C31	122.9(5)
C41 -C15 -C14	118.1(3)	C33 -C32 -F32	117.7(5)
C41 -C15 -C16	118.0(3)	F33 -C33 -C32	120.7(5)
C15 -C16 -N4	124.8(3)	C34 -C33 -C32	118.9(6)
C17 -C16 -N4	108.3(3)	C34 -C33 -F33	120.4(6)
C17 -C16 -C15	126.8(3)	F34 -C34 -C33	120.1(6)
C16 -C17 -C17	129.6(3)	C35 -C34 -C33	120.0(6)
C18 -C17 -C17	122.7(3)	C35 -C34 -F34	119.9(6)
C18 -C17 -C16	107.6(3)	F35 -C35 -C34	120.3(5)
C17 -C18 -C18	123.2(3)	C36 -C35 -C34	120.1(5)
C19 -C18 -C18	129.3(3)	C36 -C35 -F35	119.5(5)
C19 -C18 -C17	107.4(3)	C35 -C36 -C31	121.1(5)
C18 -C19 -N4	108.9(3)	F36 -C36 -C31	119.7(4)
C20 -C19 -N4	124.8(3)	F36 -C36 -C35	119.2(5)
C20 -C19 -C18	126.0(3)	C42 -C41 -C15	121.6(3)
C19 -C20 -C1	123.8(3)	C46 -C41 -C15	121.8(4)
C51 -C20 -C1	117.7(3)	C46 -C41 -C42	116.6(4)
C51 -C20 -C19	118.5(3)	F42 -C42 -C41	119.1(4)
C22 -C21 -C5	120.6(4)	C43 -C42 -C41	122.3(4)
C26 -C21 -C5	121.7(4)	C43 -C42 -F42	118.6(4)

## Angle(°)

F43 -C43 -C42	119.9(4)
C44 -C43 -C42	118.9(5)
C44 -C43 -F43	121.1(5)
F44 -C44 -C43	119.0(5)
C45 -C44 -C43	121.1(5)
C45 -C44 -F44	119.9(5)
F45 -C45 -C44	120.6(5)
C46 -C45 -C44	119.0(5)
C46 -C45 -F45	120.4(5)
C45 -C46 -C41	122.1(4)
F46 -C46 -C41	119.1(4)
F46 -C46 -C45	118.8(4)
C52 -C51 -C20	120.8(3)
C56 -C51 -C20	122.0(3)
C56 -C51 -C52	117.2(4)
F52 -C52 -C51	119.8(3)
C53 -C52 -C51	121.6(4)
C53 -C52 -F52	118.6(4)
F53 -C53 -C52	120.3(4)
C54 -C53 -C52	119.8(4)
C54 -C53 -F53	120.0(4)
F54 -C54 -C53	119.9(4)
C55 -C54 -C53	120.5(4)
C55 -C54 -F54	119.5(4)
F55 -C55 -C54	120.1(4)
C56 -C55 -C54	119.1(4)
C56 -C55 -F55	120.8(4)
C55 -C56 -C51	121.8(4)
F56 -C56 -C51	119.3(4)
F56 -C56 -C55	118.9(4)
ClS2 -CS1 -ClS1	111.3(8)

**Table A3.4.** Observed and Calculated Structure Factors for CuTFPPCl<sub>8</sub>. The columns contain, in order,  $\ell$ ,  $10F_{obs}$ ,  $10F_{calc}$  and  $10\left(\frac{F_{obs}^2 - F_{calc}^2}{\sigma F_{obs}^2}\right)$ . A minus sign preceding  $F_{obs}$  indicates that  $F_{obs}^2$  is negative.

[illegible]

## Tetra(pentafluorophenyl)octachloroporphinato Cu(II)

Page 2

1	112	98	40	-7	7	1	8	129	122	17	2	215	210	13	
2	362	330	78				9	48	33	19	3	248	250	-3	
3	242	253	-31	1	318	317	1	10	102	108	-12	4	413	415	-5
4	54	32	32	2	73	69	8	11	136	124	27	5	250	259	-22
5	646	647	-1	3	152	144	20	12	326	320	13	6	210	206	8
6	216	232	-47	4	277	276	4					7	68	54	21
7	207	202	14	5	148	150	-5	-6	3	1		8	119	129	-21
8	331	348	-42	6	24	16	4					9	-27	23	-18
9	130	116	33	7	22	56	-39	1	90	91	-2				
10	148	135	31	8	21	19	0	2	94	100	-17	-6	9	1	
11	151	163	-27	9	33	50	-18	3	354	344	24				
								4	146	161	-46	1	90	76	28
								5	100	111	-29	2	583	549	24
								6	154	150	11	3	60	3	51
								7	138	131	19	4	65	62	6
								8	-7	31	-17	5	143	126	40
								9	207	217	-26	6	39	2	22
								10	39	25	13	7	116	133	-41
								11	42	70	-43	8	175	181	-14
								12	212	212	0				
												-6	10	1	
								-6	4	1		1	481	488	-12
								1	127	113	41	2	39	0	23
								2	334	335	-3	3	103	103	0
								3	242	229	36	4	106	94	26
								4	470	469	2	5	46	49	-4
								5	84	81	8	6	88	75	23
								6	262	268	-16	7	25	10	6
								7	195	187	19				
								8	108	107	-2	-6	11	1	
								9	206	213	-18	1	-26	15	-14
								10	-35	12	-22	2	-30	6	-15
								11	82	83	-1	3	57	54	5
												4	78	91	-24
								-6	5	1		5	227	227	0
								1	457	449	15	6	44	33	10
								2	168	165	10				
								3	195	199	-12	-6	12	1	
								4	239	229	28	1	167	151	36
								5	70	33	55	2	264	258	13
								6	220	232	-33	3	45	82	13
								7	58	47	16	4	179	169	22
								8	303	304	-3				
								9	-18	9	-6	-6	13	1	
								10	12	33	-13	1	111	95	31
								11	157	158	-1	2	164	153	25
								-6	6	1		-5	1	1	
								1	247	233	40	1	273	249	73
								2	43	42	0	2	625	608	29
								3	30	36	-6	3	443	453	-21
								4	212	214	-5	4	229	220	27
								5	315	298	40	5	618	601	29
								6	249	245	10	6	751	744	10
								7	418	426	-16	7	56	28	39
								8	363	369	-12	8	400	391	18
								9	43	39	4	9	531	526	9
								10	142	128	30	10	75	73	5
												11	438	449	-23
								-6	7	1		12	54	4	38
								1	7	6	0	13	168	175	-15
								2	218	213	13				
								3	41	18	21	-5	2	1	
								4	195	195	1				
								5	613	622	-16	1	62	59	10
								6	194	203	-25	2	497	501	-8
								7	41	48	-10	3	198	219	-76
								8	128	137	-21	4	38	3	32
								9	9	5	0	5	286	269	45
								10	72	70	4	6	535	535	0
												7	390	384	15
								-6	8	1		8	317	315	5
								1	275	267	20	9	286	291	-12

## Tetra(pentafluorophenyl)octachloroporphinato Cu(II)

Page 3

10	189	179	25	11	127	118	18	8	137	129	23	3	215	212	8
11	334	335	-2					9	416	383	69	4	302	303	-5
12	229	219	25		-5	8	1	10	140	121	48	5	155	167	-36
13	332	334	-3					11	114	91	50	6	330	299	75
				1	30	49	-26	12	418	386	64	7	218	216	6
	-5	3	1	2	103	111	-22	13	44	20	21	8	218	219	-1
				3	423	421	4	14	39	52	-15	9	195	192	5
1	331	318	35	4	59	19	46					10	29	60	-41
2	59	40	41	5	88	57	56	-4	2	1		11	177	164	33
3	239	241	-5	6	248	234	35					12	341	318	49
4	658	643	24	7	73	53	32	1	438	413	53				
5	68	69	-2	8	97	56	69	2	172	177	-17	-4	7	1	
6	66	74	-19	9	206	205	0	3	221	201	67				
7	100	92	20	10	128	120	16	4	55	44	23	1	134	130	10
8	122	126	-9					5	294	278	45	2	115	110	13
9	-26	10	-13		-5	9	1	6	622	587	58	3	19	32	-13
10	81	77	6					7	49	11	42	4	180	185	-15
11	157	174	-45	1	131	142	-28	8	602	595	12	5	399	379	43
12	64	71	-11	2	144	150	-18	9	451	427	48	6	49	22	30
13	214	210	9	3	268	261	20	10	171	194	-67	7	37	37	0
				4	310	321	-27	11	290	270	48	8	64	46	26
	-5	4	1	5	256	253	7	12	322	288	76	9	-35	2	-21
1	264	266	-6	6	459	449	21	13	160	143	39	10	22	29	-5
2	217	221	-11	7	200	185	36	14	43	40	2	11	146	143	6
3	357	325	78	8	52	62	-15					12	73	46	37
4	70	57	29	9	201	211	-25	-4	3	1					
5	269	269	0		-5	10	1					-4	8	1	
6	274	261	37	1	124	142	-49	1	107	100	25	1	208	204	9
7	488	482	13	2	113	111	4	2	844	825	24	2	637	648	-18
8	236	242	-15	3	102	99	8	3	203	190	44	3	57	56	1
9	169	170	0	4	263	255	19	4	373	346	66	4	605	609	-7
10	154	162	-20	5	64	72	-15	5	554	543	20	5	285	291	-16
11	23	37	-12	6	86	74	22	6	503	493	21	6	130	112	43
12	-31	19	-20	7	28	26	1	7	100	99	1	7	224	226	-7
				8	112	95	32	8	319	306	34	8	171	155	40
	-5	5	1	9	38	31	6	9	178	156	57	9	37	39	-2
1	407	415	-19					10	161	180	-53	10	224	222	6
2	542	542	0		-5	11	1	11	-23	12	-12	11	212	196	36
3	500	507	-14					12	128	120	18				
4	201	213	-36		1	197	208	13	64	94	14	-4	9	1	
5	-22	37	-37		2	72	82	14	95	98	-5				
6	65	43	37		3	41	35					1	72	78	-14
7	314	308	15		4	-19	37	-4	4	1		2	159	164	-15
8	226	230	-9		5	-35	12		1	58	50	3	26	39	-14
9	44	55	-15		6	130	112		2	107	93	4	63	36	40
10	13	46	-30		7	313	305	18	3	689	686	5	412	410	4
11	73	79	-11						4	276	263	6	117	98	44
12	126	126	0		-5	12	1		5	125	134	7	221	235	-36
									6	64	57	8	180	162	44
	-5	6	1		1	171	163		7	264	258	9	64	58	9
1	462	456	14		2	119	125	-15	8	132	119	10	243	222	48
2	31	31	0		3	138	123	34	9	107	98	11	166	166	-1
3	273	271	3		4	105	113	-17	10	167	169				
4	422	413	20		5	254	236	40	11	161	151	-4	10	1	
5	66	37	46		6	26	30	-2	12	44	35	9			
6	137	149	-34						13	36	47	-11	1	-36	6
7	251	241	25		-5	13	1						2	433	442
8	80	90	-22						-4	5	1		3	124	139
9	-23	6	-9		1	171	179	-21					4	170	167
10	38	42	-4		2	287	276	24	1	166	152	48	5	445	449
11	120	102	37		3	193	171	49	2	809	782	36	6	279	282
12	53	43	12		4	129	112	35	3	243	220	69	7	336	339
									4	51	32	33	8	41	3
	-5	7	1		-5	14	1		5	29	48	-30	9	202	193
1	198	205	-21		1	58	80	-35	6	74	82	-18	10	-5	8
2	146	154	-25						7	158	141	49			
3	55	59	-8		-4	1	1		8	393	378	33	-4	11	1
4	384	384	-1						9	174	176	-6			
5	56	31	33						10	119	120	0	1	-24	4
6	388	332	13		1	379	357	56	11	17	22	-3	2	15	19
7	205	203	7		2	316	314	4	12	190	171	45	3	128	138
8	292	277	34		3	155	164	-35	13	56	47	11	4	227	231
9	52	64	-18		4	833	779	71					5	148	148
10	45	18	23		5	291	268	67	-4	6	1		6	33	39
					6	689	696	-10					7	88	97
					7	225	226	-1	1	39	32	10	8	197	182
									2	372	353	46	9	253	256

Tetra(pentafluorophenyl)octachloroporphinato Cu(II)

Page 4

-4	12	1	14	402	399	6	9	260	266	-15	-3	15	1		
1	-33	32	-37	1	543	549	-12	10	55	52	5	1	190	194	-10
2	-34	32	-37	2	485	482	6	11	37	35	1	2	67	80	-22
3	149	142	17	3	165	160	16	12	245	234	26	3	188	184	8
4	128	131	-7	4	298	311	-40	-3	9	1		-2	1	1	
5	121	126	-12	5	80	107	-96	1	223	216	20	1	358	342	48
6	102	105	-6	6	507	469	73	2	285	268	46	2	620	613	13
7	106	86	37	7	222	236	-46	3	224	224	0	3	218	216	4
-4	13	1	8	-25	20	-21	5	314	305	23	4	162	156	25	
1	149	146	5	9	-30	19	-23	6	347	366	-47	5	246	269	-84
2	150	149	2	10	24	27	-1	7	19	17	1	6	349	361	-34
3	289	290	-2	11	119	127	-21	8	104	89	33	7	962	932	35
4	149	150	-4	12	160	175	-40	9	17	5	4	8	92	60	78
5	105	119	-30	13	81	69	21	10	58	47	15	9	169	184	-48
6	125	131	-12	14	119	111	16	11	111	94	34	10	252	245	17
-3	5	1	12	209	199	23						11	64	64	0
-4	14	1	-3	10	1							12	465	455	21
1	-32	5	-16	1	36	42	-12	1	46	78	-66	13	119	114	11
2	157	146	25	2	68	71	-10	2	358	354	7	14	110	107	8
3	201	208	-17	3	451	443	17	3	-12	0	-2	15	119	124	-11
4	34	17	11	4	467	477	-23	4	99	111	-30	-2	2	1	
-3	1	1	5	198	199	-3	4	422	404	37	1	193	192	2	
1	1984	1953	18	6	220	197	68	5	69	64	8	2	1098	1095	2
2	90	19	177	7	856	866	-12	6	99	92	17	3	292	292	-1
3	181	163	67	8	166	129	97	7	387	391	-7	4	379	359	51
4	1061	1050	12	9	242	253	-29	8	262	235	63	5	31	17	20
5	413	390	54	10	-13	39	-28	9	106	98	16	6	832	803	38
6	407	377	68	11	26	31	-4	10	26	33	-5	7	376	385	-23
7	332	293	99	12	221	200	49	11				8	90	85	4
8	540	521	38	13	20	12	3	-3	11	1		9	567	565	4
9	267	254	38	14				1	-20	40	-36	10	305	302	7
10	265	245	50	1	115	123	-27	2	465	482	-34	11	360	352	18
11	399	391	19	2	52	28	44	3	250	253	-8	12	607	610	-4
12	99	71	55	3	124	112	39	4	56	51	7	13	82	40	63
13	74	65	16	4	662	675	-22	5	283	282	2	14	519	515	6
14	223	216	16	5	64	75	-27	6	180	174	15	15	142	143	-2
15	77	80	-5	6	88	100	-31	7	118	116	4	-2	3	1	
-3	2	1	7	456	465	-19	8	235	245	-23	1	685	678	11	
1	52	55	-11	8	217	228	-33	9	172	162	23	2	198	187	43
2	95	114	-82	9	69	54	24	10	69	58	16	3	1242	1190	46
3	400	384	39	10	274	296	-58	-3	12	1		4	486	497	-22
4	71	49	59	11	127	130	-6	1	123	134	-27	5	380	343	90
5	79	94	-54	12	259	249	24	2	198	193	13	6	888	859	36
6	254	267	-40	13	134	133	2	3	58	95	-78	7	463	422	85
7	439	454	-34	-3	7	1		4	37	45	-10	8	254	248	16
8	557	565	-19	1	680	684	-7	5	227	238	-28	9	477	475	4
9	57	65	-17	2	253	244	27	6	99	114	-34	10	206	213	-20
10	131	121	27	3	201	192	29	7	234	233	0	11	450	458	-18
11	251	229	54	4	66	47	38	8	113	106	15	12	-15	15	-8
12	202	182	49	5	130	140	-33	9	27	8	8	13	-22	0	-7
13	308	300	18	6	620	631	-17	-3	13	1		14	212	214	-3
14	391	393	-2	7	278	290	-32	1	196	186	27	15	96	95	2
15	58	26	31	8	268	254	38	2	85	76	15	-2	4	1	
-3	3	1	10	235	241	-16	9	294	296	-3	1	777	781	-6	
1	74	75	-2	11	290	294	-9	3	169	162	17	2	781	758	32
2	837	823	17	12	503	484	33	4	130	134	-9	3	195	216	-83
3	47	26	40	13	154	158	-8	5	28	42	-13	4	277	277	-1
4	676	697	-35	-3	8	1		6	180	181	-2	5	671	641	47
5	244	252	-25	1	476	448	57	7				6	415	407	17
6	628	616	20	2	422	407	32	-3	14	1		7	158	141	52
7	111	131	-66	3	645	630	24	1	228	202	62	8	86	91	-13
8	53	68	-31	4	200	209	-29	2	49	29	20	9	89	100	-28
9	192	191	2	5	626	624	3	3	80	60	33	10	13	18	-2
10	129	142	-35	6	207	226	-57	4	202	183	45	11	58	78	-38
11	174	166	20	7	450	463	-28	5	-25	8	-9	12	87	98	-24
12	38	36	1	8	388	413	-57	6	140	130	20	13	-24	20	-15
13	112	115	-8									14	195	193	3
												15	108	95	24

## Tetra(pentafluorophenyl)octachloroporphinato Cu(II)

Page 5

-2	5	1			10	82	103	-47				1	680	685	-7
1					11	321	302	42				2	70	78	-65
2	224	212	42		12	28	28	0		-1	1	3	43	2	49
3	39	0	41							1	424	428	-11	4	274
4	504	524	-42		-2	10	1			2	510	480	104	5	646
5	450	-46	7							3	107	89	80	6	63
6	258	251	22		1	-22	23	-20		4	42	42	0	7	437
7	290	296	-17		2	182	182	-1		5	1450	1435	11	8	429
8	352	348	8		3	123	110	36		6	79	52	74	9	91
9	862	852	12		4	354	363	-21		7	483	470	27	10	25
10	147	154	-22		5	-36	5	-24		8	535	497	71	11	507
11	79	82	-7		6	101	83	40		9	915	885	36	12	129
12	204	189	40		7	443	422	43		10	202	160	114	13	196
13	43	42	2		8	240	262	-61		11	439	412	56	14	151
14	85	97	-27		9	29	33	-3		12	450	409	81	15	162
15	362	352	-22		10	212	216	-11		13	132	121	26		
					11	109	115	-12		14	60	43	24		
					12	151	155	-8		15	115	99	34		
										16	161	152	19		
-2	6	1												-1	6
1	515	507	16		-2	11	1							1	647
2	910	896	17											2	195
3	912	890	27		1	234	224	26						3	483
4	319	329	-29		2	46	52	-9		1	263	266	-8	4	265
5	449	432	36		3	97	101	-10		2	540	541	-1	5	295
6	80	90	-28		4	249	245	11		3	730	756	-41	6	108
7	712	688	36		5	53	66	-23		4	563	552	20	7	95
8	293	281	33		6	130	139	-24		5	521	483	75	8	86
9	47	30	22		7	55	46	14		6	830	794	47	9	154
10	144	152	-23		8	38	34	4		7	188	171	50	10	182
11	230	233	-7		9	52	67	-24		8	190	187	9	11	32
12	69	79	-18		10	109	114	-9		9	769	753	21	12	214
13	135	122	28		11	-13	42	-26		10	146	104	109	13	142
14	87	68	30							11	182	177	13	14	128
										12	398	319	103	15	189
										13	390	364	56		
										14	266	256	23		
										15	188	162	60		
										16	11	30	-10		
-2	7	1			-2	12	1							-1	7
1	808	762	61												

## Tetra(pentafluorophenyl)octachloroporphinato Cu(II)

Page 6

9	17	64	-60	6	170	183	-30	-3	991	1015	-28	3	1340	1371	-27
10	74	106	-74					-2	436	406	72	4	788	767	27
11	181	165	39	-1	16	1		-1	450	432	44	5	404	345	138
12	312	305	14					0	675	704	-51	6	443	450	-17
13	54	55	-2	1	149	140	21	1	223	241	-78	7	507	515	-17
				2	335	305	63	2	655	629	42	8	322	344	-63
				3	-32	44	-42	3	54	40	42	9	366	366	0
								4	1269	1270	0	10	438	462	-54
1	199	184	43	0	0	1		5	1537	1560	-17	11	41	24	19
2	117	139	-69					6	117	106	40	12	210	217	-20
3	128	134	-17	1	64	65	-1	7	257	251	20	13	142	138	10
4	303	285	46	2	89	89	-3	8	259	273	-45	14	361	340	46
5	188	195	-30	3	1236	1259	-21	9	154	137	53	15	46	56	-13
6	159	147	34	4	281	263	62	10	283	254	77	16	-16	20	-9
7	107	66	83	5	83	83	0	11	384	372	28				
8	531	523	15	6	891	848	53	12	342	315	63	0	5	1	
9	123	142	-51	7	114	94	68	13	364	362	4				
10	299	280	44	8	627	606	34	14	115	114	2	-16	60	72	-18
11	369	346	49	9	216	184	97	15	438	425	25	-15	46	36	10
12	126	130	-9	10	556	523	60	16	34	8	14	-14	156	153	6
				11	84	49	67					-13	127	122	11
				12	62	67	-9	0	3	1		-12	-33	47	-58
				13	73	75	-2					-11	153	169	-47
1	242	250	-24	14	185	181	10	-16	-10	46	-31	-10	-5	61	-73
2	28	1	14	15	232	209	56	-15	63	37	33	-9	260	277	-49
3	471	461	20	16	39	46	-8	-14	150	136	34	-8	397	407	-22
4	194	199	-14					-13	334	309	57	-7	833	792	52
5	320	319	3					-12	237	235	4	-6	172	150	73
6	361	366	-13	0	1	1		-11	683	667	23	-5	255	226	91
7	18	17	0	-16	100	75	44	-10	670	684	-21	-4	-39	33	-65
8	466	476	-19	-15	228	203	61	-9	248	245	12	-3	279	285	-19
9	189	183	16	-14	124	119	12	-8	73	77	-12	-2	884	916	-40
10	196	199	-6	-13	255	249	14	-7	626	632	-10	-1	794	838	-64
11	55	60	-7	-12	238	206	83	-6	433	390	97	0	134	142	-37
				-11	453	449	8	-5	583	568	28	1	587	606	-36
				-10	75	49	54	-4	1535	1617	-64	2	-14	10	-10
				-9	542	535	14	-3	140	112	115	3	119	92	95
1	29	22	5	-8	741	732	13	-2	146	179	-176	4	733	736	-4
2	-47	20	-49	-7	848	804	56	-1	886	1003	-156	5	301	221	210
3	183	207	-71	-6	975	924	57	0	1143	1168	-24	6	522	529	-13
4	104	116	-29	-5	1135	1111	24	1	79	52	93	7	-22	15	-19
5	228	216	31	-4	466	437	65	2	1626	1614	8	8	361	384	-61
6	23	67	-58	-3	331	307	74	3	814	804	17	9	598	597	1
7	56	69	-21	-2	229	196	128	4	362	338	66	10	136	169	-108
8	109	120	-24	-1	320	308	40	5	211	224	-50	11	148	174	-77
9	-41	5	-28	0	646	677	-41	6	389	383	14	12	340	329	24
10	131	127	10	1	380	370	28	7	151	153	-9	13	248	250	-5
				2	224	204	81	8	277	307	-96	14	419	392	54
				3	1293	1288	4	9	233	240	-19	15	11	17	-2
				4	359	350	23	10	391	366	56				
1	66	80	-26	5	139	133	29	11	248	231	44	0	6	1	
2	109	110	-2	6	470	448	48	12	341	340	3				
3	118	100	40	7	1072	1052	20	13	26	28	-2	-15	25	20	2
4	323	332	-23	8	379	399	-50	14	338	326	27	-14	476	464	22
5	31	36	-5	9	299	262	99	15	156	172	-41	-13	-33	23	-27
6	30	3	13	10	34	63	-56	16	-31	16	-17	-12	-21	58	-63
7	151	141	22	11	51	43	13					-11	134	148	-39
8	202	196	13	12	41	24	18	0	4	1		-10	202	215	-39
9	122	118	9	13	95	80	30					-9	259	243	45
				14	245	227	43	-16	69	82	-21	-8	148	150	-7
				15	179	157	52	-15	303	285	41	-7	674	649	39
				16	36	14	14	-14	176	178	-6	-6	335	318	44
1	224	206	44					-13	422	411	22	-5	896	922	-31
2	274	267	16	0	2	1		-12	184	194	-27	-4	56	64	-23
3	272	252	47					-11	299	298	3	-3	127	128	-4
4	292	294	-5	-16	162	153	19	-10	464	479	-30	-2	251	238	43
5	140	134	14	-15	33	12	14	-9	916	911	6	-1	115	112	10
6	402	393	17	-14	415	409	11	-8	236	228	25	0	57	42	35
7	36	51	-17	-13	38	5	22	-7	825	816	12	1	625	623	2
8	-18	9	-5	-12	192	195	-7	-6	763	740	33	2	244	233	37
				-11	36	37	-1	-5	370	350	51	3	328	350	-67
				-10	300	296	9	-4	1190	1209	-18	4	446	388	125
				-9	287	277	27	-3	166	147	76	5	512	556	-93
1	233	232	2	-8	208	201	21	-2	412	437	-67	6	355	343	-29
2	68	78	-18	-7	648	652	-7	-1	352	324	80	7	553	583	-58
3	225	224	2	-6	353	351	4	0	37	57	-65	8	505	492	26
4	54	71	-28	-5	461	459	4	1	267	263	13	9	16	42	-28
5	92	82	18	-4	56	33	61	2	986	982	4	10	95	55	78



11	365	383	-43	-10	250	252	-6	8	351	349	3	0	15	1
12	506	508	-2	-9	207	226	-54	9	84	95	-25			
13	137	113	55	-8	431	437	7	10	84	90	-13	-7	138	137
14	-29	9	-14	-7	254	246	25	11	200	200	-1	-6	92	83
15	183	170	29	-6	137	171	-115	12	60	74	-22	-1	-5	-35
	0	7	1	-5	22	12	6					-4	287	280
				-4	431	408	50	0	12	1		-3	217	203
-15	302	289	28	-2	382	379	7	-11	327	328	-2	-1	175	170
-14	314	308	12	-1	301	337	-107	-10	79	78	3	0	309	300
-13	264	257	18	0	527	506	40	-9	332	324	18	1	289	266
-12	55	74	-38	1	761	776	-23	-8	184	187	-9	2	293	268
-11	129	132	-7	2	20	4	9	-7	-54	37	-82	3	53	58
-10	458	462	-10	3	321	318	9	-6	318	292	62	4	52	32
-9	193	189	12	4	645	654	-14	-5	137	139	-6	5	160	165
-8	87	105	-52	5	166	179	-45	-4	50	44	8	6	-25	14
-7	336	323	33	6	358	367	-22	-3	324	343	-47	7	199	182
-6	115	135	-71	7	503	526	-47	-2	123	143	-56			
-5	408	421	-37	7	327	334	-4	-1	103	194	-3			
-4	496	479	34	9	113	-81	1	0	193	170	63	0	16	1
-3	72	54	49	10	26	61	-47	1	-35	4	-24	-5	24	39
-2	787	771	21	11	-33	6	-19	2	225	210	41	-4	90	75
-1	991	1012	-23	12	144	148	-10	3	358	368	-20	-3	250	221
0	100	93	27	13	41	55	-17	4	313	323	-27	-2	244	240
1	990	912	86	14	67	66	1	5	31	55	-33	-1	147	138
2	111	107	13					6	85	78	-14	0	109	123
3	86	99	-45	0	10	1		7	32	59	-38	1	-28	22
4	500	514	-29					8	225	228	-7	2	-29	5
5	150	167	-63	-13	59	52	9	9	69	75	-10	3	149	154
6	407	396	26	-12	50	63	-19	10	134	138	-9	4	-44	18
7	309	340	-88	-11	97	116	-47	11	28	22	3	5	29	68
8	245	244	4	-10	124	132	-20							
9	167	186	-58	-9	42	56	-19	0	13	1		1	-16	1
10	424	425	-2	-8	404	408	-9							
11	315	315	0	-7	65	90	-58	-10	58	58	0	0	89	106
12	121	109	29	-6	197	182	43	-9	32	30	1	1	102	108
13	315	309	14	-5	499	491	16	-8	222	233	-30	2	170	152
14	68	64	6	-4	49	45	57	-6	139	152	-35	3	28	29
15	349	329	40	-3	503	476	-57	-6	522	487	35	4	-36	11
	0	8	1	-2	874	822	64</							

Tetra(pentafluorophenyl)octachloroporphinato Cu(II)

Page 8

1 -12 1	9 269 269 0	10 229 216 37	-9 203 212 -28
0 424 443 -44	10 9 42 -28	11 355 342 30	-8 580 584 -7
1 276 299 -63	11 74 89 -32	12 64 81 -36	-7 343 331 33
2 189 184 16	12 442 449 -14	13 221 221 0	-6 791 764 37
3 531 525 11	13 -53 9 -50	14 269 262 16	-5 1048 999 52
4 234 222 32	14 -14 13 -5	15 96 88 17	-4 389 388 3
5 63 76 -26	15 53 51 2	16 -28 40 -34	-3 242 221 81
6 431 422 17	1 -7 1	1 -3 1	-2 571 515 105
7 102 101 1	0 729 718 16	0 526 493 67	-1 625 622 5
8 -39 16 -30	1 347 340 19	1 508 493 32	0 337 319 58
9 151 152 -3	2 -22 14 -20	2 538 524 28	1 713 793 -101
10 186 174 29	3 638 642 -6	3 766 786 -31	2 472 460 26
11 235 228 17	4 76 93 -56	4 451 463 -27	3 410 441 -86
12 -34 8 -17	5 262 244 53	5 1978 2092 -69	4 461 483 -53
1 -11 1	6 84 80 12	6 67 66 1	5 786 762 35
0 109 98 28	7 263 259 11	7 855 883 -37	6 193 209 -66
1 308 311 -8	8 12 46 -39	8 49 19 46	7 463 412 108
2 182 160 61	9 1200 1192 7	9 -15 14 -10	8 652 637 23
3 259 261 -5	10 62 54 14	10 275 274 4	9 191 178 41
4 195 203 -24	11 94 93 0	11 228 227 1	10 577 549 50
5 155 171 -47	12 127 140 -34	12 185 190 -14	11 386 353 74
6 89 101 -31	13 85 103 -41	13 92 76 32	12 55 43 18
7 424 406 37	14 324 316 19	14 88 75 26	13 85 56 53
8 141 130 27	15 289 281 19	15 327 312 34	14 286 264 53
9 151 151 0	1 -6 1	16 78 87 -16	15 129 106 50
10 256 211 105	0 337 331 16	1 -2 1	16 76 98 -44
11 74 70 6	1 392 387 13	1 1 1	17 59 70 -18
12 52 53 -1	2 1109 1098 10	0 452 452 1	
1 -10 1	3 1074 1065 9	1 160 155 26	1 -16 294 280 31
0 94 87 17	4 271 255 48	2 617 595 39	-15 169 171 -5
1 282 288 -15	5 604 627 -42	3 375 372 6	-14 253 230 57
2 333 308 64	6 1102 1091 11	4 439 431 18	-13 158 146 30
3 215 217 -7	7 136 115 66	5 160 152 34	-12 337 342 -12
4 268 250 48	8 94 73 52	6 59 80 -61	-11 155 162 -23
5 63 76 -29	9 880 857 27	7 75 89 -50	-10 239 209 84
6 199 205 -18	10 40 23 18	8 506 472 67	-9 247 221 75
7 215 207 21	11 390 409 -43	9 -3 9 -2	-8 32 89 9
8 126 139 -34	12 104 119 -39	10 98 78 51	-7 366 343 60
9 15 70 -72	13 -31 9 -18	11 604 584 34	-6 132 130 6
10 166 178 -31	14 180 167 30	12 116 114 3	-5 846 827 24
11 -21 31 -22	15 92 97 -10	13 365 354 24	-4 1182 1236 -54
12 118 129 -25	1 -5 1	14 100 71 57	-3 923 846 -92
13 169 162 15	0 887 879 10	15 168 147 49	-2 516 540 -94
1 -9 1	1 1786 1876 -59	16 91 101 -20	-1 502 525 -53
0 108 120 -42	2 1109 1104 5	1 -1 1	0 497 522 -57
1 331 283 119	3 146 170 -101	0 326 340 -47	1 580 712 -172
2 509 505 7	4 124 124 1	1 413 425 -31	2 245 245 2
3 -33 43 -73	5 71 127 -247	2 907 970 -75	3 458 493 -87
4 380 369 26	6 220 212 -27	3 562 554 16	4 650 664 -25
5 290 269 56	7 12 63 -97	4 285 297 -42	5 490 498 -18
6 154 162 -24	8 688 643 68	5 494 516 -48	6 649 614 58
7 191 171 56	9 142 169 -93	6 311 277 99	7 303 307 -12
8 66 89 -54	10 62 75 -29	7 987 935 57	8 347 338 24
9 433 446 -28	11 445 455 -20	8 331 313 48	9 50 42 15
10 225 236 -30	12 255 275 -55	9 359 347 30	10 432 432 0
11 67 85 -37	13 89 110 -50	10 746 723 33	11 339 336 9
12 195 192 6	14 349 354 -11	11 296 277 49	12 375 373 4
13 -32 32 -32	15 85 94 -19	12 115 110 12	13 562 558 8
14 -26 26 -19	16 -33 24 -23	13 283 262 54	14 98 85 27
1 -8 1	1 -4 1	14 87 79 15	15 521 523 -4
0 -14 18 -14	0 103 113 -46	15 113 108 11	16 83 73 17
1 828 836 -9	1 82 94 -53	16 126 134 -18	17 179 168 24
2 659 674 -25	2 870 866 5	17 146 128 37	1 -16 301 284 38
3 149 171 -83	3 107 131 -113	1 0 1	-15 95 107 -27
4 126 116 31	4 35 19 25	-16 193 195 -6	-14 166 149 43
5 492 469 48	5 70 15 107	-15 65 63 2	-13 343 312 70
6 798 779 25	6 998 996 1	-14 333 308 54	-12 339 338 4
7 154 155 3	7 428 447 -44	-13 113 92 46	-11 85 40 78
8 66 85 -46	8 652 647 8	-12 562 524 65	-10 335 308 68
	9 387 374 30	-11 364 338 62	-9 49 42 11
		-10 441 400 86	-8 737 710 38
			-7 360 333 69
			-6 35 32 4

Tetra(pentafluorophenyl)octachloroporphinato Cu(II)

Page 9

-5	1000	939	66	1	301	337	-124	9	438	454	-35	-13	205	203	5
-4	1731	1737	-3	2	526	523	6	10	317	322	-14	-12	-50	22	-51
-3	894	835	72	3	1189	1278	-90	11	38	60	-35	-11	129	146	-46
-2	229	264	-157	4	866	858	10	12	130	128	5	-10	-36	8	-23
-1	348	294	153	5	295	290	14	13	385	384	2	-9	208	237	-83
0	159	125	143	6	402	415	-33	14	72	84	-23	-8	269	286	-49
1	262	297	-143	7	384	384	-1	15	34	48	-15	-7	253	259	-16
2	86	88	68	8	579	560	35					-6	60	85	-59
3	291	260	100	9	974	959	17					-5	218	225	-20
4	1425	1493	-57	10	235	230	14	1	7	1		-4	616	652	-63
5	644	637	11	11	242	231	31	-15	80	51	42	-3	232	229	10
6	968	931	42	12	226	185	105	-14	76	63	20	-2	132	123	28
7	381	369	30	13	388	394	-13	-13	179	179	0	-1	253	267	-45
8	548	547	1	14	295	291	9	-12	51	71	-34	0	531	540	-19
9	136	124	36	15	253	246	15	-11	-19	33	-24	1	165	156	28
10	485	494	-18	16	213	201	27	-10	66	40	40	2	481	479	3
11	72	69	6					-9	666	637	45	3	337	339	-4
12	9	23	-8		1	5	1	-8	293	307	-38	4	66	60	13
13	629	607	34					-7	179	160	58	5	213	185	79
14	96	96	0	-15	72	87	-27	-6	21	3	9	6	191	182	28
15	78	64	24	-14	113	116	-6	-5	-40	17	-53	7	613	574	65
16	373	359	30	-13	51	79	-52	-4	628	637	-16	8	459	425	29
				-12	296	298	-4	-3	432	415	38	9	84	121	-101
				-11	-38	21	-28	-2	315	313	6	10	-40	25	-39
				-10	220	215	14	-1	883	905	-29	11	165	184	-54
-16	173	166	17	-9	176	183	-22	0	313	327	-40	12	62	50	17
-15	268	258	22	-8	72	63	21	1	18	37	-29	13	132	132	0
-14	550	527	40	-7	270	255	43	2	685	708	-37	14	67	77	-17
-13	239	201	91	-6	440	474	-81	3	987	988	-1				
-12	349	355	-15	-5	910	869	49	4	83	100	-59		1	10	1
-11	237	251	-42	-4	335	340	-16	5	666	604	96				
-10	185	174	33	-3	292	289	11	6	807	782	34	-13	175	172	6
-9	716	716	0	-2	610	637	-48	7	444	395	103	-12	85	85	-1
-8	471	466	12	-1	687	705	-30	8	635	656	-25	-11	233	231	4
-7	17	26	-10	0	813	841	-38	9	292	316	-70	-10	-29	53	-61
-6	820	739	105	1	807	821	-20	10	592	610	-30	-9	-47	33	-59
-5	250	269	-68	2	446	440	14	11	187	188	-3	-8	112	116	-9
-4	565	572	-14	3	1107	1103	3	12	263	250	31	-7	207	217	-29
-3	1845	1892	-30	4	128	134	-23	13	61	32	35	-6	477	467	19
-2	431	475	-117	5	7	11	-2	14	32	26	4	-5	346	338	20
-1	78	108	-152	6	901	931	-37	15	33	8	14	-4	217	220	-8
0	994	1092	-116	7	-41	11	-52					-3	242	234	22
1	393	341	133	8	210	219	-29		1	8	1	-2	412	418	-13
2	640	641	-2	9	24	9	10					-1	793	764	39
3	516	500	33	10	160	155	13	-14	149	135	31	0	23	8	10
4	782	799	-25	11	50	53	-4	-13	31	39	-7	1	259	237	63
5	13	24	-12	12	155	128	67	-12	107	117	-24	2	427	401	57
6	757	716	59	13	100	105	-11	-11	89	100	-26	3	223	210	37
7	868	828	51	14	140	123	41	-10	252	246	16	4	387	369	41
8	51	64	-36	15	190	192	-5	-9	148	142	15	5	64	68	-10
9	250	268	-54	16	63	70	-10	-8	208	217	-27	6	76	83	-15
10	810	812	-2					-7	215	227	-38	7	151	129	59
11	140	143	-7		1	6	1	-6	755	783	-41	8	253	237	42
12	488	518	-62					-5	447	453	-13	9	48	43	6
13	265	256	24	-15	233	245	-30	-4	803	814	-15	10	89	94	-10
14	173	171	4	-14	281	288	-16	-3	282	306	-74	11	189	202	-34
15	145	138	17	-13	180	169	28	-2	406	421	-37	12	436	423	26
16	261	245	36	-12	105	117	-29	-1	312	320	-24	13	-24	27	-19
				-11	382	394	-28	0	653	670	-27				
				-10	140	141	-3	1	64	75	-32		1	11	1
-16	180	178	3	-9	611	604	12	2	326	342	-46				
-15	95	76	33	-8	429	440	-24	3	-32	24	-46	-12	299	290	19
-14	298	287	25	-7	92	75	45	4	34	44	-19	-11	276	261	35
-13	77	87	-21	-6	454	455	-2	5	653	608	71	-10	220	187	78
-12	146	142	10	-5	804	822	-24	6	236	215	63	-9	-44	26	-47
-11	248	225	60	-4	126	108	62	7	220	267	-156	-8	291	294	-6
-10	43	38	6	-3	893	886	9	8	185	184	3	-7	476	465	23
-9	112	102	29	-2	314	315	-4	9	20	3	7	-6	480	480	0
-8	186	195	-30	-1	466	471	-11	10	54	63	-16	-5	163	175	-37
-7	974	989	-17	0	1208	1219	-10	11	293	307	-34	-4	-22	61	-79
-6	74	33	93	1	667	650	27	12	114	115	-2	-3	50	78	-9
-5	360	401	-119	2	65	54	29	13	102	100	3	-2	227	248	-33
-4	149	137	44	3	52	27	50	14	119	132	-29	-1	662	652	16
-3	266	279	-45	4	324	320	11	15	130	117	28	0	-34	21	-35
-2	202	220	-75	5	718	729	-15					1	248	229	51
-1	118	96	95	6	1053	1043	9		1	9	1	2	28	54	-40
0	258	226	44	7	400	385	34					3	251	265	-41
				8	84	98	-41	-14	199	200	-1	4	-32	15	-25

Page 10

5	166	161	13	5	369	378	-20	0	-38	4	-27	2	-8	1
6	280	285	-14	6	413	380	66	1	98	94	10			
7	-9	15	9	7	358	319	40	2	36	0	20	0	540	552
8	142	149	-19	8	57	80	-41	3	93	112	-47	1	95	115
9	334	354	-50	9	215	208	16	4	231	218	33	2	272	290
10	117	116	2					5	157	161	-10	3	245	212
11	15	25	-5	1	15	1		6	189	170	45	4	883	886
12	55	66	-17					7	400	376	48	5	409	425
13	273	271	4	-7	98	101	-7	8	222	222	-2	6	543	530
				-6	72	73	-2	9	78	85	-12	7	273	294
	1	12	1	-5	72	99	-55	10	61	61	0	8	220	232
				-4	-22	4	-8					9	327	337
-11	345	331	29	-3	122	133	-28		2	-12	1	10	290	302
-10	315	311	9	-2	89	91	-5		41	43	-2	11	-27	59
-9	172	181	-24	-1	168	149	46	0	41	43	-2	12	104	129
-8	345	344	-2	0	210	193	41	1	335	315	46	13	126	111
-7	42	66	-39	1	96	95	3	2	359	345	31	14	-10	14
-6	183	175	13	2	55	31	28	3	-2	0	8	15	-34	10
-5	23	1	8	3	397	369	57	4	22	20	7			-18
-4	249	237	32	4	325	310	34	5	49	46	3		2	-7
-3	85	102	-42	5	59	67	-12	6	230	229	1			
-2	311	300	28	6	164	159	12	7	57	66	-14	0	115	111
-1	155	160	-14	7	222	215	16	8	295	300	-12	1	33	33
0	165	152	37	8	57	51	8	9	169	141	64	2	201	193
1	50	49	1					10	421	423	-3	3	142	166
2	187	194	-22		1	16	1	11	421	413	17	4	628	630
3	354	352	4									5	66	87
4	438	408	61	-5	210	213	-7		2	-11	1	6	570	588
5	232	243	-30	-4	57	64	-9					7	358	369
6	116	114	4	-3	110	106	9	0	156	156	0	8	355	359
7	182	186	-10	-2	519	485	58	1	102	93	24	9	399	420
8	-29	37	-38	-1	79	94	-29	2	427	442	-33	10	377	386
9	58	65	13	0	147	160	-34	3	31	21	9	11	59	70
10	74	89	-30	1	84	84	-1	4	48	54	-10	12	148	170
11	162	168	-14	2	120	125	-10	5	272	266	15	13	151	146
12	120	119	3	3	-15	14	-12	6	405	407	-3	14	244	231
				4	101	118	-36	7	113	113	-48	15	185	170
				5	-38	30	-34	8	375	366	-24			35
								9	117	110	16		2	-6
10	53	51	2		1	17								

	2	-4	1		15	523	507	28	15	215	193	51	-9	743	725	25
					16	36	16	14	-14	88	73	26	-8	502	511	-18
0	551	564	-27		17	36	49	-14	-13	39	40	-1	-7	189	191	-7
1	402	373	-70						-12	447	430	35	-6	472	490	-39
2	1164	1166	-2		2	0	1		-11	57	42	23	-5	319	340	-64
3	605	566	68						-10	331	330	2	-4	786	762	33
4	883	852	40	-15	195	191	9	-9	-9	49	61	-24	-3	559	578	-38
5	167	161	22	-14	39	53	-18	-8	292	288	11	-2	-2	1161	1175	-14
6	738	694	64	-13	126	121	13	-7	639	626	21	-1	342	372	-92	
7	418	449	-75	-12	74	79	-11	-6	595	568	47	0	91	98	-29	
8	58	60	-5	-11	210	219	-24	-5	674	694	-33	1	1545	1560	-11	
9	309	339	-86	-10	609	610	0	-4	1324	1355	-27	2	389	391	-6	
10	381	386	-12	-9	807	812	-6	-3	53	82	-118	3	57	53	14	
11	164	161	8	-8	187	199	-39	-2	778	744	49	4	1192	1200	-7	
12	289	305	-41	-7	386	378	20	-1	76	99	-112	5	344	361	-48	
13	378	381	-5	-6	1009	979	33	0	759	726	48	6	156	170	-56	
14	-34	38	-21	-5	229	228	4	1	4	11	7	11	7	182	193	-3
15	525	528	-4	-4	437	430	15	2	226	209	69	8	727	753	-38	
16	90	90	0	-3	184	187	-13	3	84	49	122	9	81	43	80	
				-2	667	623	71	4	931	953	-27	10	143	126	49	
	2	-3	1		-1	283	249	114	5	813	842	-40	11	275	252	61
				0	2380	2198	85	6	429	447	-43	12	116	106	26	
0	40	25	32	1	679	714	-59	7	352	356	-11	13	164	162	4	
1	438	427	26	2	1060	1110	-54	8	775	804	-43	14	355	347	17	
2	1054	1053	1	3	351	359	-22	9	78	77	4	15	298	292	15	
3	1154	1200	-47	4	920	950	-37	10	469	452	34	16	49	48	1	
4	1461	1463	-1	5	901	886	19	11	936	908	33					
5	475	427	102	6	1288	1284	3	12	91	86	12		2	5	1	
6	555	475	144	7	348	367	-51	13	114	130	-43					
7	614	666	-95	8	796	824	-39	14	114	110	9	-15	-14	31	-16	
8	227	218	28	9	341	331	27	15	47	12	29	-14	111	90	42	
9	280	264	47	10	27	27	0	16	91	27	83	-13	82	90	-16	
10	325	335	-27	11	301	296	12	17	87	65	35	-12	174	176	-5	
11	208	192	47	12	66	75	-18					-11	239	245	-17	
12	302	312	-26	13	43	40	4	2	3	1		-10	280	265	37</	

Tetra(pentafluorophenyl)octachloroporphinato Cu(II)

Page 12

-1	286	275	35	10	-32	36	-42	-5	173	186	-36	-5	193	210	-47
0	22	58	-78	11	-12	29	-16	-4	-19	48	-50	-4	132	114	42
1	1136	1143	-6	12	289	299	-26	-3	161	151	26	-3	415	402	26
2	86	40	110	13	244	244	-1	-2	331	336	-13	-2	84	90	-13
3	393	433	-107	14	84	95	-23	-1	193	178	45	-1	70	48	34
4	1241	1163	67	15	84	95	-22	0	458	473	-38	0	337	328	24
5	542	568	-51					1	203	202	3	1	84	67	-4
6	665	681	-27					2	73	40	58	2	195	176	48
7	63	88	-75					3	309	300	24	3	-44	36	-58
8	59	72	-33	-13	-13	0	-2	4	-17	5	-6	4	66	85	-39
9	136	131	15	-12	38	44	-6	5	-42	35	-60	5	339	330	20
10	351	322	69	-11	54	70	-26	6	-12	0	-2	6	66	55	15
11	212	222	-27	-10	244	252	-23	7	282	272	26	7	237	223	33
12	255	241	36	-9	164	171	-19	8	11	37	-20	8	202	183	44
13	223	200	58	-8	17	41	-23	9	87	85	4	9	78	87	-16
14	254	254	0	-7	-26	11	-15	10	80	99	-42	10	62	55	9
15	93	91	3	-6	268	252	41	11	224	201	53				
16	108	125	-39	-5	339	353	-37	12	522	498	41				
				-4	30	16	14	13	264	242	49				
				-3	335	328	20					-7	72	81	-15
				-2	508	484	48					-6	249	227	51
				-1	424	431	-16					-5	121	122	-1
-14	-13	9	-3									-4	373	361	24
-13	401	381	40	0	354	314	99	-11	29	61	-38	-3	52	66	-21
-12	29	34	-5	1	303	306	-14	-10	144	164	-51	-2	192	169	8
-11	13	38	-20	2	193	212	-65	-9	248	226	52	-1	419	415	9
-10	586	580	9	3	585	592	-12	-8	66	83	-34	0	152	136	37
-9	50	37	18	4	41	50	-16	-7	90	91	-2	1	91	93	-3
-8	353	337	38	5	193	193	0	-6	176	159	43	2	573	537	60
-7	346	336	26	6	78	112	-103	-5	-11	47	-39	3	127	107	43
-6	908	901	8	7	974	950	27	-4	286	272	35	4	196	197	-2
-5	134	146	-42	8	269	275	-18	-3	298	322	-65	5	330	331	-4
-4	247	258	-33	9	243	214	75	-2	172	160	31	6	80	99	-38
-3	487	497	-21	10	124	130	-16	-1	-13	33	-23	7	104	97	14
-2	524	512	24	11	76	61	26	0	181	203	-68	8	204	193	25
-1	676	704	-47	12	300	299	2	1	7	33	-18				
0	379	364	39	13	125	131	-15	2	127	94	81				
1	446	423	53	14	140	143	-8	3	218	239	-62				
2	638	647	-24					4	119	97	52				
3	310	347	-116					5	-48	14	-48				
4	733	797	-99					6	70	58	20	-5	128	143	-34
5	401	367	79	-13	-21	29	-18	7	51	71	-35	-4	127	112	32
6	318	333	-42	-12	185	200	-38	8	219	202	37	-3	115	108	15
7	603	547	93	-11	104	102	5	9	364	366	-4	-2	403	375	56
8	144	147	-10	-10	192	199	-19	10	113	132	-46	-1	257	257	0
9	449	431	39	-9	-67	3	-94	11	-50	32	-58	0	61	66	-8
10	-32	3	-20	-8	247	255	-23	12	187	188	-3	1	-32	58	-66
11	291	300	-24	-7	302	306	-11					2	-34	4	-18
12	94	89	10	-6	363	385	-54					3	-4	43	-26
13	171	158	33	-5	243	246	-7					4	64	82	-30
14	318	332	-32	-4	167	169	-6					5	188	191	-7
15	26	67	-51	-3	551	532	35	-10	208	201	17	6	86	96	-19
				-2	493	493	0	-9	139	144	-13				
				-1	262	267	-17	-8	144	147	-6				
				0	56	80	-62	-7	-29	2	-14				
-14	78	93	-28					-6	317	281	80	-2	198	158	86
-13	114	116	-4	1	293	271	57	-5	181	189	-21	-1	121	116	11
-12	7	26	-9	2	30	85	-132	-4	137	142	-13	0	7	2	0
-11	383	380	5	3	64	60	8	3	325	325	0	1	191	201	-23
-10	197	207	-27	4	828	808	27	-2	292	278	35	2	-42	18	-31
-9	661	663	-2	5	117	118	-1	-1	475	461	26				
-8	381	380	2	6	324	331	-17	0	244	258	-36				
-7	140	143	-9	7	490	484	11	1	50	57	-12	3	-15	1	
-6	526	508	34	8	138	153	-42	2	270	277	-19	0	-13	13	-5
-5	303	291	33	9	455	440	31	3	447	460	-27	1	-43	20	-35
-4	482	467	30	10	72	74	-3	4	33	28	4	2	220	214	13
-3	424	432	-19	11	-41	25	-41	5	493	494	-3	3	-40	27	-35
-2	280	300	-64	12	191	171	47	6	-44	49	-77	4	92	82	17
-1	373	346	68	13	60	85	-46	7	135	148	-32	5	180	184	-9
0	158	168	-38	14	-42	5	-26	8	-21	41	-34	6	125	106	37
1	713	707	9					9	-50	6	-43				
2	43	52	-20					10	-41	6	-26				
3	58	59	-2					11	62	65	-3				
4	519	548	-59	-12	27	37	-8					0	44	53	-11
5	239	207	93	-10	61	84	-42					1	168	162	14
6	499	511	-25	-9	126	129	-6					2	420	417	4
7	199	162	106	-8	142	130	28	-9	-31	32	-29	3	158	159	0
8	298	299	-3	-7	106	104	3	-8	-49	3	-37	4	207	205	6
9	296	334	-107	-6	93	111	-42	-7	56	68	-19	5	294	270	54
					386	386	0	-6	341	333	18	6	-48	10	-38

## Tetra(pentafluorophenyl)octachloroporphinato Cu(II)

Page 13

7	73	86	-24	11	-33	22	-27	13	-37	6	-25	9	216	214	7	
8	8	51	-34	12	-29	28	-26	14	250	257	-20	10	701	688	27	
				13	52	82	-52	15	192	181	27	11	96	106	-27	
	3	-13	1	14	151	158	-15	16	32	38	-4	12	22	39	-19	
												13	-41	9	-32	
0	147	150	-7		3	-8	1		3	-4	1	14	-31	17	-21	
1	257	263	-15									15	359	336	50	
2	236	232	10	0	331	348	-46	0	202	194	32	16	34	16	12	
3	32	28	3	1	44	32	20	1	478	498	-45	17	74	77	-4	
4	144	133	29	2	360	354	15	2	344	358	-41					
5	293	280	30	3	190	197	-25	3	386	380	13		3	0	1	
6	-35	12	-23	4	427	436	-20	4	26	58	-77					
7	193	183	23	5	339	352	-34	5	110	111	-2	-15	131	116	33	
8	107	108	-1	6	397	382	34	6	257	261	-12	-14	155	150	11	
9	157	161	-10	7	239	214	68	7	835	805	38	-13	-19	25	-15	
10	163	165	-4	8	282	286	-11	8	203	179	73	-12	-34	13	-24	
				9	152	144	22	9	610	636	-46	-11	199	180	50	
	3	-12	1	10	220	208	34	10	239	228	29	-10	42	55	-21	
				11	-32	40	-46	11	254	259	-12	-9	50	3	44	
0	157	160	-8	12	193	197	-12	12	15	52	-41	-8	287	305	-55	
1	370	364	14	13	-18	71	-84	13	409	419	-20	-7	293	291	5	
2	190	202	-33	14	139	152	-30	14	242	247	-14	-6	311	288	62	
3	302	287	38	15	103	123	-42	15	256	262	-14	-5	393	367	64	
4	45	28	18					16	140	154	-33	-4	344	354	-30	
5	199	206	-18		3	-7	1					-3	291	308	-57	
6	432	409	46						3	-3	1	-2	441	445	-9	
7	441	432	18	0	475	480	-11					-1	2749	2602	60	
8	52	40	15	1	533	514	36	0	-7	1	-2	0	635	640	-9	
9	111	105	14	2	94	106	-39	1	245	225	70	1	1814	1762	33	
10	240	246	-14	3	463	458	15	2	136	127	37	2	1588	1554	24	
11	168	150	38	4	147	157	-34	3	411	367	105	3	77	82	-20	
				5	496	504	-16	4	361	357	11	4	522	480	85	
	3	-11	1	6	150	156	-18	5	117	128	-44	5	316	291	73	
				7	487	471	32	6	644	628	27	6	383	359	62	
0	90	102	-31	8	107	102	12	7	50	49	2	7	499	474	52	
1	205	184	56	9	227	238	-30	8	233	232	2	8	662	664	-2	
2	24	23	0	10	64	33	44	9	125	145	-68	9	271	264	21	
3	594	575	32	11	89	105	-38	10	820	778	55	10	87	70	44	
4	185	172	34	12	70	79	-18	11	264	286	-62	11	25	32	-7	
5	360	362	-5	13	212	219	-16	12	76	90	-33	12	161	175	-44	
6	66	74	-15	14	266	252	33	13	424	427	-7	13	178	166	33	
7	322	304	41	15	401	408	-14	14	38	34	4	14	81	80	1	
8	16	28	-7					15	171	170	2	15	50	45	6	
9	144	148	-9		3	-6	1	16	34	69	-49	16	131	133	-5	
10	411	395	32					17	-36	28	-30	17	55	59	-5	
11	87	75	22	0	371	374	-6									
12	32	13	11	1	727	729	-2		3	-2	1		3	1	1	
				2	804	807	-4									
	3	-10	1	3	437	404	74	0	537	528	17	-15	52	66	-20	
0	283	282	3	4	109	104	16	1	148	133	63	-14	246	236	24	
1	338	314	60	5	-28	12	-26	2	152	142	45	-13	165	164	1	
2	269	264	14	6	261	229	92	3	415	390	62	-12	-29	17	-18	
3	86	92	-16	7	219	204	46	4	1932	1881	30	-11	126	124	7	
4	179	183	-11	8	718	682	52	5	699	692	10	-10	-1	1	0	
5	246	232	38	9	396	413	-40	6	553	538	28	-9	53	63	-21	
6	79	99	-49	10	232	238	-17	7	702	680	34	-8	328	340	-32	
7	68	97	-67	11	318	315	6	8	210	214	-12	-7	667	648	31	
8	-13	34	-21	12	-44	9	-36	9	104	99	13	-6	473	437	75	
9	-47	42	-73	13	103	121	-43	10	268	264	10	-5	215	199	57	
10	136	140	-9	14	370	354	33	11	249	220	79	-4	688	693	-8	
11	326	316	22	15	61	19	42	12	28	51	-31	-3	28	51	-57	
12	85	107	-49	16	142	151	-20	13	332	344	-28	-2	645	612	54	
13	134	137	-6					14	319	299	46	-1	675	638	61	
					3	-5	1	15	250	230	49	0	2085	2070	8	
	3	-9	1					16	5	8	0	1	1936	1903	28	
0	913	943	-37		0	86	97	-43				2	952	907	53	
1	113	109	13		1	446	428	41				3	1031	1091	-68	
2	188	201	-41		2	410	427	-40		3	-1	4	22	9	14	
3	967	939	31		3	243	228	47				5	1218	1218	0	
4	150	165	-50		4	457	425	70	0	2305	2283	6	1303	1267	31	
5	112	112	1		5	213	208	14	1	2100	2061	7	648	653	-9	
6	52	54	-4		6	567	556	20	2	211	219	-34	8	168	155	46
7	298	290	22		7	68	90	-67	3	1109	1094	16	9	101	77	68
8	32	51	-25		8	536	499	69	4	481	475	13	10	294	293	4
9	51	82	-61		9	86	60	57	5	1114	1067	48	11	284	275	23
10	226	240	-37		10	530	517	24	6	407	381	61	12	89	103	-35
					11	289	289	-2	7	720	662	86	13	574	610	-65
					12	-50	20	-54	8	355	350	11	14	159	149	27

Tetra(pentafluorophenyl)octachloroporphinato Cu(II)

Page 14

15	369	365	7	-15	9	13	-1	-6	136	118	56	5	374	377	-6
16	149	146	6	-14	166	157	20	-5	540	529	20	6	453	469	-35
17	79	95	-30	-13	103	85	36	-4	194	170	78	7	216	242	-84
				-12	77	57	34	-3	562	567	-9	8	-40	38	-66
	3	2	1	-11	471	460	21	-2	111	98	48	9	184	219	-112
				-10	169	146	61	-1	405	444	-101	10	81	88	-16
-15	30	31	-1	-9	251	234	47	0	425	408	40	11	544	538	11
-14	119	125	-15	-8	441	420	45	1	788	800	-17	12	-38	32	-44
-13	21	5	6	-7	655	605	49	2	217	188	97	13	-46	8	-37
-12	68	61	12	-6	365	368	-7	3	525	479	88	14	215	219	-11
-11	58	49	13	-5	381	397	-41	4	253	238	47	15	84	96	-23
-10	130	144	-40	-4	243	255	-41	5	55	97	-147				
-9	341	317	58	-3	635	648	-21	6	369	395	-71				
-8	485	471	29	-2	294	290	12	7	253	243	28				
-7	337	309	71	-1	1030	1058	-32	8	188	202	-46	-13	154	166	-28
-6	344	353	-24	0	467	486	-45	9	188	180	22	-12	218	233	-38
-5	833	840	-9	1	849	852	-4	10	159	171	-35	-11	48	51	-4
-4	458	435	50	2	1131	1092	39	11	299	318	-49	-10	50	43	9
-3	348	353	-16	3	1417	1458	-33	12	284	293	-25	-9	151	147	11
-2	202	206	-15	4	1305	1317	-10	13	-38	18	-32	-8	212	229	-46
-1	284	306	-76	5	605	573	55	14	548	531	29	-7	180	188	-24
0	1858	1855	1	6	94	111	-66	15	35	45	-12	-6	208	222	-41
1	42	6	58	7	-21	5	-13	16	47	57	-13	-5	358	335	54
2	531	551	-42	8	184	179	16					-4	97	105	-23
3	422	415	15	9	1038	1083	-49					-3	103	91	34
4	993	974	22	10	249	255	-18	3	7	1		-2	352	337	40
5	344	341	9	11	171	193	-73	-14	-44	0	-28	-1	59	87	-83
6	364	355	25	12	77	99	-53	-13	236	227	21	0	146	94	145
7	461	451	21	13	78	85	-16	-12	37	45	-9	1	483	491	-16
8	257	261	-12	14	311	297	33	-11	198	201	-9	2	554	589	-69
9	115	100	47	15	454	455	-2	-10	158	150	16	3	86	77	24
10	364	357	16	16	6	9	-1	-9	198	171	70	4	516	526	-20
11	260	268	-24	17	65	75	-16	-8	344	339	11	5	246	236	27
12	177	211	-110					-7	495	510	-30	6	118	138	-62
13	45	40	6					-6	11	22	-7	7	682	696	-23
14	122	126	-9	3	5	1		-5	-15	1	-5	8	502	536	-68
15	44	28	16	-14	123	122	2	-4	525	525	0	9	-44	21	-47
16	336	330	13	-13	147	132	34	-3	685	678	11	10	105	128	-62
17	54	27	26	-12	134	120	33	-2	101	93	26	11	202	187	38
				-11	237	249	-32	-1	349	378	-83	12	68	75	-12
	3	3	1	-10	318	315	7	0	180	158	81	13	359	346	28
				-9	80	48	59	1	181	200	-76	14	260	262	-5
-15	-3	15	-3	-8	391	389	3	2	290	280	31	15	18	51	-30
-14	388	377	24	-7	355	345	24	3	-32	30	-60				
-13	51	45	7	-6	688	681	10	4	146	133	-67				
-12	94	92	4	-5	393	383	23	5	524	535	-21				
-11	431	444	-28	4	872	871	0	6	71	43	61	-12	-15	3	-3
-10	153	152	3	-3	268	289	-77	7	135	107	81	-11	117	129	-29
-9	642	615	44	-2	71	68	9	8	378	397	-46	-10	62	76	-25
-8	573	571	3	-1	99	114	-62	9	483	459	-49	-9	45	70	-43
-7	378	344	80	0	935	919	-19	10	96	117	-57	-8	19	48	-31
-6	48	47	2	1	681	688	-11	11	583	592	-15	-7	189	198	-28
-5	556	563	-15	2	568	564	7	12	125	136	-28	-6	72	79	-15
-4	103	98	20	3	248	256	-25	13	95	99	-9	-5	102	121	-54
-3	1148	1143	4	4	796	826	-43	14	428	423	8	-4	283	283	-1
-2	193	191	6	5	1169	1114	52	15	118	121	-6	-3	373	340	76
-1	232	197	121	6	431	470	-98	16	42	64	-29	-2	330	297	82
0	507	480	57	7	-4	28	-22					-1	20	54	-51
1	502	484	38	8	70	71	-1					0	363	376	-33
2	789	765	33	9	89	106	-55	3	8	1		1	520	521	-2
3	392	386	15	10	77	80	-7	-13	73	90	-31	2	55	75	-48
4	80	86	50	11	127	113	36	-12	45	39	7	3	698	710	-19
5	92	87	15	12	186	199	-38	-11	71	48	35	4	740	777	-56
6	1011	985	29	13	48	70	-39	-10	671	693	-35	5	284	299	-40
7	231	238	-25	14	-23	14	-12	-9	227	221	16	6	137	153	-49
8	368	377	-23	15	40	60	-28	-8	56	44	18	7	686	698	-18
9	346	339	19	16	-35	7	-18	-7	63	24	53	8	200	217	-50
10	11	10	0					-6	209	199	27	9	-25	31	-28
11	242	278	-111					-5	364	339	60	10	89	96	-16
12	50	77	-56					-4	542	538	7	11	108	146	-107
13	294	281	32	-14	59	73	-21	-3	553	534	35	12	-30	17	-19
14	113	103	23	-13	498	481	31	-2	570	586	-29	13	205	203	4
15	30	16	9	-12	272	273	-1	-1	721	746	-38	14	-36	18	-24
16	278	265	29	-11	-23	3	-9	0	774	804	-44				
17	187	176	23	-10	241	242	-3	1	173	167	21				
				-9	483	493	-19	2	752	733	26				
	3	4	1	-8	42	6	30	3	462	448	30	-11	76	88	-22
				-7	336	337	-2	4	374	369	11	-10	266	256	22



## Tetra(pentafluorophenyl)octachloroporphinato Cu(II)

Page 15

-9	86	67	34	-8	36	61	-32	4	36	63	-36	10	90	105	-36
-8	108	123	-39	-7	98	101	-7	5	168	155	31	11	107	105	4
-7	354	359	-10	-6	67	64	5	6	-22	15	-10	12	35	19	12
-6	-30	27	-29	-5	241	212	68	7	145	141	9	13	203	213	-25
-5	245	221	60	-4	170	163	18					14	-48	17	-39
-4	47	40	9	-3	508	488	38		4 -13	1					
-3	127	149	-68	-2	11	21	-5						4 -8	1	
-2	172	165	22	-1	49	36	16	0	75	55	33				
-1	590	568	37	0	248	249	-2	1	39	69	-47	0	208	208	7
0	455	472	-36	1	246	241	14	2	331	338	-16	1	62	41	39
1	570	555	25	2	294	290	9	3	20	6	5	2	112	101	31
2	37	36	1	3	200	180	49	4	55	66	-17	3	523	512	20
3	115	129	-42	4	-37	0	-23	5	245	245	-1	4	88	74	34
4	382	414	-78	5	77	79	-4	6	32	61	-38	5	636	625	18
5	156	158	-7	6	153	147	14	7	143	135	20	6	41	16	25
6	-25	29	-27	7	247	223	57	8	134	126	19	7	547	554	-12
7	579	581	-3	8	25	19	3	9	-21	29	-18	8	602	597	7
8	263	261	6	9	50	59	-12					9	425	421	7
9	27	57	-38	10	246	239	15		4 -12	1		10	258	254	9
10	143	147	-11					0	-41	27	-43	11	245	243	4
11	-48	18	-45		3	15	1	1	120	133	-36	12	67	81	-26
12	189	185	9					2	516	492	43	13	-24	38	-31
13	235	223	29		-7	155	144	3	39	1	23	14	46	26	18
					-5	46	72	4	59	61	-3				
					-4	-26	2	5	343	324	44		4 -7	1	
					-3	363	349	6	-17	9	-6	0	344	329	37
-11	44	70	-37	-2	139	127	27	7	288	282	14	1	90	96	-17
-10	94	93	1	-1	220	210	26	8	369	361	17	2	348	340	21
-9	264	262	4	0	517	493	43	9	90	82	15	3	382	393	-28
-8	207	203	9	1	104	108	-8	10	41	15	19	4	186	189	-8
-7	338	327	26	2	-15	7	-4	11	79	75	7	5	415	419	-6
-6	347	336	24	3	288	276	28					6	324	318	11
-5	211	206	14	4	292	278	34		4 -11	1		7	440	411	61
-4	130	144	-39	5	79	78	0	0	41	47	-7	8	449	447	5
-3	553	547	11	6	150	145	12	1	142	149	-19	9	280	262	45
-2	287	282	13	7	400	379	42	2	553	562	-15	10	360	337	53
-1	-37	22	-35	8	112	91	41	3	58	41	24	11	184	174	26
0	699	687	17	9	-35	4	-17	4	77	79	-4	12	224	221	6
1	-30	6	-18					5	67	73	-10	13	150	138	29
2	91	115	-66		3	16	1	6	37	23	12	14	119	124	-10
3	-55	1	-62		-5	-51	22	7	180	181	-5	15	79	63	24
4	169	204	-108		-4	65	61	8	284	276	19				
5	55	55	0		-3	40	25	9	83	80	5		4 -6	1	
6	-57	42	-97		-2	399	391	10	12	5	1	0	43	26	27
7	290	285	11		-1	116	114	11	30	28	1	1	1221	1229	-7
8	168	170	-6		0	74	91	12	202	200	6	2	557	566	-16
9	173	179	-17		1	-5	80					3	644	640	5
10	-23	52	-51		2	-45	40					4	240	258	-57
11	-54	23	-58		3	-38	18		4 -10	1		5	272	264	24
12	73	82	-15		4	57	62		0	-38	16	6	84	90	-16
					5	83	91		1	50	73	7	133	118	43
					6	108	98		2	172	186	8	395	374	47
					7	-33	16		3	273	253	9	397	389	19
									4	136	132	10	368	345	53
									5	217	218	11	444	453	-17
									6	195	202	12	-15	37	-25
									7	288	287	13	143	136	17
									8	86	73	14	161	147	33
									9	89	98	15	241	238	7
									10	329	308	16	167	165	3
									11	7	18				
									12	38	48		4 -5	1	
									13	94	88				
												0	166	141	83
												1	579	544	63
												2	78	98	-69
												3	285	275	28
												4	717	712	7
												5	511	521	-21
												6	221	189	98
												7	768	729	54
												8	339	347	-20
												9	578	551	46
												10	64	59	8
												11	262	264	-5
												12	184	186	-6

Tetra(pentafluorophenyl)octachloroporphinato Cu(II)														Page	16
13	152	170	-49	9	608	605	8	17	-33	14	-19	-10	285	251	38
14	145	144	2	10	187	168	62					-9	174	188	18
15	87	71	27	11	179	169	30	4	2	1		-8	707	707	0
16	62	47	20	12	192	200	-28					-7	33	40	-9
				13	141	158	-48	-14	212	204	19	-6	263	268	-15
	4	-4	1	14	1	25	-10	-13	308	285	51	-5	160	121	119
0	104	90	46	15	222	205	42	-12	307	303	11	-4	437	430	17
1	1508	1501	5	16	13	30	-10	-11	365	388	-54	-3	637	639	-2
2	325	271	142	17	-16	1	-4	-10	363	370	-17	-2	22	12	9
3	120	124	-14					-9	33	19	13	-1	687	691	-6
4	306	327	-64	4	0	1		-8	315	313	6	0	472	460	27
5	633	639	-10					-7	138	141	-11	1	541	523	35
6	1078	1090	-12	-14	67	60	11	-6	241	227	40	2	559	581	-43
7	362	356	17	-13	51	62	-16	-5	437	446	-21	3	274	283	-33
8	150	161	-38	-12	120	103	37	-4	33	25	13	4	315	303	34
9	404	368	79	-11	-15	10	-5	-3	553	580	-53	5	203	205	-7
10	83	98	-39	-10	171	157	40	-2	551	543	16	6	449	463	-32
11	32	11	16	-9	489	464	49	-1	429	440	-26	7	498	517	-42
12	147	132	40	-8	281	283	-7	0	455	431	54	8	841	826	19
13	116	108	17	-7	390	384	13	1	1416	1422	-4	9	337	352	-41
14	30	16	9	-6	492	489	4	2	174	192	-81	10	493	479	27
15	367	353	30	-5	248	243	17	3	204	218	-56	11	60	96	-89
16	174	179	-12	-4	1555	1595	-30	4	147	145	8	12	237	230	20
				-3	85	100	-56	5	519	527	-16	13	284	304	-53
	4	-3	1	-2	147	131	60	6	600	588	20	14	273	269	11
0	259	256	11	-1	305	287	54	7	178	171	27	15	43	43	0
1	154	167	-50	0	518	528	-20	8	268	269	-4	16	177	185	-19
2	255	237	60	1	419	439	-52	9	354	383	-78	17	-13	37	-21
3	564	578	-27	2	1186	1175	10	10	228	218	28				
4	956	943	15	3	498	469	61	11	583	606	-42	4	5	1	
5	303	293	28	4	44	42	5	12	196	191	16				
6	204	230	-95	5	45	63	-48	13	361	362	-2	-14	177	169	18
7	262	258	13	6	565	541	44	14	102	112	-22	-13	55	53	2
8	385	386	-7	7	11	8	1	15	-23	15	-12	-12	-29	8	-15
9	413	399	30	8	608	612	-6	16	240	263	-59	-11	226	208	44
10	125	97	73	9	195	193	7	17	115	108	15	-10	606	608	-3
11	447	444	5	10	211	223	-40					-9	236	230	17
12	297	303	-14	11	418	410	19	4	3	1		-8	509	509	21
13	181	192	-29	12	336	314	54					-7	226	227	-2
14	221	223	-5	13	-33	13	-23	-14	35	16	13	-6	356	365	-19
15	148	142	15	14	134	142	-21	-13	396	369	55	-5	335	366	-85
16	-45	8	-34	15	110	110	0	-12	-35	1	-21	-4	62	41	44
17	11	17	-2	16	84	115	-70	-11	74	88	-28	-3	355	332	61
				17	133	152	-46	-10	57	10	47	-2	195	182	43
	4	-2	1					-9	344	337	18	-1	356	357	-3
0	410	400	25	-14	82	75	11	-8	808	801	8	0	145	146	-4
1	300	293	21	-7	120	119	5	-7	120	119	5	1	110	128	-72
2	192	194	-7	-11	21	37	-21	-6	21	37	-21	2	841	853	-15
3	656	652	6	-12	279	271	19	-5	146	146	1	3	105	93	42
4	221	199	73	-12	123	121	3	-4	530	513	33	4	143	129	52
5	538	559	-43	-11	112	128	-41	-3	38	26	20	5	752	811	-90
6	482	476	13	-10	-21	8	-9	-2	404	393	26	6	155	165	-39
7	156	168	-48	-9	194	176	48	-1	465	451	31	7	421	439	-44
8	648	646	4	-8	45	65	-40	0	204	224	-81	8	228	219	27
9	521	492	56	-7	358	353	13	1	661	652	13	9	333	349	-43
10	834	837	-4	-6	409	386	53	2	254	241	45	10	88	75	32
11	21	5	8	-5	62	42	45	3	285	279	19	11	50	61	-20
12	26	42	-19	-4	229	215	44	4	727	728	-1	12	71	83	-25
13	72	67	9	-3	48	35	28	5	449	471	-52	13	208	212	-11
14	105	103	4	-2	402	392	24	6	91	108	-64	14	190	205	-42
15	231	208	55	-1	1357	1389	-27	7	951	957	-7	15	138	144	-14
16	47	42	5	0	355	343	34	8	311	323	-37	16	130	157	-65
17	-26	2	-9	1	185	181	20	9	135	143	-27				
				2	899	891	9	10	854	850	5	4	6	1	
	4	-1	1	3	489	458	66	11	20	7	6				
0	1033	1025	8	4	218	227	-35	12	391	386	10	-13	105	92	26
1	854	803	66	5	1069	1066	3	13	490	501	-22	-12	-11	9	-3
2	613	615	-2	6	340	338	7	14	252	259	-19	-11	144	155	-28
3	38	8	42	7	23	21	2	15	59	76	-31	-10	67	49	27
4	277	274	-131	8	199	207	-27	16	470	464	12	-9	247	231	42
5	313	353	-131	9	85	90	-12	17	174	164	22	-8	89	57	64
6	125	126	4	10	150	160	-32					-7	367	358	22
7	51	50	0	11	464	460	8	4	4	1		-6	179	168	34
8	404	404	0	12	344	329	36					-5	21	31	-11
				13	42	7	27	-14	134	141	-17	-4	38	53	-31
				14	331	334	-6	-13	347	337	20	-3	431	412	42
				15	286	296	-24	-12	42	44	-3	-2	491	446	90
				16	188	212	-65	-11	296	301	-14	-1	59	84	-81

## Tetra(pentafluorophenyl)octachloroporphinato Cu(II)

Page 17

0	161	157	13	12	362	367	-12	-1	-14	41	-36	0	243	235	20
1	349	360	-31	13	-45	9	-37	0	195	171	89	1	92	101	-18
2	580	577	5	14	198	198	0	1	307	284	59	2	115	87	60
3	557	378	-58	15	60	59	1	2	381	353	63	3	211	219	-20
4	31	20	14					3	461	459	4	4	98	99	-4
5	141	115	86	4	9	1		4	416	392	51	5	335	327	18
6	522	507	30					5	-22	65	-88	6	123	132	-21
7	375	425	-133	-12	155	146	20	6	-47	18	-49	7	90	72	33
8	49	25	35	-11	36	6	18	7	386	393	-16	8	239	224	34
9	749	781	-47	-10	195	189	14	8	54	71	-30	9	30	49	-20
10	573	562	20	-9	201	202	-2	9	111	121	-24	10	89	93	-7
11	153	168	-46	-8	74	61	24	10	48	59	-16				
12	257	247	27	-7	252	240	30	11	-48	26	-52				
13	164	164	0	-6	510	500	19	12	349	337	26				
14	33	13	14	-5	191	201	-29	13	23	14	4				
15	64	81	-30	-4	226	220	16					-6	86	74	19
16	69	81	-21	-3	508	516	-18					-5	191	183	19
				-2	556	547	17					-4	215	206	20
				-1	700	719	-30					-3	-18	18	-10
				0	302	276	71	-10	38	33	4	-2	213	199	33
-13	29	2	11	1	114	134	-69	-9	289	264	56	-1	225	218	19
-12	93	97	-8	2	617	579	64	-8	93	101	-17	0	202	202	0
-11	140	114	60	3	510	510	0	-7	519	510	17	1	25	51	-29
-10	88	68	38	4	94	68	63	-6	118	97	42	2	302	269	75
-9	171	141	75	5	463	460	5	-5	-35	15	-24	3	232	232	0
-8	283	281	6	6	182	189	-24	-4	185	181	11	4	103	105	-4
-7	165	179	-42	7	347	346	2	-3	193	178	41	5	269	258	26
-6	651	643	13	8	102	85	40	-2	305	289	38	6	148	152	-7
-5	575	580	-9	9	35	57	-34	-1	469	456	26	7	263	254	21
-4	448	433	31	10	18	41	-21	0	85	73	25	8	370	362	15
-3	300	292	21	11	39	82	-77	1	198	212	-42	9	121	135	-30
-2	567	554	23	12	167	177	-25	2	114	117	-8				
-1	364	378	-36	13	232	227	14	3	341	336	11				
0	763	753	14	14	154	169	-37	4	391	367	53				
1	1215	1169	42	15	25	56	-32	5	208	196	31	-4	66	85	-33
2	469	464	12					6	180	205	-75	-3	38	43	-5
3	349	358	-25					7	-50	16	-50	-2	152	137	32
4	34	31	4	4	10	1		8	-58	10	-67	-1	226	206	47
5	571	564	12	-12	206	218	-29	9	304	310	-16	0	18	10	3
6	922	875	55	-11	-6	53	-40	10	-52	3	-47	1	141	135	14
7	347	356	-23	-10	95	79	30	11	-44	11	-33	2	-52	18	-50
8	447	465	-40	-9	108	116	-24	12	222	221	1	3	-50	16	-44
9	205	234	-95	-8	78	90	-27	13	-10	43	-26	4	114	114	0
10	615	614	1	-7	292	298	-16					5	66	82	-28
11	41	65	-41	-6	406	405	2					6	-32	26	-24
12	263	257	15	-5	31	62	-49	4	13	1		7	160	149	25
13	235	234	0	-4	595	602	-12	-9	142	143	-2				
14	111	118	-14	-3	290	291	-4	-8	-25	16	-13				
15	87	77	18	-2	560	544	29	-7	391	372	40	4	17	1	
16	-39	5	-22	-1	210	228	-58	-6	251	241	25	-1	145	130	32
				0	724	685	56	-5	320	327	-16	0	-33	17	-20
				1	-15	21	-14	-4	348	364	-37	1	186	187	-2
				2	-15	45	-50	-3	142	165	-63	2	134	136	-3
				3	505	494	21	-2	71	70	1	3	193	187	14
-13	205	208	-6	4	165	181	-54	-1	362	342	44				
-12	-27	10	-12	5	48	50	-3	0	344	342	4				
-11	245	246	-1	6	135	145	-28	1	388	380	18	5	-14	1	
-10	152	150	3	7	55	49	10	2	-21	23	-17	0	80	92	-23
-9	119	97	48	8	66	55	20	3	158	145	35	1	78	73	9
-8	643	622	33	9	476	475	0	4	161	178	-50	2	221	213	17
-7	309	319	-25	10	-48	1	-41	5	412	403	19	3	65	56	13
-6	81	69	26	11	179	172	18	6	64	90	-54	4	175	171	9
-5	905	909	-4	12	283	276	18	7	-33	32	-36	5	80	88	-15
-4	66	70	-9	13	69	90	-40	8	67	86	-37				
-3	162	167	-18	14	58	55	4	9	40	50	-13				
-2	263	278	-46					10	80	90	-18				
-1	249	238	34					11	93	109	-35				
0	117	133	-59					12	37	36	1	0	84	74	18
1	196	142	159	4	11	1						1	-8	1	-1
2	537	529	16	-11	140	144	-8					2	218	230	-29
3	139	163	-91	-10	195	189	16	4	14	1		3	164	178	-35
4	237	227	30	-9	485	466	35					4	77	75	3
5	237	231	19	-8	101	106	-11	-8	193	191	3	5	97	95	3
6	888	847	49	-7	14	25	-6	-7	-30	38	-34	6	81	73	13
7	164	144	59	-6	121	128	-17	-6	7	18	-4	7	41	27	12
8	488	475	24	-5	259	250	23	-5	181	178	7	8	-28	35	-28
9	129	159	-94	-4	304	301	8	-4	208	200	20				
10	32	44	-15	-3	104	113	-23	-3	44	60	-23				
11	106	129	-62	-2	203	185	51	-2	25	23	2	5	-12	1	
								-1	235	209	63	0	44	45	0

Page 18[illegible]

Tetra(pentafluorophenyl)octachloroporphinato Cu(II)

Page 19

12	392	415	-53	-12	212	208	9	1	720	712	12	5	10	1
13	82	76	13	-11	76	75	1	2	474	467	14			
14	184	197	-36	-10	267	292	-68	3	24	15	9	-11	163	166
15	197	203	-17	-9	83	43	65	4	214	194	63	-10	-25	0
16	42	11	22	-8	284	272	32	5	665	664	1	-9	129	115
17	19	5	4	-7	182	159	63	6	414	434	-48	-8	90	94
				-6	293	291	5	7	235	253	-58	-7	197	194
				-5	402	395	17	8	455	433	45	-6	188	177
				-4	83	93	-30	9	50	17	38	-5	219	229
				-3	1018	1017	0	10	379	394	-34	-4	202	206
-13	160	142	40	-2	68	75	-22	11	146	175	-88	-3	252	262
-12	141	152	-27	-1	136	140	-14	12	97	111	-34	-2	178	179
-11	33	11	14	0	1281	1241	34	13	31	15	11	-1	133	141
-10	128	135	-18	1	410	406	11	14	183	186	-7	0	112	141
-9	251	236	38	2	19	50	-59	15	83	81	-4	1	394	409
-8	286	280	15	3	179	186	-25	16	87	95	-16	2	25	59
-7	192	194	-5	4	80	45	87					3	533	497
-6	25	15	7	5	401	398	8					4	98	122
-5	228	217	36	6	146	165	-70					5	120	128
-4	41	25	25	7	389	357	75	-12	108	120	-27	6	236	258
-3	54	13	64	8	619	627	-14	-11	266	270	-10	7	233	237
-2	336	319	45	9	352	346	17	-10	585	589	-7	8	465	467
-1	415	400	35	10	99	71	64	-9	99	93	13	9	214	230
0	323	316	20	11	266	266	0	-8	227	219	21	10	-24	0
1	486	503	-37	12	272	289	-44	-7	244	235	24	11	-43	26
2	367	364	7	13	73	72	0	-6	102	96	15	12	404	372
3	613	588	43	14	187	185	5	-5	534	529	9	13	85	103
4	129	106	79	15	58	66	-11	-4	442	452	-21	14	95	104
5	104	106	-8	16	-16	17	-8	-3	135	118	51			
6	102	95	24					-2	430	456	-60			
7	594	597	-4					-1	346	344	5			
8	321	351	-87					0	598	557	71	-10	168	172
9	459	454	9					1	379	386	-17	-9	25	14
10	108	94	38	-13	153	138	33	2	73	46	58	-8	103	104
11	375	351	56	-12	79	79	0	3	504	500	7	-7	74	84
12	377	389	-26	-11	143	147	-10	4	72	74	-4	-6	161	167
13	137	125	31	-10	254	261	-20	5	38	33	-7	-5	-30	16
14	280	311	-83	-9	464	453	22	6	553	521	58	-4	109	122
15	35	54	-24	-8	131	118	33	7	609	610	-1	-3	251	264
16	224	243	-49	-7	946	898	54	8	145	128	49	-2	213	203
17	39	14	17	-6	89	82	16	9	241	235	17	-1	74	86
				-5	-33	6	-25	10	90	84	12	0	204	194
				-4	168	144	73	11	296	325	-77	1	326	336
				-3	200	192	26	12	-22	29	-23	2	50	37
-13	122	123	-1	-2	308	337	-88	13	177	193	-42	3	-20	60
-12	112	110	5	-1	620	600	35	14	77	77	0	4	-11	42
-11	61	49	19	0	36	20	22	15	-32	50	-52	5	364	330
-10	161	155	16	1	409	428	-49					6	144	130
-9	342	332	23	2	539	540	-1					7	178	168
-8	210	198	34	3	138	145	-28					8	198	198
-7	6	25	-13	4	676	713	-60					9	333	330
-6	160	164	-11	5	900	904	-8	-11	156	151	9	10	74	75
-5	368	359	16	6	262	276	-44	-10	116	108	19	11	324	326
-4	116	118	-6	7	114	96	52	-9	63	54	13	12	327	322
-3	328	337	-25	8	459	454	9	-8	118	106	27	13	138	135
-2	93	84	27	9	298	286	30	-7	493	504	-21			
-1	520	518	5	10	7	22	-8	-6	257	257	0			
0	750	755	-7	11	-20	44	-42	-5	197	203	-17			
1	198	181	61	12	23	42	-20	-4	87	95	-18			
2	642	632	16	13	233	251	-50	-3	356	338	44	-9	127	125
3	694	670	37	14	332	318	33	-2	727	727	0	-8	-24	9
4	-22	14	-21	15	-27	20	-18	-1	240	221	55	-7	102	81
5	612	604	12	16	29	55	-28	0	248	269	-65	-6	246	221
6	365	368	-8					1	385	395	-26	-5	99	108
7	304	283	56					2	160	188	-98	-4	172	175
8	104	80	68					3	247	230	48	-3	138	149
9	335	339	-11	-12	128	129	-3	4	690	656	51	-2	405	399
10	-21	5	-10	-11	139	125	32	5	75	68	17	-1	131	139
11	227	222	14	-10	128	110	41	6	288	291	-10	0	550	530
12	99	119	-54	-9	219	220	-3	7	937	911	30	1	62	86
13	131	152	-59	-8	424	421	6	8	197	193	12	2	38	64
14	165	160	13	-7	165	146	51	9	172	184	-34	3	73	50
15	429	437	-16	-6	409	418	-7	10	203	189	36	4	329	324
16	135	143	-19	-5	180	174	16	11	89	111	-53	5	266	284
17	97	98	-1	-4	147	167	-67	12	31	62	-43	6	-49	25
				-3	49	53	-7	13	301	292	-20	7	-52	31
				-2	460	478	-38	14	294	295	-1	8	215	222
				-1	620	615	9	15	110	105	10	9	168	160
-13	301	287	30	0	493	471	45					10	28	49



Tetra(pentafluorophenyl)octachloroporphinato Cu(II)

Page 21

-11	179	184	-13	-1	255	272	-56	11	27	16	8	-8	408	396	24
-10	19	41	-20	0	46	12	48	12	210	212	-7	-7	258	275	-46
-9	85	100	-33	1	519	542	-48	13	-25	56	-61	-6	74	53	38
-8	65	64	2	2	981	1034	-62	14	93	130	-96	-5	459	440	40
-7	199	209	-32	3	282	286	-12	15	44	16	-23	-4	126	111	40
-6	-22	2	-10	4	173	188	-59	16	-38	19	-28	-3	-28	16	-23
-5	124	120	12	5	390	383	65	17	40	37	2	-2	489	517	-58
-4	401	394	18	6	154	155	-5					-1	261	265	-13
-3	96	99	-10	7	1006	1015	-9		6	5	1	0	519	557	-76
-2	961	959	2	8	499	479	39					1	562	552	19
-1	775	774	0	9	386	373	28	-12	185	163	51	2	216	230	-46
0	256	301	-157	10	119	118	2	-11	220	206	34	3	102	95	21
1	483	490	-14	11	256	275	-55	-10	191	195	-11	4	293	296	-8
2	1114	1136	-22	12	121	107	36	-9	50	50	0	5	42	46	-6
3	67	79	-39	13	516	500	29	-8	59	48	18	6	134	160	-90
4	531	530	2	14	83	84	-1	-7	199	194	15	7	213	194	57
5	237	228	30	15	40	27	12	-6	150	144	15	8	161	126	94
6	43	19	35	16	246	250	-9	-5	464	460	9	9	266	289	-64
7	319	313	15	17	143	140	5	-4	573	578	-10	10	450	447	6
8	220	230	-32					-3	700	676	36	11	-26	10	-14
9	150	149	1		6	3	1	-2	41	0	36	12	177	186	-23
10	160	144	44					-1	284	290	-19	13	446	442	-8
11	202	193	26	-12	69	48	28	0	1027	1013	15	14	183	170	32
12	190	191	0	-11	-18	15	-8	1	143	129	48	15	-32	4	-16
13	126	137	-27	-10	-20	47	-43	2	70	32	80	16	155	153	5
14	303	296	16	-9	333	327	13	3	133	135	-8				
15	183	181	3	-8	328	315	30	4	600	569	53		6	8	1
16	222	213	22	-7	160	150	28	5	278	264	41				
17	107	120	-29	-6	165	162	10	6	93	118	-90	-11	193	193	-1
				-5	278	269	25	7	133	128	15	-10	65	72	-12
				-4	329	341	-31	8	76	58	39	-9	207	196	27
				-3	177	168	29	9	131	125	17	-8	38	25	12
				-2	513	515	-4	10	123	127	-12	-7	197	193	10
-13	50	24	24	-1	269	272	-11	11	-24	13	-13	-6	361	358	5
-12	93	92	6	0	1014	997	18	12	-15	45	-38	-5	351	338	31
-11	13	19	-2	1	132	113	66	13	142	130	28	-4	124	119	14
-10	110	106	10	2	575	577	-3	14	337	340	-6	-3	157	150	20
-9	11	8	-1	3	351	361	-29	15	304	303	2	-2	106	131	-77
-8	-31	16	-22	4	168	171	-11	16	167	186	-48	-1	120	100	57
-7	227	236	-29	5	90	82	22					0	175	142	97
-6	67	59	15	6	142	141	3					1	14	59	-71
-5	184	168	45	7	331	323	20					2	350	351	-39
-4	26	8	14	8	317	328	-30	-12	178	175	8	3	244	271	-85
-3	164	175	-41	9	335	336	-3	-11	215	216	-1	4	68	71	-12
-2	119	116	11	10	585	592	-11	-10	90	94	-8	5	106	106	1
-1	822	837	-19	11	160	158	4	-9	39	10	21	6	528	527	1
0	191	188	8	12	87	81	14	-8	370	352	38	7	118	108	26
1	702	713	-18	13	266	266	0	-7	133	110	57	8	320	357	-101
2	188	208	-75	14	25	2	10	-6	473	463	19	9	132	104	71
3	198	219	-78	15	163	157	15	-5	223	234	-32	10	142	130	32
4	386	399	-33	16	243	221	50	-4	66	59	14	11	212	206	14
5	1344	1312	27	17	275	255	44	-3	236	226	28	12	348	354	-15
6	193	181	39					-2	349	361	-30	13	102	111	-22
7	878	891	-16					-1	140	151	-39	14	388	377	22
8	72	73	-3					0	489	490	-1	15	148	155	-16
9	364	342	53					1	148	136	39				
10	555	537	34	-12	135	133	6	2	118	114	14		6	9	1
11	171	177	-20	-11	80	85	-10	3	874	864	12				
12	175	185	-30	-10	174	178	-11	4	275	245	86	-11	35	45	-11
13	118	111	16	-9	78	79	-1	5	36	36	0	-10	216	227	-29
14	107	94	28	-8	394	390	8	6	-22	12	-16	-9	52	48	5
15	188	172	39	-7	78	70	15	7	140	134	16	-8	169	173	-9
16	-23	0	-7	-6	142	137	12	8	146	164	-58	-7	425	425	0
17	-30	15	-16	-5	443	431	27	9	383	359	55	-6	254	239	40
				-4	31	27	4	10	337	341	-11	-5	104	117	-31
				-3	431	418	27	11	56	66	-18	-4	237	238	-3
				-2	46	34	25	12	59	57	3	-3	135	127	22
-13	64	36	33	-1	286	297	-32	13	180	173	20	-2	217	202	44
-12	166	177	-26	0	467	474	-15	14	71	73	-4	-1	78	81	-9
-11	64	48	-22	1	34	3	30	15	174	173	-2	0	215	235	-63
-10	154	157	-6	2	144	149	-18	16	82	99	-34	1	29	13	13
-9	200	189	29	3	150	153	-9					2	-15	42	-42
-8	425	409	34	4	44	19	37					3	826	852	-35
-7	273	270	6	5	707	681	38					4	292	272	52
-6	208	206	6	6	45	55	-23					5	657	671	-22
-5	164	159	15	7	445	428	36	-12	93	96	-5	6	534	554	-38
-4	571	580	-17	8	392	396	-10	-11	238	237	1	7	162	161	3
-3	295	278	47	9	151	152	-3	-10	245	250	-12	8	277	288	-29
-2	395	370	60	10	222	234	-36	-9	244	236	18				





Tetra(pentafluorophenyl)octachloroporphinato Cu(II)

Page 23

7	196	181	43	14	176	161	38	-6	194	189	14	10	19	19	0
8	-14	8	-5	15	350	352	-5	-5	357	377	-49	11	160	166	-15
9	622	613	14	16	138	129	18	-4	378	386	-18	12	216	228	-34
10	257	261	-13					-3	396	389	18	13	143	127	39
11	108	87	46	7	1	1		-2	241	231	29	14	294	284	23
12	160	145	38					-1	162	144	58	15	64	57	11
13	27	38	-10	-12	111	113	-3	0	424	442	-41	16	107	103	8
14	263	255	18	-11	48	63	-20	1	619	633	-25				
15	220	211	20	-10	94	97	-5	2	128	115	41	7	6	1	
16	88	78	17	-9	240	248	-21	3	363	355	20				
				-8	40	52	-15	4	577	556	38	-11	75	73	3
	7	-2	1	-7	315	321	-14	5	110	111	-3	-10	79	79	0
				-6	115	131	-46	6	335	351	-42	-9	42	40	2
0	602	594	13	-5	247	247	1	7	178	162	48	-8	56	16	40
1	200	147	151	-4	441	456	-33	8	155	146	26	-7	504	527	-46
2	517	513	9	-3	261	254	20	9	598	598	0	-6	87	60	50
3	247	231	49	-2	484	479	9	10	150	131	51	-5	59	70	-32
4	259	250	25	-1	545	542	5	11	307	317	-24	-4	134	119	39
5	344	351	-17	0	565	546	34	12	580	588	-13	-3	152	150	7
6	323	313	24	1	124	112	41	13	141	115	62	-2	289	294	-13
7	45	25	26	2	514	485	56	14	151	149	3	-1	426	410	35
8	70	75	-12	3	157	126	99	15	344	335	20	0	204	204	-2
9	556	566	-17	4	268	292	-77	16	125	126	-2	1	413	429	-38
10	552	545	11	5	139	123	52					2	409	417	-17
11	73	76	-5	6	372	377	-12	7	4	1		3	-12	20	-13
12	71	65	10	7	55	45	20					4	42	61	-40
13	59	68	-15	8	95	72	57	-11	37	29	6	5	327	333	-14
14	54	2	41	9	304	319	-42	-10	124	122	3	6	81	57	54
15	190	181	21	10	347	351	-10	-9	153	165	-31	7	233	241	-23
16	58	38	22	11	126	147	-64	-8	385	391	-15	8	658	683	-40
				12	235	212	58	-7	298	309	-29	9	95	94	2
	7	-1	1	13	216	218	-6	-6	15	16	0	10	340	351	-28
				14	43	24	19	-5	195	188	19	11	239	221	47
0	133	132	4	15	176	184	-19	-4	209	201	24	12	96	111	-34
1	637	627	16	16	41	41	0	-3	203	208	-15	13	69	75	-11
2	177	144	102	17	160	162	-6	-2	44	32	18	14	45	33	13
3	450	436	29					-1	189	166	72	15	65	60	-26
4	83	62	53		7	2	1	0	96	73	64	16	74	78	-5
5	52	46	12					1	371	382	-27				
6	266	262	9	-12	232	229	7	2	78	25	103	7	7	1	
7	370	377	-18	-11	47	53	-8	3	127	119	24				
8	104	88	42	-10	72	84	-22	4	207	232	-88	-11	19	15	2
9	205	211	-18	-9	439	434	9	5	687	682	-9	-10	162	157	13
10	20	12	4	-8	54	45	12	6	396	431	-90	-9	48	45	3
11	108	113	-11	-7	200	206	-16	7	28	21	7	-8	267	263	9
12	148	148	1	-6	216	214	6	8	115	114	2	-7	250	250	0
13	84	94	-22	-5	26	3	12	9	204	195	26	-6	423	420	7
14	64	71	-12	-4	59	36	37	10	181	156	70	-5	103	101	4
15	57	61	-6	-3	169	150	56	11	92	91	2	-4	336	334	5
16	25	28	-2	-2	32	34	-2	12	170	169	2	-3	76	64	25
				-1	80	82	-4	13	-2	20	-6	-2	28	49	-29
	7	0	1	0	469	464	10	14	10	24	-8	-1	366	356	25
-11	102	77	45	1	215	205	35	15	270	268	4	0	373	369	9
-10	71	85	-26	2	590	583	12	16	37	52	-18	1	203	185	54
-9	38	42	-5	3	276	261	44					2	163	183	-70
-8	238	229	22	4	205	197	27					3	-18	19	-15
-7	25	2	10	5	344	337	19	7	5	1		4	-25	48	-64
-6	164	161	6	6	440	450	-23	-11	106	117	-23	5	341	338	6
-5	403	410	-17	7	374	365	23	-10	44	48	-4	6	99	77	55
-4	36	6	23	8	56	51	11	-9	147	154	-19	7	474	470	6
-3	99	94	13	9	18	15	1	-8	329	330	-2	8	33	49	-23
-2	520	503	33	10	247	232	40	-7	92	89	6	9	47	55	-12
-1	129	136	-23	11	130	119	28	-6	353	361	-19	10	52	50	2
0	217	207	30	12	543	549	-11	-5	101	109	-20	11	95	76	38
1	556	548	14	13	90	69	40	-4	46	42	7	12	-12	36	-24
2	489	465	47	14	55	50	7	-3	264	273	-28	13	350	349	2
3	189	204	-52	15	225	228	-6	-2	452	439	29	14	141	135	13
4	86	103	-56	16	152	151	1	-1	179	170	26	15	142	125	37
5	784	771	18	17	180	162	39	0	436	413	50				
6	169	173	-13					1	342	358	-44	7	8	1	
7	323	330	-19		7	3	1	2	475	458	34				
8	263	264	-4					3	127	140	-46	-10	53	50	3
9	254	270	-49	-12	251	232	42	4	263	291	-89	-9	146	155	-22
10	227	228	-4	-11	27	15	7	5	301	289	34	-8	22	4	7
11	41	54	-20	-10	-8	7	-1	6	200	177	70	-7	78	83	-10
12	129	111	45	-9	227	244	-44	7	40	33	10	-6	360	358	4
13	51	49	3	-8	55	49	10	8	615	648	-57	-5	146	143	6
				-7	304	302	3	9	73	81	-17	-4	400	403	-5

## Tetra(pentafluorophenyl)octachloroporphinato Cu(II)

Page 24

-3	235	213	58	-7	95	121	-60	4	212	192	49	5	95	113	-42
-2	425	412	29	-6	110	101	19	5	176	165	26	6	266	278	-29
-1	52	50	31	-5	-26	23	-20	6	245	242	8	7	201	172	71
0	311	286	64	-4	154	153	4	7	333	310	50	8	164	184	-54
1	281	268	36	-3	141	141	1	8	162	144	40	9	128	124	8
2	309	325	-43	-2	-47	1	-40	9	127	134	-17	10	182	165	39
3	157	133	67	-1	-47	21	-49	10	105	100	9	11	214	193	48
4	23	35	-14	0	176	180	-9					12	99	95	9
5	100	105	-13	1	-11	2	-2	7	15	1					
6	109	99	27	2	97	106	-23						8	-7	1
7	591	594	-4	3	505	485	38	-3	143	138	9				
8	100	114	-37	4	208	209	-9	-2	134	142	-19	0	145	150	-14
9	-28	1	-14	5	-28	47	-52	-1	113	107	11	1	165	153	33
10	195	213	-51	6	506	496	17	0	144	134	22	2	177	182	-15
11	136	146	-28	7	103	96	15	1	140	142	-3	3	224	222	3
12	13	2	-8	8	222	217	12	2	91	96	-10	4	226	216	25
13	525	530	-8	9	485	474	20	3	49	43	7	5	58	2	47
14	61	50	15	10	50	43	9	4	63	45	24	6	87	51	61
15	79	77	3	11	276	265	26	5	106	115	-18	7	163	148	39
				12	101	107	-12	6	215	215	0	8	251	259	-20
				13	147	145	3	7	-36	4	-19	9	172	173	-1
								8	103	108	-11	10	342	340	4
-10	74	78	-7		7	12	1					11	88	63	43
-9	44	37	8					7	16	1		12	29	26	2
-8	149	140	22	-8	293	287	13					13	96	96	-1
-7	59	55	7	-7	6	6	0	0	179	173	14				
-6	190	204	-36	-6	322	303	42	1	-29	13	-14		8	-6	1
-5	225	220	12	-5	250	236	34	2	203	191	27				
-4	62	61	2	-4	434	429	9	3	8	18	-3	0	219	223	-12
-3	-24	13	-13	-3	153	152	2	4	76	86	-19	1	80	106	-62
-2	532	523	17	-2	324	314	21	5	-19	49	-38	2	142	128	36
-1	390	370	44	-1	146	127	48					3	137	160	-9
0	209	205	13	0	192	178	36	8	-11	1		4	116	94	52
1	612	572	68	1	-24	39	-35					5	51	13	37
2	105	133	-88	2	184	199	-44	0	79	103	-48	6	68	50	30
3	120	90	73	3	-44	34	-55	1	134	119	31	7	372	379	-17
4	500	505	-10	4	192	194	-4	2	37	3	18	8	88	72	31
5	377	379	6	5	255	248	24	3	38	59	-27	9	288	298	-25
6	347	331	37	6	131	122	20	4	-32	4	-15	10	68	21	55
7	7	64	-72	7	173	169	11	5	-24	13	-11	11	345	342	7
8	181	203	-64	8	14	32	-13	6	37	6	17	12	62	31	36
9	252	249	8	9	157	158	-3	7	186	171	34	13	135	127	-5
10	170	183	-35	10	70	70	0					14	148	151	-7
11	-41	4	-30	11	85	78	13	8	-10	1					
12	151	167	-44	12	30	42	-11						8	-5	1
13	72	81	-17					0	75	60	22				
14	85	88	-5		7	13	1	1	31	3	13	0	576	600	-41
								2	186	182	9	1	96	92	9
								3	151	150	3	2	234	236	-4
								4	62	68	-10	3	498	495	6
								5	86	88	-2	4	202	223	-63
								6	85	79	9	5	152	127	66
								7	113	110	7	6	333	303	70
								8	97	125	-62	7	73	71	3
								9	100	117	-36	8	162	175	-36
												9	259	255	11
								8	-9	1		10	111	89	49
												11	98	98	4
								0	11	21	-5	12	183	186	-8
								1	28	34	-5	13	38	11	18
								2	93	91	4	14	166	171	-12
								3	45	32	13				
								4	82	74	15		8	-4	1
								5	99	87	25				
								6	28	38	-9	0	507	513	-11
								7	25	8	8	1	70	10	73
								8	58	53	7	2	280	264	40
								9	205	189	38	3	214	180	91
								10	93	73	33	4	288	311	-65
								11	188	203	-38	5	71	63	14
												6	349	329	48
								8	-8	1		7	-12	27	-16
												8	154	148	16
								0	83	82	1	9	59	13	47
								1	164	182	-50	10	50	20	30
								2	170	165	13	11	143	117	60
								3	68	47	32	12	169	176	-18
								4	183	169	37	13	36	43	-8
-8	198	187	27	3	309	282	61								

## Tetra(pentafluorophenyl)octachloroporphinato Cu(II)

Page 25

14	211	206	12	4	46	0	42	-8	50	45	6	10	97	88	25
15	-14	4	-3	5	121	134	-39	-7	-25	26	-22	11	213	218	-13
				6	68	37	54	-6	144	142	7	12	70	64	11
	8	-3	1	7	503	510	-15	-5	120	118	6	13	197	199	-6
0	178	151	70	8	178	157	59	-4	135	138	-6	14	73	80	-13
1	27	0	14	9	305	319	-37	-3	81	74	14	15	134	152	-43
2	151	158	-21	10	281	266	38	-2	166	170	-12	16	121	121	-1
3	252	210	111	12	105	123	-45	0	509	547	-78				
4	289	290	-2	13	-4	33	-18	1	316	296	51				
5	76	87	-29	14	248	216	73	2	124	87	102	-10	79	73	9
6	67	85	-1	15	136	129	17	3	283	309	-76	-9	55	53	2
7	146	147	-1	16	205	212	-17	4	360	319	98	-8	152	157	-12
8	197	183	40					5	92	108	-48	-7	110	97	28
9	120	124	-11	8	1	1		6	58	47	-20	-6	333	329	9
10	201	200	3					7	406	415	-18	-5	48	43	6
11	82	106	-55	-10	40	48	-9	8	146	133	38	-4	32	93	-3
12	95	87	16	-9	44	37	7	9	110	104	14	-3	334	360	-66
13	77	86	-17	-8	118	123	-12	10	280	250	77	-2	291	292	-1
14	309	290	43	-7	86	80	12	11	65	69	-8	-1	101	111	-26
15	149	143	15	-6	104	103	0	12	261	237	60	0	491	498	-10
				-5	531	557	-49	13	160	167	-19	1	426	408	39
	8	-2	1	-4	278	263	40	14	110	110	0	2	446	458	-27
0	149	191	-146	-3	21	24	-2	15	504	507	-5	3	177	171	20
1	223	258	-113	-2	74	75	-2	16	150	145	11	4	576	550	45
2	383	381	3	-1	248	266	-54					5	249	261	-37
3	126	120	18	0	79	76	8	8	4	1		6	95	130	-109
4	85	81	11	1	309	327	-48					7	99	80	45
5	268	258	82	2	151	151	0	-10	40	58	-23	8	202	179	63
6	161	180	-60	3	488	493	-10	-9	143	145	-4	9	78	66	24
7	133	121	34	4	267	301	-104	-8	90	100	-21	10	66	70	-9
8	79	48	58	5	215	171	125	-7	48	40	11	11	309	324	-39
9	38	24	15	6	47	37	15	-6	85	80	9	12	147	151	-8
10	68	45	37	7	490	490	-1	-5	102	99	6	13	66	52	22
11	209	194	39	8	20	3	7	-4	346	338	18	14	119	122	-6
12	32	39	-8	9	24	7	9	-3	384	376	17	15	155	168	-30
13	166	161	11	10	372	359	29	-2	34	26	9				
14	321	304	36	11	211	223	-32	-1	342	326	39	8	7	1	
15	49	0	31	12	-11	1	-1	0	94	85	24				
16	62	66	-6	13	187	172	39	1	48	8	44	-10	20	26	-3
				14	23	3	8	2	19	12	5	-9	319	329	-23
	8	-1	1	15	76	69	12	3	221	214	20	-8	243	235	18
0	11	2	2	16	111	101	20	4	125	94	83	-7	83	83	1
1	140	181	-146					5	457	452	11	-6	141	130	25
2	200	210	-31	8	2	1		6	257	232	70	-5	254	271	-46
3	220	236	-50	-10	33	27	5	7	141	142	-2	-4	189	179	27
4	116	103	38	-9	50	19	29	8	207	196	29	-3	245	249	-10
5	239	221	53	-8	242	238	9	9	201	202	-2	-2	125	140	-42
6	505	506	-1	-7	111	110	2	10	292	281	27	-1	53	30	31
7	35	16	17	-6	121	138	-46	11	168	174	-17	0	330	331	-2
8	329	307	53	-5	148	156	-22	12	-24	42	-38	1	276	264	31
9	65	53	21	-4	68	65	5	13	100	96	7	2	195	191	12
10	66	66	0	-3	64	73	-21	14	35	32	2	3	144	126	52
11	257	243	35	-2	179	208	-96	15	155	156	-3	4	127	110	44
12	317	328	-26	-1	173	190	-57	16	-29	3	-12	5	230	234	-9
13	108	111	-5	0	27	1	15					6	448	440	17
14	69	54	23	1	453	481	-63	8	5	1		7	323	311	31
15	232	218	33	2	56	74	-46	-10	96	102	-10	8	473	431	82
16	-14	0	-3	3	211	222	-37	-9	66	72	-10	9	454	458	-7
				4	209	180	86	-8	97	95	4	10	95	126	-83
	8	0	1	5	91	67	58	-7	214	220	-14	11	86	66	36
-10	119	116	5	6	86	78	20	-6	181	182	-2	12	-98	2	-13
-9	34	11	15	7	425	414	25	-5	135	138	-9	13	37	35	1
-8	170	172	-5	8	243	228	41	-4	48	54	-9	14	52	54	-3
-7	374	360	31	9	160	158	4	-3	204	202	5	15	-6	4	0
-6	285	287	-3	10	319	288	74	-2	292	301	-25				
-5	297	293	0	11	228	220	20	-1	174	182	-27	8	8	1	
-4	121	121	0	12	305	323	-45	0	66	99	-90	-9	95	106	-23
-3	3	45	-38	13	435	456	-45	1	230	231	-3	-8	158	153	11
-2	24	3	3	14	124	129	-13	2	143	128	45	-7	173	174	-3
-1	210	220	-31	15	196	190	14	3	345	343	5	-6	210	216	-16
0	139	144	-17	16	32	35	-2	4	189	157	91	-5	122	133	-28
1	191	227	-124					5	461	461	0	-4	171	171	0
2	354	350	10	8	3	1		6	40	25	20	-3	231	241	-27
3	491	487	8	-10	-25	38	-30	7	33	50	-25	-2	432	438	-13
				-9	19	12	3	8	530	524	12	-1	207	219	-34
								9	369	384	-34	0	107	113	-16



## Tetra(pentafluorophenyl)octachloroporphinato Cu(II)

Page 27

1	93	96	-6	-6	113	111	6	14	32	33	0	9	162	153	23
2	252	256	-10	-5	89	65	7	15	142	139	6	10	80	38	64
3	231	279	-156	-4	158	163	-15					11	138	145	-18
4	104	112	-22	-3	30	14	11		9	5	1	12	-34	14	-23
5	40	51	-18	-2	183	208	-19					13	304	298	14
6	91	95	-9	-1	451	482	-69	-9	68	62	9	14	118	111	13
7	89	108	-46	0	30	23	6	-8	58	73	-24	15	43	43	0
8	97	100	-7	1	26	34	-9	-7	264	245	45				
9	280	268	30	2	212	244	-105	-6	11	14	-1	9	8	1	
10	169	173	-10	3	230	271	-132	-5	8	32	-16				
11	226	222	10	4	167	170	-8	-4	83	57	45	-8	252	238	32
12	-25	2	-10	5	211	208	8	-3	85	80	9	-7	54	67	-20
13	229	212	41	6	369	381	-30	-2	34	41	-8	-6	128	123	10
14	388	388	0	7	246	254	-22	-1	453	446	14	-5	-14	12	-5
15	45	57	-15	8	150	157	-18	0	277	269	21	-4	-16	29	-18
				9	363	373	-25	1	33	8	18	-3	50	33	20
	9	0	1	10	505	513	-14	2	208	205	10	-2	-26	23	-20
				11	98	74	48	3	480	458	3	-1	94	66	55
-9	85	87	-2	12	287	293	-15	4	277	277	0	0	103	75	57
-8	43	21	18	13	65	13	53	5	47	33	20	1	94	104	-25
-7	101	81	38	14	90	87	6	6	85	122	-109	2	146	135	31
-6	185	185	0	15	43	13	21	7	80	78	4	3	343	350	-17
-5	47	14	30	16	66	85	-32	8	419	409	22	4	375	367	18
-4	182	168	37					9	76	72	8	5	177	170	19
-3	171	189	-51	9	3	1		10	77	71	10	6	187	188	-2
-2	120	114	14					11	33	60	-38	7	349	371	-53
-1	65	35	44	-9	89	92	-5	12	-15	20	-10	8	186	213	-80
0	384	424	-100	-8	40	20	16	13	77	58	31	9	115	115	-1
1	212	238	-84	-7	163	169	-14	14	136	127	20	10	346	326	46
2	22	50	-37	-6	77	59	31	15	22	27	-3	11	-5	4	0
3	369	391	-55	-5	38	48	-12					12	97	111	-30
4	221	230	-24	-4	128	106	51					13	354	356	-2
5	241	252	-32	-3	190	194	-12	9	6	1		14	168	164	8
6	543	553	-20	-2	262	264	-6	-9	41	42	0				
7	65	28	53	-1	421	435	-31	-8	151	159	-20	9	9	1	
8	92	105	-33	0	28	25	-2	-7	146	157	-27				
9	157	143	38	1	173	198	-80	-6	69	53	25	-7	81	91	-17
10	-9	19	-7	2	370	410	-102	-5	235	224	30	-6	-3	32	-15
11	57	43	18	3	401	418	-40	-4	-45	49	-5	-5	143	145	-3
12	28	22	4	4	108	102	16	-3	-15	17	-9	-4	-26	14	-14
13	-6	1	0	5	261	263	-5	-2	159	161	-7	-3	137	147	-27
14	59	53	9	6	235	225	29	-1	509	539	-59	-2	36	29	7
15	133	125	17	7	265	273	-25	0	131	136	-14	-1	192	208	-44
				8	88	66	45	1	474	494	-40	0	389	398	-20
	9	1	1	9	308	315	-18	2	263	280	-49	1	152	145	18
-9	81	91	-18	10	182	186	-12	3	37	19	17	2	48	54	-10
-8	43	25	16	11	-28	14	-16	4	68	57	20	3	381	409	-68
-7	113	97	34	12	121	118	7	5	180	187	-21	4	295	302	-18
-6	199	212	-36	13	51	51	1	6	201	205	-11	5	570	566	5
-5	73	57	28	14	217	218	-1	7	221	234	-36	6	275	272	7
-4	247	234	34	15	96	76	36	8	187	171	42	7	327	341	-33
-3	72	51	35	16	48	30	17	9	365	356	22	8	319	324	-10
-2	132	145	-39					10	266	242	58	9	265	266	-1
-1	118	110	20	9	4	1		11	72	74	-4	10	130	126	9
0	243	259	-47	-9	52	54	-2	12	244	234	25	11	118	112	8
1	128	130	-5	-8	36	55	-23	13	220	205	35	12	172	171	1
2	290	319	-83	-7	179	181	-3	14	51	61	-13	13	28	25	2
3	339	344	-12	-6	125	120	13	15	-22	9	-8	14	25	27	-1
4	17	7	4	-5	83	69	27								
5	105	86	47	-4	603	609	-10	9	7	1		9	10	1	
6	631	640	-15	-3	39	25	14	-8	270	266	10	-7	66	79	-23
7	376	383	-17	-2	175	172	7	-7	45	56	-14	-6	4	28	-10
8	38	2	24	-1	143	125	49	-6	112	105	14	-5	-16	10	-5
9	370	373	-6	0	206	211	-12	-5	153	139	33	-4	-14	2	-3
10	77	71	11	1	90	84	13	-4	264	263	2	-3	156	152	11
11	53	72	-34	2	186	166	56	-3	69	60	16	-2	-29	19	-20
12	220	212	22	3	267	259	21	-2	151	158	-19	-1	155	142	34
13	159	145	33	4	325	310	39	-1	107	111	-11	0	113	122	-24
14	118	123	-11	5	9	12	-1	0	179	186	-22	1	107	120	-32
15	85	66	30	6	133	128	15	1	176	199	-68	2	163	158	11
16	98	90	14	7	78	84	-14	2	68	86	-42	3	202	216	-40
				8	68	45	38	3	95	79	37	4	80	75	9
	9	2	1	9	54	55	-1	4	139	142	-7	5	177	143	83
-9	207	209	-6	10	19	26	-4	5	123	110	35	6	260	258	4
-8	76	82	-10	11	116	101	34	6	118	79	86	7	201	195	14
-7	30	39	-9	12	21	51	-33	7	78	78	0	8	156	165	-24
				13	139	121	40	8	382	427	-108	9	181	173	21





Tetra(pentafluorophenyl)octachloroporphinato Cu(II)												Page	30		
11	-2	1		12	3	17	-4	-6	131	132	-2	4	250	245	13
				13	85	89	-6	-5	76	82	-11	5	160	150	-16
				14	98	55	65	-4	-1	6	0	6	246	232	-54
0	84	71	24					-3	28	44	-16	7	221	228	-18
1	45	65	-32	11	2	1		-2	130	116	32	8	-20	7	-7
2	154	190	-105					-1	143	129	33	9	96	71	-47
3	175	183	-21					0	17	41	-22	10	151	160	-24
4	25	13	7	-6	34	21	9	1	167	157	26	11	-23	46	-38
5	6	7	0	-5	40	42	-1	2	30	51	-24	12	-30	1	-12
6	243	229	35	-3	112	132	-49	3	23	5	7				
7	102	72	58	-2	77	103	-56	4	305	292	31				
8	148	128	46	-1	292	315	-58	5	94	69	48	11	9	1	
9	16	2	4	0	63	46	25	6	-24	5	-9	-4	90	73	-28
10	71	56	23	1	233	218	40	7	235	199	87	-3	246	254	-20
11	161	158	7	2	281	315	-93	8	25	47	-25	-2	92	88	8
12	106	125	-44	3	240	245	-12	9	36	19	13	-1	87	77	18
13	130	138	-16	4	53	93	-85	10	321	312	21	0	226	243	-44
				5	65	17	54	11	51	40	13	1	38	25	11
				6	54	44	14	12	21	53	-33	2	57	42	20
				7	100	115	-34	13	78	103	-50	3	157	154	8
0	199	225	-74	8	160	156	9	14	65	60	7	4	-33	25	-28
1	78	99	-52	9	208	216	-23					5	156	200	-127
2	51	32	23	10	121	117	7	11	6	1		6	111	87	49
3	369	381	-27	11	185	169	37					7	155	175	-54
4	55	79	-46	12	79	100	-43	-6	35	24	8	8	90	80	19
5	41	73	-55	13	46	26	18	-5	160	175	-38	9	-24	12	-11
6	63	51	20	14	255	261	-13	-4	94	89	10	10	125	151	-63
7	29	60	-43					-3	56	52	5	11	33	72	-55
8	42	97	-113	11	3	1		-2	75	85	-20	12	209	198	25
9	131	114	39					-1	190	208	-50				
10	21	2	6	-6	56	37	20	0	137	138	-2	11	10	1	
11	99	104	-10	-5	-14	12	-4	1	291	299	-18				
12	23	27	-2	-4	166	172	-14	2	201	213	-32	-3	177	170	15
13	63	64	0	-3	30	3	13	3	147	169	-62	-2	46	44	1
				-2	34	36	-2	4	227	208	49	-1	59	43	20
				0	231	228	6	5	56	41	21	0	13		



Tetra(pentafluorophenyl)octachloroporphinato Cu(II)

Page 31

2	51	10	30	0	47	68	-32	-2	83	48	52	1	132	147	-39
3	229	224	12	1	116	149	-86	-1	255	277	-57	2	108	95	27
4	119	118	1	2	126	124	4	0	77	69	14	3	-26	11	-12
5	85	78	12	3	210	220	-26	1	33	30	3	4	41	33	7
				4	79	73	12	2	198	206	-22	5	273	276	-6
12	-5	1		5	250	258	-20	3	107	115	-18	6	127	140	-31
				6	135	109	56	4	31	17	10	7	118	144	-65
1	51	35	16	7	90	97	-15	5	28	4	12	8	83	75	13
2	150	144	14	8	88	84	9	6	50	9	34	9	-42	1	-26
3	46	20	21	9	95	87	15	7	42	41	1	10	-24	18	-13
4	37	12	15	10	120	116	8	8	56	50	8	11	69	72	-3
5	-16	10	-5	11	58	63	-7	9	154	142	28				
6	57	38	22	12	64	47	22	10	50	63	-18	12	9	1	
7	59	69	-15					11	-38	36	-40				
					12	1	1	12	59	16	38	-2	45	14	22
12	-4	1										-1	56	32	25
				-4	58	63	-6					0	-15	14	-6
0	123	131	-17	-3	46	40	7					1	27	16	6
1	90	93	-5	-2	71	89	-33	-4	77	59	27	2	192	176	38
2	165	162	7	-1	39	49	-12	-3	33	31	1	3	29	25	3
3	54	39	18	0	35	5	17	-2	87	52	53	4	51	39	14
4	9	8	0	1	194	240	-132	-1	184	179	13	5	184	175	21
5	46	35	11	2	46	70	-39	0	112	93	40	6	116	124	-17
6	36	35	1	3	23	34	-10	1	77	62	26	7	127	136	-21
7	50	35	16	4	117	135	-46	2	280	284	-9	8	138	140	-5
8	230	237	-16	5	154	146	19	3	62	87	-48	9	-26	1	-9
9	66	77	-19	6	304	316	-28	4	122	119	7	10	22	28	-4
				7	97	72	47	5	174	173	2				
12	-3	1		8	161	150	27	6	-37	26	-34				
				9	268	265	8	7	-16	5	-4	12	10	1	
0	102	128	-59	10	72	84	-23	8	26	4	10	0	77	80	-8
1	142	142	1	11	12	27	-8	9	234	246	-30	1	-20	31	-19
2	106	70	62	12	123	106	35	10	59	44	19	2	151	166	-38
3	128	160	-86					11	18	25	-4	3	55	60	-6
4	58	44	18					12	-16	13	-6	4	48	66	-25
5	124	145	-51	12	2	1						5	109	106	6
6	34	36	-1	-4	39	32	6					6	18	8	3
7	-18	10	-6	-3	50	39	12	12	6	1		7	117	127	-24
8	104	79	45	-2	126	169	-115	-3	20	13	3	8	190	200	-24
9	99	146	-118	-1	-14	19	-9	-2	35	54	-21	9	18	1	4
10	87	92	-8	0	132	131	1	-1	63	48	21				
				1	17	37	-16	0	222	231	-22	12	11	1	
12	-2	1		2	59	28	36	1	153	181	-75				
				3	182	197	-41	2	110	105	11	1	5	3	0
0	50	58	-11	4	128	119	21	3	-19	5	-6	2	-28	25	-20
1	109	116	-16	5	70	58	19	4	28	1	12	3	-42	21	-33
2	43	62	-25	6	322	347	-60	5	44	57	-19	4	-24	34	-25
3	124	167	-118	7	44	6	27	6	36	25	10	5	83	72	19
4	48	39	11	8	72	71	2	7	103	115	-28	6	6	41	-22
5	127	114	30	9	257	269	-29	8	45	38	8	7	152	153	-2
6	1	22	-7	10	67	60	10	9	85	93	-15				
7	32	21	-8	11	26	2	9	10	62	42	25	13	-3	1	
8	-15	13	-5	12	145	143	2	11	56	66	-14				
9	30	36	-5					12	105	99	10	4	50	11	29
10	138	135	7									5	32	6	13
11	29	15	8	12	3	1		12	7	1					
				-4	32	32	0					13	-2	1	
12	-1	1		-3	160	140	43	-3	37	15	14				
				-2	83	81	4	-2	-5	25	-9	2	126	151	-60
0	-22	43	-36	-1	114	135	-53	-1	138	139	-1	3	57	41	19
1	82	83	-1	0	113	132	-48	0	88	90	-4	4	37	30	5
2	21	32	-8	1	65	47	27	1	31	25	4	5	123	110	25
3	40	8	21	2	63	12	51	2	135	139	-9	6	24	1	8
4	238	238	0	3	170	208	-110	3	46	42	3	7	31	28	2
5	40	14	19	4	69	40	41	4	175	159	39	8	70	63	10
6	63	51	18	5	124	128	-9	5	30	39	-8				
7	65	74	-15	6	232	247	-39	6	79	102	-51	13	-1	1	
8	-28	21	-18	7	64	56	13	7	292	305	-32				
9	46	37	-9	8	-28	37	-34	8	56	37	24	1	57	66	-13
10	220	241	-54	9	143	146	-7	9	64	31	38	2	53	39	16
11	38	1	19	10	28	9	10	10	124	121	6	3	89	103	-29
12	118	139	-49	11	64	46	23	11	61	91	-54	4	28	2	10
				12	139	121	37					5	107	71	-61
12	0	1										6	-18	31	-18
												7	58	41	19
-3	58	46	16					-2	64	53	15	8	46	23	20
-2	72	61	16	-4	-12	12	-4	-1	184	188	-9	9	114	103	23
-1	94	96	-4	-3	34	37	-2	0	83	58	39				


## Tetra(pentafluorophenyl)octachloroporphinato Cu(II)

Page 32


13	0	1		4	72	19	58	10	83	94	-19	2	41	56	-19
0	146	140	13	5	157	157	0					3	72	55	25
1	69	65	6	6	183	216	-89	13	5	1		4	-28	19	-17
2	179	167	28	7	141	161	-51					5	45	57	-16
3	111	101	20	8	202	210	-20	-1	40	15	17	6	179	187	-18
4	59	29	33	9	31	0	13	0	21	0	6	7	94	75	32
5	60	60	0	10	17	28	-6	1	134	118	35	8	20	82	-85
6	83	68	24					2	121	155	-8	9	116	121	-12
7	86	93	-14	13	3	1		3	40	17	18				
8	43	52	-11					4	128	129	-1	13	8	1	
9	41	39	1	-1	-27	13	-13	5	20	0	5				
10	23	9	6	0	-10	22	-8	6	-16	2	-4	1	55	41	16
				1	107	96	22	7	19	0	5	2	19	52	-30
				2	39	51	-15	8	33	48	-16	3	67	85	-32
13	1	1		3	44	39	4	9	51	51	0	4	69	72	-5
				4	71	64	10	10	178	181	-8	5	61	86	-44
-1	102	91	19	5	126	141	-37					6	153	178	-63
0	65	82	-28	6	35	1	17	13	6	1		7	32	35	-2
1	60	70	-16	7	61	73	-20					8	69	92	-41
2	138	147	-19	8	98	95	6	-1	29	23	4				
3	24	0	8	9	61	63	-2	0	-21	40	-28	13	9	1	
4	52	76	-39	10	44	60	-21	1	174	190	-40				
5	131	133	-4					2	51	37	16	3	102	99	5
6	126	131	-12	13	4	1		3	-19	24	-13	4	58	90	-57
7	96	115	-42					4	39	13	18	5	39	1	19
8	188	219	-61	-1	53	29	23	5	-20	4	-6	6	66	56	14
9	65	27	41	0	91	106	-31	6	52	45	9				
10	79	65	22	1	57	49	10	7	101	95	11	14	3	1	
				2	54	88	-62	8	29	15	8				
				3	9	13	-1	9	122	131	-18	5	36	36	0
13	2	1		4	162	182	-51	10	49	54	-5				
-1	41	49	-9	5	48	11	29					14	4	1	
0	-13	17	-6	6	93	113	-42	13	7	1					
1	129	118	24	7	102	99	5					5	54	18	31
2	61	78	-29	8	-8	9	-2	0	169	179	-23				
3	60	54	7	9	109	121	-26	1	149	163	-34				

**Appendix 4.** Supplementary Material for  
the X-ray Crystal Structure Determination of H<sub>2</sub>TFPPBr<sub>8</sub>.

**Figure A4.1.** ORTEP diagram for H<sub>2</sub>TFPPBr<sub>8</sub> unit cell (50% probability ellipsoids) and numbering scheme for macrocycle.



**Figure A4.2.** ORTEP diagram for  $\text{H}_2\text{TFPPBr}_8$  (50% probability ellipsoids).



**Table A4.1.** Crystal and Intensity Collection Data for H<sub>2</sub>TFPPBr<sub>8</sub>.

Formula: C <sub>44</sub> H <sub>2</sub> Br <sub>8</sub> N <sub>4</sub> F <sub>20</sub> • C <sub>6</sub> H <sub>4</sub> Cl <sub>2</sub>	Formula Weight: 1752.73
Crystal Color: dark brown	Habit: plate
Crystal Size: 0.07 x 0.23 x 0.50 mm	
Crystal System: monoclinic	Space Group: C2
a = 27.634(6) Å	α = 90
b = 6.926(2) Å	β = 109.64(2)
c = 14.844(3) Å	γ = 90
V = 2675.8(11) Å <sup>3</sup>	Z = 2
D = 2.18 g cm <sup>-3</sup>	
MoKα Radiation	λ = 0.71073 Å
μ = 661.52 cm <sup>-1</sup>	T = 225 K
Enraf-Nonius Cad-4 diffractometer	θ - 2θ scan
Transmission coeff. =	range for data collection: 1.5 - 25°
h = 0 - 32, ±k = 8, ±l = 17	
Number of reflections measured: 4881	
Number of independent reflections: 4710	
Goodness of fit for merging data: 1.61	
R = 0.071 on F for 4409 reflections with F <sub>o</sub> <sup>2</sup> > 0	
R = 0.043 on F for 3051 reflections with F <sub>o</sub> <sup>2</sup> > 3σ(F <sub>o</sub> <sup>2</sup> )	
wR = 0.006 on F <sup>2</sup> for 4710 reflections	
Final goodness of fit: 1.41 for 360 parameters and 4710 reflections	

**Table A4.2.** Final Refined Heavy Atom Parameters  $\times 10^4$  for H<sub>2</sub>TFPPBr<sub>8</sub>.

Atom	$x, y, z$ and $U_{eq}^a \times 10^4$			
	$x$	$y$	$z$	$U_{eq}$
N1	284(2)	5038(8)	1447(4)	250(17)
N2	730(2)	5258(9)	−78(5)	299(17)
C1	−7(3)	4719(11)	2017(6)	275(20)
C2	323(3)	3789(11)	2910(5)	261(22)
C3	793(3)	3646(11)	2838(5)	302(21)
C4	769(3)	4544(11)	1946(5)	233(19)
C5	1194(3)	4975(11)	1672(5)	274(22)
C6	1166(3)	5546(11)	744(5)	271(23)
C7	1563(3)	6272(11)	397(6)	328(23)
C8	1372(3)	6377(11)	−570(6)	377(22)
C9	847(3)	5672(11)	−869(6)	253(20)
C10	519(3)	5239(11)	−1814(5)	253(20)
Br1	136(.3)	2677	3888(.6)	481(3)
Br2	1315	2186(2)	3700(1)	471(2)
Br3	2209	7260(2)	1132(1)	551(3)
Br4	1725	7554(3)	−1292(1)	651(3)
C21	1712(3)	4858(12)	2391(5)	290(23)
C22	1880(3)	6168(12)	3149(6)	356(22)
C23	2354(3)	6090(15)	3842(6)	472(28)
C24	2678(3)	4601(15)	3811(6)	465(41)

Atom	$x$	$y$	$z$	$U_{eq}$
C25	2530(3)	3224(14)	3077(6)	458(28)
C26	2061(3)	3425(13)	2403(6)	411(25)
C31	733(3)	5389(13)	-2609(6)	342(22)
C32	1084(3)	4129(14)	-2728(7)	482(26)
C33	1269(4)	4135(16)	-3481(7)	494(27)
C34	1089(4)	5590(20)	-4137(8)	661(33)
C35	760(3)	6899(17)	-4040(6)	566(31)
C36	571(3)	6792(13)	-3299(6)	389(24)
F22	1566(2)	7628(9)	3189(3)	630(14)
F23	2500(2)	7349(10)	4548(3)	773(16)
F24	3145(2)	4448(9)	4492(4)	689(19)
F25	2845(2)	1829(9)	3074(4)	759(18)
F26	1930(2)	2111(9)	1700(3)	621(14)
F32	1255(2)	2688(9)	-2086(4)	688(15)
F33	1603(2)	2915(10)	-3583(4)	972(18)
F34	1264(2)	5765(10)	-4879(4)	901(19)
F35	592(2)	8388(9)	-4676(4)	891(21)
F36	227(2)	8122(7)	-3209(3)	634(15)
Cl1	837(3)	68(9)	832(7)	1480(38)
Cl2	131(5)	16(10)	-1333(7)	1965(60)

$$^a U_{eq} = \frac{1}{3} \sum_i \sum_j [U_{ij}(a_i^* a_j^*)(\vec{a}_i \cdot \vec{a}_j)]$$

**Table A4.3.** Complete Distances and Angles for H<sub>2</sub>TFPPBr<sub>8</sub>.

Distance(Å)			Distance(Å)		
N1	-C1	1.366(10)	C36	-F36	1.363(10)
N1	-C4	1.341(10)	Cl1	-C41	1.763
N2	-C6	1.411(10)	Cl2	-C41'	1.728
N2	-C9	1.349(10)	C41	-C41'	1.377
C1	-C2	1.480(11)	C41	-C46	1.369
C2	-C3	1.342(11)	C41'	-C43	1.304
C2	-Br1	1.864(8)	C43	-C44	1.388
C3	-C4	1.444(11)	C43	-H43	0.950
C3	-Br2	1.871(8)	C44	-C45	1.378
C4	-C5	1.399(11)	C44	-H44	0.950
C5	-C6	1.411(11)	C45	-C46	1.373
C5	-C21	1.473(11)	C45	-H45	0.950
C6	-C7	1.449(11)	C46	-H46	0.950
C7	-C8	1.355(11)			
C7	-Br3	1.880(8)			
C8	-C9	1.452(11)			
C8	-Br4	1.863(8)			
C9	-C10	1.422(11)			
C10	-C31	1.489(11)			
C21	-C22	1.397(11)			
C21	-C26	1.380(11)			
C22	-C23	1.367(12)			
C22	-F22	1.347(10)			
C23	-C24	1.379(13)			
C23	-F23	1.317(11)			
C24	-C25	1.402(13)			
C24	-F24	1.349(10)			
C25	-C26	1.351(12)			
C25	-F25	1.303(10)			
C26	-F26	1.339(10)			
C31	-C32	1.360(13)			
C31	-C36	1.374(12)			
C32	-C33	1.376(14)			
C32	-F32	1.350(11)			
C33	-C34	1.372(16)			
C33	-F33	1.296(12)			
C34	-C35	1.326(15)			
C34	-F34	1.348(13)			
C35	-C36	1.368(13)			
C35	-F35	1.370(12)			



Angle(°)				Angle(°)			
C4 -N1 -C1	107.7(6)	C26 -C25 -C24	117.6(8)				
C9 -N2 -C6	109.8(6)	F25 -C25 -C24	119.0(8)				
C2 -C1 -N1	108.2(6)	F25 -C25 -C26	123.4(8)				
C3 -C2 -C1	106.4(7)	C25 -C26 -C21	125.1(8)				
Br1 -C2 -C1	129.0	F26 -C26 -C21	118.4(7)				
Br1 -C2 -C3	124.1	F26 -C26 -C25	116.6(7)				
C4 -C3 -C2	107.1(7)	C32 -C31 -C10	123.3(8)				
Br2 -C3 -C2	122.0(6)	C36 -C31 -C10	121.6(7)				
Br2 -C3 -C4	130.3(6)	C36 -C31 -C32	115.1(8)				
C3 -C4 -N1	110.2(6)	C33 -C32 -C31	125.4(9)				
C5 -C4 -N1	124.5(7)	F32 -C32 -C31	118.5(8)				
C5 -C4 -C3	125.1(7)	F32 -C32 -C33	116.0(8)				
C6 -C5 -C4	124.6(7)	C34 -C33 -C32	115.7(10)				
C21 -C5 -C4	119.0(7)	F33 -C33 -C32	124.4(9)				
C21 -C5 -C6	116.4(7)	F33 -C33 -C34	119.8(10)				
C5 -C6 -N2	123.8(7)	C35 -C34 -C33	121.5(11)				
C7 -C6 -N2	105.7(6)	F34 -C34 -C33	120.2(10)				
C7 -C6 -C5	130.1(7)	F34 -C34 -C35	118.3(10)				
C8 -C7 -C6	108.8(7)	C36 -C35 -C34	120.7(10)				
Br3 -C7 -C6	127.2(6)	F35 -C35 -C34	121.8(9)				
Br3 -C7 -C8	123.4(6)	F35 -C35 -C36	117.5(8)				
C9 -C8 -C7	107.4(7)	C35 -C36 -C31	121.5(8)				
Br4 -C8 -C7	122.7(6)	F36 -C36 -C31	117.8(7)				
Br4 -C8 -C9	129.4(6)	F36 -C36 -C35	120.7(8)				
C8 -C9 -N2	108.2(6)	C41' -C41 -Cl1	124.3				
C10 -C9 -N2	123.7(7)	C46 -C41 -Cl1	116.7				
C10 -C9 -C8	127.7(7)	C46 -C41 -C41'	119.0				
C31 -C10 -C9	118.4(7)	C41 -C41' -Cl2	116.7				
C22 -C21 -C5	121.8(7)	C43 -C41' -Cl2	119.6				
C26 -C21 -C5	123.6(7)	C43 -C41' -C41	123.7				
C26 -C21 -C22	114.6(7)	C44 -C43 -C41'	117.7				
C23 -C22 -C21	123.7(8)	H43 -C43 -C41'	121.5				
F22 -C22 -C21	118.6(7)	H43 -C43 -C44	120.8				
F22 -C22 -C23	117.7(7)	C45 -C44 -C43	121.2				
C24 -C23 -C22	118.3(8)	H44 -C44 -C43	119.4				
F23 -C23 -C22	122.2(8)	H44 -C44 -C45	119.4				
F23 -C23 -C24	119.6(8)	C46 -C45 -C44	119.1				
C25 -C24 -C23	120.8(8)	H45 -C45 -C44	120.5				
F24 -C24 -C23	120.2(8)	H45 -C45 -C46	120.5				
F24 -C24 -C25	119.1(8)	C45 -C46 -C41	119.3				

Angle(°)

H46 -C46 -C41	119.8
H46 -C46 -C45	120.8

**Table A4.4.** Observed and Calculated Structure Factors for H<sub>2</sub>TFPPBr<sub>8</sub>. The columns contain, in order,  $\ell$ ,  $10F_{obs}$ ,  $10F_{calc}$  and  $10\left(\frac{F_{obs}^2 - F_{calc}^2}{\sigma F_{obs}^2}\right)$ . A minus sign preceding  $F_{obs}$  indicates that  $F_{obs}^2$  is negative.

Tetrakis(Pentafluorophenyl)Octabromo Porphyrin				Page	1
h -8 0	-5 237 127 14	h -7 7	-12 314 304 2		
0 380 349 6	-3 255 160 13	-13 191 167 2	-10 138 150 -1		
2 207 266 -7	-1 415 430 -2	-11 185 243 -7	-8 399 410 -3		
4 81 113 -1	1 -187 126 -9	-9 216 188 3	-6 328 310 4		
6 317 261 9	3 132 0 4	-7 187 274 -10	-4 110 247 -20		
h -8 1	5 292 275 2	-5 -173 26 -7	-2 453 468 -11		
-6 269 111 18	7 248 243 0	-3 208 121 5	0 148 119 2		
-4 -52 207 -13	9 -113 47 -4	-1 111 116 0	2 301 346 -8		
-2 327 289 6	11 237 288 -7	1 206 140 4	4 332 289 9		
0 323 122 29	13 292 347 -9	3 403 309 13	6 473 468 1		
2 116 262 -12	h -7 3	5 229 159 5	8 438 466 -8		
4 320 239 12	-17 235 175 7	h -7 8	10 108 29 3		
6 244 137 11	-15 -199 24 -12	-13 -188 201 -1	12 148 156 0		
h -8 2	-13 198 195 0	-11 162 199 -3	14 468 429 11		
-6 316 248 11	-9 345 187 28	-9 -153 201 -17	16 252 226 3		
-4 280 54 22	-7 169 152 1	-7 209 228 -2	18 396 359 8		
-2 238 152 8	-5 308 253 10	-5 217 183 3	h -6 3		
0 -179 114 -12	-3 335 227 -9	-3 319 230 10	-22 164 253 -10		
2 -231 28 -10	-1 370 294 9	-1 276 234 4	-20 482 390 24		
4 -202 64 -10	3 259 242 2	1 -177 70 -7	-18 -67 111 -5		
h -8 3	5 196 229 -3	3 -143 158 -8	-16 341 289 11		
-6 -204 78 -13	7 245 124 12	h -7 9	-14 63 34 1		
-4 309 267 6	9 89 75 0	-9 142 186 -3	-12 402 409 -2		
-2 -182 66 -7	11 221 122 9	-7 46 100 -1	-10 390 427 -11		
0 -39 93 -2	13 223 252 -3	-5 225 174 4	-8 342 342 0		
2 173 99 3	h -7 4	-3 460 328 21	-6 423 441 -6		
h -8 4	-17 65 89 -1	h -6 0	-4 703 739 -16		
-4 177 165 1	-15 178 234 -7	0 457 442 5	-2 610 679 -24		
-2 97 125 -1	-13 318 365 -9	2 368 413 -14	0 225 200 3		
h -7 0	-11 -110 111 -8	4 334 342 -2	2 276 208 8		
1 289 191 16	-9 82 140 -4	6 675 703 -13	4 353 238 21		
3 525 453 23	-7 380 348 8	8 285 260 5	6 270 275 0		
5 200 217 -2	-5 377 338 8	10 161 110 5	8 330 442 -28		
7 270 265 0	-3 344 303 7	12 519 543 -9	10 458 447 3		
9 230 274 -7	-1 221 175 3	14 230 166 8	12 185 244 -8		
11 117 258 -16	1 -301 92 -19	16 112 143 -2	14 226 326 -16		
13 123 217 -9	3 329 272 7	18 141 143 0	16 298 365 -12		
15 220 184 4	5 241 256 -1	20 237 293 -8	18 168 213 -4		
h -7 1	7 418 384 7	h -6 1	h -6 4		
-15 164 219 -6	9 -220 119 -16	-20 180 193 -1	-22 406 465 -14		
-13 -46 157 -8	11 301 280 3	-18 320 206 19	-20 149 265 -14		
-11 356 220 25	h -7 5	-16 169 217 -6	-18 -118 151 -12		
-9 -130 151 -13	-15 93 190 -8	-14 179 146 3	-16 126 194 -7		
-7 39 108 -3	-13 179 152 2	-12 381 317 17	-14 368 370 0		
-5 368 303 15	-11 318 351 -6	-10 671 717 -21	-12 463 460 0		
-3 307 352 -10	-9 84 71 0	-8 299 346 -12	-10 348 332 4		
-1 340 405 -11	-7 156 98 4	-6 276 352 -19	-8 150 146 0		
1 56 208 -8	-5 253 183 9	-4 215 285 -15	-6 372 324 13		
3 -156 47 -8	-3 422 417 0	-2 626 567 26	-4 654 685 -13		
5 376 380 0	-1 191 109 5	0 463 399 22	-2 453 516 -16		
7 164 274 -15	1 -41 194 -8	2 455 380 21	0 624 588 13		
9 238 279 -6	3 -241 94 -13	4 714 732 -8	2 -236 235 -26		
11 138 65 4	5 418 301 19	6 401 413 -3	4 223 142 8		
13 353 279 14	7 281 283 0	8 512 483 10	6 262 322 -10		
15 110 150 -2	9 282 296 -2	10 282 274 1	8 294 239 9		
h -7 2	h -7 6	12 357 356 0	10 282 264 3		
-17 205 115 8	-15 65 206 -11	14 193 201 0	12 416 424 -2		
-15 276 214 8	-13 149 274 -15	16 484 459 7	14 273 294 -3		
-13 465 402 0	-11 -127 89 -7	18 351 313 7	16 101 238 -12		
-11 -88 113 -7	-9 133 250 -13	20 58 160 -6	h -6 5		
-9 -19 97 -3	-7 180 231 -5	h -6 2	-22 -118 214 -17		
-7 258 308 -9	-5 246 283 -5	-22 179 178 0	-20 72 76 0		
	-3 -173 61 -7	-20 333 285 9	-18 278 210 11		
	-1 507 479 5	-18 330 292 7	-16 143 215 -8		
	1 293 106 15	-16 131 128 0	-14 162 173 -1		
	3 -259 256 -24	-14 541 490 18	-12 -156 106 -13		
	5 236 292 -6		-10 290 370 -19		
	7 231 267 -3		-8 490 457 11		

## Tetrakis(Pentafluorophenyl)Octabromo Porphyrin

Page 2

2	476	429	9	-6	261	257	0	17	711	737	-11	7	537	527	3
4	652	613	11	-4	178	269	-9	19	484	522	-12	9	-171	125	-17
6	197	232	-4	-2	436	416	3	21	311	298	2	11	230	206	3
8	212	328	-17	0	189	124	6	23	563	535	8	13	106	98	0
10	-209	53	-13	2	369	358	1					15	650	676	-9
12	341	323	3	4	395	346	7	h	-5	2		17	-60	170	-9
14	-39	155	-7	6	28	115	-2					19	391	434	-9
16	392	407	-3	8	79	155	-3	-25	189	99	7	21	382	253	22
								-23	507	491	4				
								-21	445	456	-3	h	-5	5	
								-19	-77	163	-11				
-22	-57	100	-3	-18	234	160	8	-17	535	580	-9	-25	454	418	9
-20	249	174	9	-16	372	323	9	-15	510	490	7	-23	207	260	-8
-18	284	208	12	-14	-32	219	-13	-13	783	770	7	-21	191	261	-11
-16	200	217	-2	-12	-224	238	-30	-11	763	770	-4	-19	269	229	7
-14	557	539	6	-10	107	161	-3	-9	837	869	-18	-17	231	358	-28
-12	245	272	-5	-8	289	352	-10	-7	395	370	-9	-15	488	492	-1
-10	220	179	6	-6	135	135	0	-5	122	172	-7	-13	282	308	-6
-8	205	201	0	-4	179	165	1	-3	107	203	-15	-11	539	499	17
-6	217	248	-4	-2	418	345	12	-1	589	579	3	-9	269	335	-18
-4	-47	125	-5	0	217	226	-1	1	726	631	33	-7	328	320	2
-2	-167	231	-19	2	219	175	4	3	137	120	1	-5	495	534	-15
0	213	246	-5	4	98	88	0	5	401	401	0	-3	640	600	16
2	439	386	10					7	385	381	1	-1	812	845	-13
4	200	250	-5	h	-6	11		9	329	404	-23	1	969	1004	-15
6	640	656	-4					11	664	698	-16	3	352	463	-26
8	373	436	-12	-14	195	231	-4	13	543	550	-2	5	431	381	13
10	224	128	8	-12	158	212	-5	15	398	432	-10	7	608	574	12
12	171	61	6	-10	307	348	-6	17	202	218	-2	9	619	622	-1
14	543	498	11	-8	208	225	-1	19	333	395	-14	11	303	413	-25
				-6	266	138	11	21	452	468	-4	13	491	479	3
				-4	81	243	-11	23	291	269	3	15	371	350	4
				-2	288	290	0					17	427	370	12
				0	389	445	-14	h	-5	3		19	196	203	0
-20	195	66	10					-25	197	200	0	h	-5	6	
-18	-219	162	-23					-23	453	457	-1				
-16	333	324	1					-21	141	8	7	-25	136	93	3
-14	379	324	13					-19	565	560	1	-23	250	224	4
-12	544	552	-2	-8	213	126	6	-17	499	557	-22	-21	322	236	16
-10	468	434	10	-6	231	16	11	-15	327	348	-6	-19	-197	109	-18
-8	312	309	0					-13	611	598	6	-17	62	112	-3
-6	217	36	14	h	-5	0		-11	605	608	-1	-15	716	712	2
-4	388	434	-10					-9	391	412	-7	-13	348	369	-6
-2	345	322	3					-7	566	573	-3	-11	184	123	8
0	-80	201	-16	1	548	481	33	-5	575	599	-12	-9	891	904	-7
2	303	295	1	5	562	563	0	-3	-70	70	-4	-7	520	526	-2
4	329	91	22	7	979	988	-5	-1	532	619	-27	-5	520	516	1
6	355	266	12	9	293	348	-16	1	378	350	5	-3	-69	49	-2
8	476	448	5	11	228	145	14	3	795	753	19	-1	734	723	4
10	462	445	3	13	330	252	19	5	768	798	-15	1	449	501	-13
12	189	177	1	15	602	567	15	7	412	473	-20	3	310	344	-6
				17	143	132	1	9	484	503	-6	5	664	658	2
				19	286	227	10	11	378	357	6	7	638	609	10
				21	421	411	2	13	336	338	0	9	398	325	16
				23	21	212	-13	15	338	405	-17	11	174	263	-11
								17	35	283	-25	13	293	335	-7
								19	288	166	17	15	539	552	-3
								21	-226	75	-16	17	203	226	-2
								h	-5	4		h	-5	7	
-20	357	440	-18	-25	431	434	0	-25	311	221	14	-25	-190	122	-15
-18	362	370	-1	-23	272	217	8	-23	466	443	6	-23	420	426	-1
-16	230	236	0	-21	268	240	4	-21	303	282	4	-21	300	232	12
-14	260	215	7	-19	161	139	2	-19	175	249	-11	-19	697	653	18
-12	-94	171	-12	-17	295	312	-3	-17	347	342	1	-17	817	576	16
-10	312	279	6	-15	386	374	3	-15	739	733	2	-15	235	119	16
-8	260	210	7	-13	341	255	22	-13	151	250	-17	-13	700	689	5
-6	-48	161	-8	-11	440	492	-21	-11	114	134	-2	-11	473	460	4
-4	221	189	3	-9	633	598	18	-9	416	390	9	-9	515	500	5
-2	337	277	8	-7	276	265	3	-7	649	686	-19	-7	624	645	-9
0	495	496	0	-5	633	638	-2	-5	378	380	0	-5	389	408	-5
2	261	67	15	-3	729	686	25	-3	819	864	-23	-3	162	128	3
4	240	255	-1	-1	559	525	14	-1	631	629	0	-1	610	606	1
6	356	308	6	1	524	500	7	1	277	152	15	1	541	557	-4
8	248	260	-1	3	261	231	7	3	468	465	6	3	583	510	20
10	-253	228	-24	5	566	567	0	5	463	472	-2	5	323	304	3
				7	413	405	2								
				9	324	286	10								
				11	691	703	-6								
				13	822	803	9								
				15	299	215	17								

[illegible]



## Tetrakis(Pentafluorophenyl)Octabromo Porphyrin

Page 5

-7	1828	1848	-10	h	-3	7	9	897	945	-20	h	-3	13		
-5	499	492	3				13	440	397	9					
-3	1094	1085	5	-29	180	126	3	13	441	408	-7	-25	565	549	4
-1	600	545	25	-27	279	215	10	15	-42	132	-4	-23	366	315	10
1	912	879	18	-25	286	276	2	17	539	480	13	-21	75	244	-16
3	1365	1329	20	-23	732	696	17					-19	448	446	0
5	845	893	-31	-21	241	186	10	h	-3	10		-17	463	386	20
7	947	939	5	-19	499	540	-18					-15	206	320	-18
9	712	731	-11	-17	1134	1130	2	-29	289	291	0	-13	336	347	-2
11	162	133	4	-15	366	339	9	-27	415	417	0	-11	523	487	10
13	1076	1088	-7	-13	751	755	-2	-25	116	136	-1	-9	561	541	6
15	185	120	8	-11	572	502	37	-23	418	401	5	-7	170	146	2
17	346	408	-17	-9	1185	1206	-13	-21	343	368	-6	-5	1014	1013	0
19	518	516	0	-7	1144	1154	-6	-19	343	300	11	-3	286	285	0
21	566	572	-2	-5	476	492	-7	-17	149	50	8	-1	205	241	-4
23	458	481	-6	-3	294	297	0	-15	552	549	1	1	915	925	-4
25	560	513	13	-1	931	948	-8	-13	502	455	17	1	-250	78	-18
				1	674	658	7	-11	343	333	2	5	-154	118	-9
h	-3	5		3	1525	1539	-6	-9	769	713	27	7	-111	68	-4
-29	-118	55	-5	5	514	519	-1	-7	1016	1035	-10	9	562	581	-4
-27	279	332	-10	7	303	211	17	-5	346	352	-1				
-25	1029	1016	6	9	537	578	-15	-3	347	309	8				
-23	568	482	33	11	313	273	8	-1	614	668	-21	h	-3	14	
-21	91	160	-7	13	554	523	10	1	479	476	0				
-19	162	203	-7	15	634	584	17	3	496	468	8	-23	279	274	0
-17	756	780	-15	17	521	537	-4	5	436	469	-8	-21	-138	99	-8
-15	462	441	10	19	280	283	0	7	295	306	-1	-19	147	222	-8
-13	197	215	-4	21	248	287	-5	9	536	522	3	-17	171	280	-14
-11	692	696	-2					11	850	911	-21	-15	333	320	2
-9	376	389	-6	h	-3	8		13	554	547	1	-13	493	475	4
-7	620	616	3	-29	246	230	2	15	359	276	11	-11	-157	71	-8
-5	1643	1695	-28	-27	394	333	14					-9	703	677	7
-3	1273	1318	-27	-25	412	415	0	h	-3	11		-7	609	573	10
-1	484	432	11	-23	237	324	-18	-27	199	223	-3	-5	302	273	4
1	2358	2274	32	-21	564	599	-15	-25	276	248	-3	-3	316	220	14
3	263	226	8	-19	262	311	-12	-23	588	581	2	-1	356	373	-3
5	627	610	8	-17	528	498	13	-21	276	230	8	1	247	276	-4
7	995	991	2	-15	1285	1268	9	-19	437	431	1	3	394	474	-17
9	931	973	-25	-13	619	621	0	-17	745	717	13	5	301	363	-9
11	374	394	-6	-11	284	310	-8	-15	536	594	-22				
13	706	740	-16	-9	794	816	-13	-13	776	776	0	h	-3	15	
15	419	413	1	-7	1208	1260	-31	-11	229	209	3	-21	292	128	19
17	1070	1131	-32	-5	474	450	9	-9	-79	35	-2	-19	362	323	7
19	191	147	4	-3	872	871	0	-7	639	662	-9	-17	612	569	12
21	435	527	-25	-1	1140	1132	4	-5	280	309	-5	-15	212	173	4
23	437	411	6	1	240	80	19	-3	274	203	11	-13	390	375	2
h	-3	6		3	1070	1090	-10	-1	308	350	-8	-11	-122	240	-17
-29	401	325	17	5	865	816	21	1	839	798	17	-9	-190	34	-9
-27	332	321	2	7	822	852	-13	3	788	815	-10	-7	470	459	2
-25	-66	107	-6	9	392	436	-11	5	308	357	-9	-5	347	273	11
-23	602	602	0	13	165	88	6	7	193	132	5	-3	139	100	2
-21	557	556	0	15	434	397	8	9	690	698	-2	-1	209	136	6
-19	295	266	7	17	-77	161	-8	11	-253	103	-16	1	350	277	11
-17	563	517	22	19	476	526	-12	13	340	370	-4				
-15	1011	987	15									h	-3	16	
-13	874	868	3	h	-3	9						-15	546	582	-9
-11	683	697	-9	-29	-86	110	-5	-27	425	366	13	-13	183	161	1
-9	1161	1185	-16	-27	175	154	2	-25	176	140	3	-11	-225	44	-12
-7	1124	1121	1	-23	771	731	17	-21	513	461	16	-7	419	418	0
-5	591	574	10	-25	357	343	3	-19	253	275	-4	-5	-183	131	-12
-3	571	572	0	-21	379	400	-6	-17	331	309	5				
-1	1394	1394	0	-19	185	257	-13	-15	955	934	10	h	-2	0	
1	969	940	15	-17	202	97	14	-13	419	405	4				
3	389	351	10	-15	291	347	-16	-11	412	416	-1	0	2946	2884	20
5	564	548	6	-13	763	707	30	-9	339	408	-16	2	2561	2476	32
7	585	540	19	-11	822	802	11	-7	985	990	-2	4	926	905	18
9	876	861	7	-9	550	568	-8	-5	274	259	2	6	2102	2117	-7
11	992	1012	-10	-7	524	550	-11	-3	-103	135	-9	8	1029	1022	5
13	591	567	9	-5	1531	1541	-4	-1	545	507	11	10	375	370	3
15	649	681	-13	-3	920	929	-4	1	45	151	-6	12	654	666	-9
17	423	411	3	-1	452	366	24	3	346	339	1	14	671	690	-13
19	368	353	3	1	1388	1422	-16	5	614	616	0	16	289	306	-5
21	252	355	-17	3	190	243	-7	7	434	462	-6	18	445	466	-9
23	164	146	1	5	319	299	3	9	239	267	-3	20	697	701	-2
				7	424	507	-20	11	301	425	-18	22	558	547	4

## Tetrakis(Pentafluorophenyl)Octabromo Porphyrin

Page 6

24	130	196	-8	-18	216	248	-8	10	1477	1534	-31	-18	996	990	3
26	933	910	10	-16	1156	1156	0	12	731	722	4	-16	444	417	12
28	-63	91	-3	-14	880	862	13	14	314	279	9	-14	480	487	-3
	h	-2	1	-12	950	952	-1	16	1223	1274	-28	-12	480	465	8
-30	476	413	16	-10	2002	2044	-20	18	723	714	3	-10	420	432	-5
-28	620	626	-2	-8	1242	1252	-6	20	199	205	0	-8	747	754	-5
-26	-110	188	-16	-6	1367	1381	-9	22	445	410	9	-6	1145	1150	-3
-24	469	461	2	-4	1143	1133	7	24	375	358	3	-4	455	441	5
-22	808	820	-7	-2	2416	2421	-1		h	-2	6	-2	331	373	-12
-20	407	363	16	0	969	932	30					0	1737	1736	0
-18	1017	1039	-14	2	1423	1384	23	-30	537	512	7	2	410	330	24
-16	666	673	-4	4	115	107	1	-28	611	567	16	4	751	699	23
-14	776	774	1	6	653	659	-4	-26	549	502	17	6	821	841	-9
-12	1082	1095	-9	8	1641	1691	-27	-24	647	643	1	8	360	373	-3
-10	1872	1873	0	10	2150	2193	-19	-22	332	250	22	10	475	524	-15
-8	1875	1911	-18	12	548	512	20	-20	216	173	8	12	638	627	4
-6	463	459	3	14	470	462	3	-18	875	893	-11	14	277	338	-11
-4	495	488	7	16	539	544	-2	-16	394	440	-22	16	223	307	-12
-2	2963	2887	25	18	911	936	-14	-14	507	540	-19	18	-97	224	-16
0	2099	1965	67	20	112	140	-2	-12	1194	1195	0	20	653	685	-9
2	3219	3087	39	22	311	279	6	-10	609	624	-11		h	-2	9
4	1243	1237	4	24	654	626	10	-8	983	964	13				
6	862	872	-8	26	-81	113	-5	-6	143	239	-27	-30	314	276	6
8	865	891	-21		h	-2	4	-4	822	832	-6	-28	324	293	6
10	1351	1355	-3	-30	-173	41	-10	-2	280	343	-19	-26	280	255	4
12	307	291	6	-28	166	140	2	0	226	261	-12	-24	223	244	-3
14	501	504	-1	-26	547	536	4	2	1279	1159	63	-22	-197	137	-24
16	1558	1557	0	-24	217	207	1	4	845	803	23	-20	699	718	-9
18	816	860	-27	-24	217	207	1	6	952	945	4	-18	1051	1082	-18
20	339	342	0	-22	1079	1087	-4	8	1748	1749	0	-16	388	354	12
22	-109	56	-6	-20	1100	1099	0	10	309	330	-6	-14	1018	1044	-16
24	649	596	22	-18	656	678	-13	12	421	423	0	-12	762	788	-16
26	-213	107	-18	-16	349	343	2	14	373	351	6	-10	704	705	0
28	166	34	8	-14	775	780	-3	16	166	149	2	-8	943	974	-19
	h	-2	2	-12	1445	1427	10	18	831	791	17	-6	1290	1313	-13
-30	417	351	15	-10	355	377	-13	20	339	338	0	-4	749	730	8
-28	611	595	6	-8	534	577	-35	22	146	214	-7	-2	1176	1233	-31
-26	661	607	22	-6	2409	2410	0	24	227	202	2	0	310	204	31
-24	409	401	2	-4	205	185	7		h	-2	7	2	1423	1392	15
-22	260	209	11	-2	879	892	-10					4	284	310	-5
-20	443	468	-11	0	3510	3322	59	-30	72	39	1	6	164	106	5
-18	1236	1261	-15	2	393	432	-17	-28	126	236	-13	8	-244	122	-23
-16	450	459	-4	4	192	287	-30	-26	191	108	9	10	1048	1082	-15
-14	637	641	-3	6	1319	1305	8	-24	438	438	0	12	317	333	-3
-12	971	1006	-27	8	63	87	-2	-24	438	438	0	14	319	311	1
-10	332	318	8	10	450	464	-6	-22	286	348	-17	16	1004	1044	-16
-8	2012	2046	-16	12	455	479	-11	-20	663	682	-10	18	249	338	-12
-6	1655	1699	-25	14	824	828	-2	-18	273	245	7		h	-2	10
-4	963	960	2	16	146	172	-3	-16	1341	1337	2				
-2	1841	1784	29	18	295	346	-13	-14	980	1002	-15	-30	513	511	0
0	1231	1163	50	20	948	986	-19	-12	1285	1270	9	-28	466	404	16
2	2401	2306	37	22	317	345	-6	-10	1940	2012	-34	-26	521	532	-3
4	907	913	-4	24	-143	128	-11	-8	448	487	-22	-24	817	815	0
6	2085	2071	6	26	599	643	-13	-6	655	684	-19	-22	-53	58	-2
8	2188	2246	-26		h	-2	5	-4	590	570	11	-20	111	153	-4
10	-49	64	-5	-30	377	355	4	-2	1369	1304	34	-18	735	752	-9
12	1338	1366	-17	-28	636	661	-10	0	592	555	24	-16	437	521	-34
14	604	618	-8	-26	309	329	-4	4	988	974	7	-14	535	472	27
16	359	336	6	-24	499	496	1	6	547	588	-17	-12	750	770	-11
18	1489	1525	-19	-22	362	358	1	8	1393	1384	5	-10	513	472	17
20	468	502	-13	-20	468	469	0	10	1825	1861	-16	-8	720	743	-12
22	220	216	0	-18	1341	1332	4	12	598	598	0	-6	608	591	7
24	202	272	-11	-16	257	261	-8	14	128	176	-5	-4	955	967	-5
26	554	540	4	-14	774	758	11	16	611	594	6	-2	808	826	-8
28	354	335	3	-12	352	384	-17	18	813	825	-5	0	496	475	10
	h	-2	3	-10	1393	1415	-14	20	288	310	-3	2	1005	994	5
-30	81	201	-10	-8	1685	1717	-17	22	261	136	13	4	464	513	-15
-28	133	45	5	-6	1119	1122	-2		h	-2	8	6	395	347	10
-26	233	86	18	-4	803	819	-12	-30	147	43	6	8	1050	1105	-24
-24	767	769	0	0	1615	1562	17	-28	-138	63	-8	10	350	351	0
-22	270	308	-10	2	387	378	4	-26	239	330	-19	12	154	241	-8
-20	558	527	15	4	2085	2017	29	-24	-107	109	-9	14	285	359	-11
				6	419	428	-4	-22	1157	1138	10	16	281	171	11
				8	899	902	-2	-20	552	534	8	18	683	692	-2



## Tetrakis(Pentafluorophenyl)Octabromo Porphyrin

Page 7

-28	273	277	0	-14	395	349	10	-15	197	91	23	5	1956	1955	0
-26	249	189	9	-12	-143	108	-10	-13	585	520	46	7	636	621	12
-24	353	439	-22	-10	616	604	3	-11	716	742	-23	9	957	945	9
-22	227	237	-1	-8	301	303	0	-9	655	633	2	11	480	491	-6
-20	552	587	-14	-6	-41	159	-7	-7	324	319	3	13	551	538	9
-18	159	196	-5	-4	780	812	-12	-5	1245	1283	-29	15	441	440	0
-16	654	682	-3	-2	352	384	-6	-3	2740	2777	-13	17	669	682	-7
-14	795	755	20	0	462	448	4	-1	592	565	30	19	657	675	-9
-12	782	802	-10	2	719	651	22	1	2684	2578	39	21	492	472	7
-10	1160	1173	-6	4	481	527	-11	3	235	214	14	23	551	562	-4
-8	832	879	-24	6	322	208	15	5	1333	1337	-2	25	905	892	5
-6	305	269	7	8	530	527	0	7	2755	2845	-46	27	144	210	-6
-4	-62	82	-3					9	1278	1346	-48				
-2	153	306	-24	h	-2	15		11	365	358	4	h	-1	4	
0	228	270	-10					13	1550	1535	8				
2	356	377	-5	-22	321	270	8	15	293	288	1	-31	215	81	12
4	231	296	-10	-20	332	392	-12	17	1527	1536	-4	-29	220	236	-2
6	346	299	8	-18	66	233	-14	19	308	285	7	-27	381	355	7
8	778	800	-8	-16	407	324	16	21	542	588	-21	-25	127	114	1
10	1078	1064	5	-14	687	641	14	23	820	784	18	-23	312	324	-3
12	453	441	-2	-12	550	537	3	25	219	238	-3	-21	789	811	-13
14	-45	115	-3	-10	661	601	17	27	342	314	6	-19	-34	187	-21
16	251	274	-2	-8	299	342	-7	29	108	201	-8	-17	729	750	-14
				-6	275	313	-5					-15	2025	2075	-23
				-4	154	223	-7	h	-1	2		-13	363	352	6
				-2	225	201	2					-11	363	373	-6
				0	204	182	3	-31	-93	130	-7	-9	265	235	16
-28	196	193	0	2	87	237	-12	-29	259	197	9	-7	3474	3592	-34
-26	232	177	7	4	277	134	14	-27	307	270	7	-5	1785	1737	25
-24	385	311	16					-25	420	401	5	-3	1534	1577	-26
-22	817	732	37	h	-2	16		-23	937	954	-10	-1	1424	1345	45
-20	541	566	-9					-21	174	210	-7	1	1089	1043	29
-18	464	378	27	-20	-287	131	-25	-19	772	740	20	3	1386	1338	29
-16	632	636	-1	-18	344	282	10	-17	1060	1092	-21	5	385	363	12
-14	328	368	-10	-16	349	302	7	-15	1928	1954	-13	7	1383	1419	-22
-12	500	516	-5	-14	0	219	-12	-13	1973	1965	3	9	1174	1171	2
-10	371	363	2	-12	291	289	0	-11	1983	1984	0	11	312	273	14
-8	750	757	-3	-10	206	87	8	-9	2136	2184	-22	13	633	638	-2
-6	227	191	4	-8	472	500	-6	-7	1629	1683	-32	15	1224	1254	-18
-4	237	297	-10	-6	336	372	-6	-5	1880	1889	-4	17	272	315	-11
-2	759	800	-17	-4	49	86	-1	-3	411	401	9	19	805	833	-14
0	1268	1293	-15	-2	282	371	-14	-1	1692	1704	-8	21	433	495	-20
2	153	231	-9	0	432	474	-12	1	1110	1100	7	23	564	587	-7
4	585	593	-2					3	1757	1721	19	25	420	418	0
6	393	367	5	h	-2	17		5	2483	2508	-9	27	671	701	-10
8	305	332	-4					7	1465	1434	19				
10	229	235	0	-12	368	330	6	9	1485	1519	-21	h	-1	5	
12	458	413	7	-10	299	251	6	11	2313	2335	-9				
				-8	406	412	-1	13	1277	1320	-28	-31	364	338	5
				h	-1	0		15	1206	1214	-5	-29	138	192	-6
-26	270	234	5					17	642	652	-6	-27	153	81	6
-24	-109	88	-6					19	891	925	-20	-25	1289	1268	11
-22	290	264	4	1	1782	1749	18	21	157	174	-2	-23	629	628	0
-20	733	739	-2	3	2039	2037	1	23	528	542	-5	-21	437	441	-1
-18	434	469	-11	5	1641	1677	-21	25	205	174	4	-19	518	516	1
-16	252	197	9	7	2893	2964	-24	27	-119	24	-4	-17	386	393	-3
-14	667	670	-1	9	1364	1353	7	29	135	96	2	-15	988	986	1
-12	435	428	1	13	922	919	2					-13	275	247	12
-10	187	303	-18	15	1821	1861	-20	h	-1	3		-11	679	699	-17
-8	696	687	3	17	484	506	-11	-31	524	469	16	-9	824	820	4
-6	803	840	-15	19	724	726	-1	-29	125	89	2	-7	706	691	13
-4	262	177	11	21	630	653	-11	-27	254	255	0	-5	2779	2831	-18
-2	816	840	-10	23	392	374	5	-25	335	320	4	-3	1627	1638	-6
0	223	212	2	25	388	438	-14	-23	1235	1218	9	-1	1696	1672	12
2	679	710	-11	27	719	675	18	-21	488	497	-4	1	3229	3080	44
4	255	296	-6	29	-144	58	-7	-19	486	459	13	3	1160	1167	-4
6	244	253	-1					-17	2034	2080	-21	5	1103	1103	0
8	429	353	14	h	-1	1		-15	605	622	-12	7	845	846	0
10	364	344	3					-13	1288	1245	28	9	1743	1792	-25
				-31	418	344	16	-11	537	546	-7	11	483	483	0
				-29	224	119	11	-9	951	975	-21	13	1059	1067	-5
				-27	212	213	0	-7	1873	1960	-45	15	612	620	-4
-24	613	501	34	-25	1235	1195	21	-5	1680	1722	-24	17	933	978	-25
-22	-194	70	-12	-23	745	778	-18	-3	1753	1782	-15	19	184	257	-12
-20	297	202	15	-21	401	479	-32	-1	1363	1325	24	21	535	523	4
-18	429	456	-7	-19	423	454	-13	1	1335	1234	61	23	552	533	5
-16	437	482	-12	-17	1106	1097	6	3	2947	2929	6	25	97	111	0

	h	-1	6		-5	191	192	0	-21	196	91	12	-11	243	208	5
					-5	383	356	1	-19	118	120	0	-9	413	308	-33
-31	275	254	3		-1	1695	1861	15	-7	137	118	0	0	55	893	-27
-29	119	89	2		1	202	137	10	-15	150	150	0	-5	191	250	-7
-27	564	511	20		3	1140	1095	24	-13	850	846	2	-3	384	396	-2
-25	205	231	-4		5	892	879	6	-11	245	131	20	-1	260	225	5
-23	1044	1040	2		7	1200	1202	-1	-9	85	236	-20	1	296	280	2
-21	168	193	-4		9	510	559	-17	-7	1116	1145	-15	3	352	420	-13
-19	41	42	0		11	508	523	-5	-5	339	327	2	5	-41	212	-12
-17	778	758	13		13	564	529	12	-3	457	388	21	7	-182	79	-9
-15	1386	1429	-27		15	563	530	11	-1	607	639	-12	9	232	240	0
-13	1100	1093	4		17	358	306	10	1	801	802	0				
-11	1111	1114	-2		19	582	588	-1	3	1660	1650	4				
-9	1608	1628	-12		21	294	278	2	5	623	611	4	h	-1	15	
-7	1982	2040	-27		7				7	-127	132	-9	-25	396	318	15
-5	250	258	-3		h	-1	9		9	660	667	-2	-23	419	447	-6
-3	1058	1086	-19						11	291	274	2	-21	142	187	-14
-1	-129	258	-39		-31	307	322	-2	13	564	550	3	-19	102	151	-4
	1054	1070	-9		-29	-186	44	-12	15	117	245	-10	-3	-17	181	143
3	744	755	5		-27	233	179	8					-15	238	202	4
5	954	957	-1		-25	1170	1127	23	h	-1	12		-13	-175	195	-19
7	573	559	7		-23	298	253	10					-11	138	135	0
9	863	862	0		-21	308	264	11	-29	266	53	21	-9	131	238	-10
11	1388	1430	-24		-19	512	521	-4	-27	254	234	3	-7	509	532	-6
13	838	859	-11		-17	425	463	-16	-25	396	412	-4	-5	383	420	-7
15	818	824	-3		-15	526	507	9	-23	87	58	1	-3	386	342	9
17	573	581	-3		-13	854	780	46	-21	533	530	1	-1	-3	218	-13
19	381	441	-16		-11	220	263	-12	-19	336	350	-3	1	516	468	12
21	174	166	0		-9	415	474	-28	-17	397	425	-8	3	778	776	0
23	226	243	-2		-7	191	222	-6	-15	1417	1409	3	5	222	96	10
25	272	211	7		-5	2668	2678	-3	-13	399	397	0				
					-3	802	651	-23	-11	-95	111	-8				
h	-1	7			-1	747	723	12	-9	746	787	-19				
					1	2050	2040	4	-7	1208	1216	-4	-21	320	333	-2
-31	524	520	1		-3	306	33									







4	902	886	13	28	618	576	14	-12	441	436	-3	20	342	310	-1	
6	2092	2090	-1	28	361	354	1	-10	1490	1505	-8	22	-194	128	-14	
8	1018	1020	-3					-8	1698	1713	-8					
10	376	364	-7					-6	1122	1107	10					
12	643	627	12					-4	705	737	-25					
14	728	732	-2	-30	289	206	13	-2	1637	1617	10	-30	172	42	8	
16	354	329	10	-28	-167	58	-11	0	376	333	21	-28	110	82	1	
18	501	483	8	-26	78	67	0	2	2172	2092	32	-26	270	296	-5	
20	743	739	2	-24	685	701	-8	4	716	672	26	-24	227	86	18	
22	653	608	21	-22	335	287	13	6	399	406	-3	-22	1198	1147	28	
24	65	180	-11	-20	577	573	2	8	863	875	-7	-20	631	606	12	
26	959	902	28	-18	199	176	5	10	1547	1532	8	-18	952	957	-3	
28	-151	83	-9	-16	1173	1143	19	12	673	675	0	-16	404	429	-10	
30	-260	125	-23	-14	986	961	18	14	318	277	10	-14	515	482	17	
				-12	1018	1011	4	16	1274	1295	-11	-12	509	489	10	
				-10	2007	2031	-11	18	750	725	11	-10	431	419	5	
				-8	1181	1175	4	20	164	166	0	-8	791	795	2	
				-6	1402	1415	-4	22	423	440	-4	-6	1095	1115	-12	
				-4	1211	1095	19	24	346	341	0	-4	422	477	-1	
				-2	2394	2421	-10					-2	378	417	-13	
				0	966	910	45					0	1732	1750	-10	
				2	1412	1367	27					2	361	323	10	
				3	151	193	-11	-30	528	477	15	4	729	640	36	
				11	6	643	628	10	-28	574	555	6	6	839	831	3
				13	8	1605	1594	6	-26	564	531	12	8	405	390	4
				0	10	2153	2163	-4	-24	589	593	-1	10	377	473	-26
				3	12	543	513	17	-22	178	236	-11	12	548	569	-7
				11	14	507	484	11	-20	276	213	15	14	360	301	12
				-9	16	558	546	5	-18	889	897	-5	16	256	263	-1
				-13	18	906	906	0	-16	450	493	-23	18	225	203	2
				25	20	134	133	0	-14	436	464	-15	20	684	713	-9
				46	22	332	275	12	-12	1128	1118	-6				
				68	24	677	622	20	-10	515	546	-20				
				42	26	-65	95	-4								
				21												
				20												
				19												
				14	-30	120	31	4	0	159	165	-1	-3			

2	989	967	10	6	391	264	21	27	492	469	6	-9	1119	1131	-8
4	437	483	-13	8	202	344	-18					-7	1137	1189	-38
6	443	465	-5	10	305	358	-7		h	s	1	-5	498	516	-12
8	1069	1032	18									-3	653	662	-8
10	368	397	-5		h	2	14		-29	343	177	26	1	777	2
12	228	207	2					-27	105	102	0		1	527	510
14	372	329	7	-26	188	252	-7	-25	1026	990	18	3	1601	1534	36
16	262	173	9	-24	524	488	10	-23	463	422	13	5	1414	1411	1
18	743	708	10	-22	82	71	0	-21	444	498	-20	7	475	514	-21
	h	2	11	-20	155	190	-3	-19	539	501	17	9	738	736	1
				-18	438	488	-14	-17	345	371	-9	11	361	381	-7
				-16	426	462	-9	-15	780	771	5	13	102	155	-7
-28	314	256	10	-14	411	355	13	-13	504	530	-15	15	658	646	6
-26	161	168	0	-12	225	65	14	-11	947	899	33	17	568	554	5
-24	477	468	2	-10	655	617	12	-9	261	289	-11	19	565	524	15
-22	256	293	-7	-8	380	323	11	-7	312	321	-4	21	204	276	-12
-20	584	612	-11	-6	207	159	5	-5	2120	2100	8	23	516	556	-12
-18	262	223	7	-4	844	820	9	-3	994	996	-1	25	671	598	25
-16	667	603	30	-2	249	409	-29	1	965	945	15				
-14	716	757	10	0	104	475	10	3	1472	1431	15		h	s	4
-12	800	829	-15	2	689	664	8	1	272	250	9				
-10	1189	1169	10	4	548	539	2	5	1298	1281	11	-29	168	175	0
-8	873	866	3	6	236	241	7	7	1032	1039	-5	-27	436	434	0
-6	265	248	3	8	475	504	-6	9	1170	1183	-8	-25	302	192	21
-4	-93	122	-8						489	487	-8	-23	391	404	-4
-2	227	303	-13		h	2	15		903	902	0	-21	737	696	21
0	208	342	-34						506	500	2	-19	308	291	4
2	380	376	1	-22	195	288	-12	17	1197	1184	7	-17	553	553	0
4	303	232	12	-20	257	374	-21	19	237	141	16	-15	1585	1563	11
6	417	314	21	-18	295	226	10	21	180	163	2	-13	339	356	-7
8	805	809	-1	-16	358	335	4	23	767	764	1	-11	273	266	2
10	1095	1061	13	-14	673	674	0	25	235	131	12	-9	740	743	-1
12	471	409	12	-12	546	517	7	27	103	204	-9	-7	1864	1897	-16
14	187	117	4	-10	616	602	3					-5	513	507	3
16	239	246	0	-8	339	331	1		h	s	2	-3	1099	1098	0
				-6	265	287	-3				</				












## Tetrakis(Pentafluorophenyl)Octabromo Porphyrin

Page 18

-1	258	276	-2	-7	165	98	5	-3	128	133	0	-6	222	138	8
1	329	244	11	-5	-170	179	-18	-1	-166	76	-6	-4	236	190	5
3	305	250	8	-3	244	405	-28	1	-201	191	-15	-2	328	246	14
5	232	213	2	-1	-229	91	-13	3	-244	279	-25	0	248	116	15
7	87	144	-3	1	78	229	-8	5	0	179	-6	2	213	271	-7
9	49	70	0	3	124	82	1	h	7	8		4	338	245	15
11	243	127	12	5	337	297	6					6	-44	130	-5
13	295	230	9	7	123	270	-14	-13	305	233	10	h	8	2	
	h	7	4	9	273	338	-9	-11	-135	237	-20				
				h	7	6		-9	270	207	8	-6	199	260	-8
-17	189	64	9					-7	317	204	15	-4	-86	55	-3
-15	-56	205	-13	-15	30	189	-10	-5	-69	164	-7	-2	-145	142	-11
-13	313	354	-8	-13	301	278	4	-3	-202	241	-19	0	176	107	5
-11	208	121	9	-11	-143	60	-7	-1	222	237	-1	2	137	12	4
-9	260	182	11	-9	141	267	-15	1	-401	50	-32	4	70	67	0
-7	269	331	-12	-7	184	236	-6	3	292	138	13	h	8	3	
-5	308	338	-5	-5	244	265	-3	h	7	9		-6	246	80	15
-3	227	285	-8	-3	158	63	5	-9	307	181	16	-4	124	258	-14
-1	210	156	4	-1	353	477	-20	-7	167	99	4	-2	-122	31	-3
1	-227	73	-12	1	-143	81	-5	-3	245	333	-9	0	139	99	2
3	396	277	19	3	-169	246	-18	h	8	0		2	-185	66	-8
5	424	286	26	5	297	256	5	0	328	324	0	h	8	4	
7	400	395	1	7	325	267	8	2	303	279	4	-4	132	162	-2
9	178	118	4					4	255	148	12	-2	117	115	0
11	309	293	2	h	7	7		6	205	282	-10				
	h	7	5	-15	-136	24	-5	h	8	1					
-15	205	196	1	-13	172	142	2								
-13	230	171	7	-11	272	210	9								
-11	378	338	8	-9	194	186	0								
-9	95	64	1	-7	-40	282	-22								
				-5	89	83	0								

**Appendix 5.** Supplementary Material for the X-ray Crystal Structure Determination of  $\text{NiTFPPBr}_8$ .

**Figure A5.1.** ORTEP diagram for  $\text{NiTFPPBr}_8$  (50% probability ellipsoids) and numbering scheme for macrocycle.



**Table A5.1.** Crystal and Intensity Collection Data for NiTFPPBr<sub>8</sub>.

Formula: NiC <sub>44</sub> Br <sub>8</sub> F <sub>20</sub> N <sub>4</sub> • $\frac{1}{2}$ CH <sub>2</sub> Cl <sub>2</sub>	Formula Weight: 1704.88
Crystal Color: dark purple	Habit: thin parallelepiped
Crystal Size: 0.07 x 0.55 x 0.55 mm	
Crystal System: monoclinic	Space Group: C2/c
a = 18.178(7) Å	$\alpha = 90^\circ$
b = 22.160(11) Å	$\beta = 93.64(4)^\circ$
c = 24.421(8) Å	$\gamma = 90^\circ$
V = 9818(7) Å <sup>3</sup>	Z = 8
D = 2.31 g cm <sup>-3</sup>	
MoK $\alpha$ Radiation	$\lambda = 0.71073$ Å
$\mu = 70.2$ cm <sup>-1</sup>	T = 295 K
Enraf-Nonius Cad-4 diffractometer	$\omega$ scan
Transmission coeff. =	range for data collection: 1-25°
h = 0 - 20, k = -23 - 26, $\pm l = 29$	
Number of reflections measured: 16471	
Number of independent reflections: 8602	
Goodness of fit for merging data: 0.95	
R = 0.042 on F for 4055 reflections with $F_o^2 > 3\sigma(F_o^2)$	
wR = 0.005 on F <sup>2</sup> for 8602 reflections	
Final goodness of fit: 1.22 for 570 parameters and 8602 reflections	

**Table A5.2.** Final Refined Heavy Atom Parameters  $\times 10^4$  for NiTFPPBr<sub>8</sub>.

$x, y, z$ and $U_{eq}^a \times 10^4$				
Atom	$x$	$y$	$z$	$U_{eq}$ or $B$
Ni	3211(.4)	990(.3)	9746(.3)	287(2)
Br1	2973(.4)	3554(.3)	9300(.3)	567(2)
Br2	4338(.4)	3356(.3)	10333(.3)	536(2)
Br3	6243(.4)	918(.3)	10594(.3)	609(2)
Br4	5401(.4)	-372(.3)	11032(.3)	590(2)
Br5	1962(.4)	-611(.4)	11296(.3)	650(2)
Br6	808(.4)	-657(.4)	10119(.3)	640(2)
Br7	1668(.4)	118(.3)	7755(.3)	601(3)
Br8	2181(.4)	1576(.3)	7503(.3)	528(2)
N1	3549(2)	1787(2)	9617(2)	2.4(1)*
N2	3991(2)	873(2)	10293(2)	2.5(1)*
N3	2747(2)	273(2)	9974(2)	2.3(1)*
N4	2559(2)	1028(2)	9104(2)	2.2(1)*
C1	3167(3)	2217(2)	9299(2)	2.3(1)*
C2	3385(3)	2813(3)	9503(3)	2.8(1)*
C3	3935(3)	2737(3)	9887(3)	2.7(1)*
C4	4074(3)	2092(3)	9951(3)	2.7(1)*
C5	4666(3)	1807(3)	10223(2)	2.6(1)*
C6	4653(3)	1191(3)	10316(2)	2.6(1)*

Atom	<i>x</i>	<i>y</i>	<i>z</i>	<i>U</i> <sub>eq</sub> or <i>B</i>
C7	5226(3)	802(3)	10556(3)	2.9(1) *
C8	4900(3)	301(3)	10733(3)	3.0(1) *
C9	4119(3)	349(3)	10592(2)	2.7(1) *
C10	3544(3)	3(3)	10766(2)	2.6(1) *
C11	2855(3)	15(2)	10493(2)	2.5(1) *
C12	2197(3)	−305(3)	10610(3)	2.9(1) *
C13	1743(3)	−312(3)	10155(3)	2.8(1) *
C14	2093(3)	35(2)	9745(2)	2.3(1) *
C15	1884(3)	93(2)	9196(2)	2.2(1) *
C16	2171(3)	541(3)	8872(2)	2.3(1) *
C17	2022(3)	657(3)	8299(3)	2.8(1) *
C18	2234(3)	1226(3)	8202(3)	2.6(1) *
C19	2547(3)	1472(3)	8710(2)	2.4(1) *
C20	2753(3)	2066(3)	8827(2)	2.4(1) *
C21	5338(4)	2151(3)	10405(3)	3.1(1) *
C22	5765(4)	2426(3)	10036(3)	497(21)
C23	6423(5)	2704(3)	10183(4)	677(30)
C24	6656(5)	2723(4)	10728(5)	838(40)
C25	6248(5)	2467(4)	11116(4)	655(27)



Atom	<i>x</i>	<i>y</i>	<i>z</i>	<i>U<sub>eq</sub></i> or <i>B</i>
C26	5584(4)	2192(3)	10962(3)	523(23)
F22	5560(2)	2422(2)	9501(2)	733(14)
F23	6836(3)	2961(2)	9827(2)	1156(19)
F24	7303(3)	2971(2)	10892(2)	1289(22)
F25	6467(3)	2475(2)	11648(2)	1088(17)
F26	5192(2)	1931(2)	11333(2)	695(15)
C31	3695(3)	−375(3)	11268(3)	3.1(1) *
C32	3740(4)	−996(3)	11268(3)	515(23)
C33	3900(4)	−1321(4)	11740(4)	637(27)
C34	3985(4)	−1025(4)	12224(4)	734(29)
C35	3911(5)	−413(4)	12244(3)	797(39)
C36	3771(4)	−102(3)	11763(3)	610(28)
F32	3666(3)	−1281(2)	10790(2)	863(18)
F33	3950(3)	−1909(2)	11730(2)	1245(23)
F34	4126(3)	−1332(2)	12687(2)	1182(19)
F35	3980(4)	−130(2)	12728(2)	1504(31)
F36	3706(3)	498(2)	11794(2)	1066(22)
C41	1325(3)	−336(3)	8942(2)	2.5(1) *
C42	1487(4)	−930(3)	8867(3)	435(20)

Atom	<i>x</i>	<i>y</i>	<i>z</i>	<i>U</i> <sub>eq</sub> or <i>B</i>
C43	965(6)	-1336(3)	8644(3)	694(30)
C44	277(5)	-1126(5)	8495(4)	835(32)
C45	107(5)	-551(5)	8564(4)	821(33)
C46	621(4)	-155(3)	8791(3)	544(22)
F42	2173(2)	-1130(2)	8996(2)	669(13)
F43	1171(3)	-1908(2)	8566(2)	1108(20)
F44	-206(3)	-1521(3)	8279(3)	1623(23)
F45	-584(3)	-360(3)	8429(2)	1379(24)
F46	422(2)	418(2)	8877(2)	795(14)
C51	2545(4)	2546(3)	8414(3)	2.6(1) *
C52	3047(4)	2812(3)	8107(3)	430(20)
C53	2870(5)	3247(3)	7725(4)	670(28)
C54	2144(6)	3404(3)	7637(3)	686(31)
C55	1624(4)	3146(3)	7931(3)	542(24)
C56	1824(4)	2730(3)	8317(3)	443(21)
F52	3759(2)	2645(2)	8178(2)	676(13)
F53	3375(3)	3512(2)	7442(2)	1040(17)
F54	1945(3)	3816(2)	7248(2)	1050(18)
F55	903(3)	3300(2)	7837(2)	927(15)

Atom	<i>x</i>	<i>y</i>	<i>z</i>	<i>U</i> <sub>eq</sub> or <i>B</i>
F56	1300(2)	2488(2)	8612(2)	715(13)
CS	0	1890(6)	7500	1339(58)
ClS	38(2)	1464(2)	6925(1)	1750(14)
HS1	-427	2140	7464	12.8 *

$$^a U_{eq} = \frac{1}{3} \sum_i \sum_j [U_{ij}(a_i^* a_j^*)(\vec{a}_i \cdot \vec{a}_j)]$$

\* Isotropic displacement parameter, *B*

**Table A5.3.** Complete Distances and Angles for NiTFPPBr<sub>8</sub>.

Distance(Å)			Distance(Å)		
Ni	-N1	1.902(4)	C17	-C18	1.343(8)
Ni	-N2	1.904(4)	C18	-C19	1.439(8)
Ni	-N3	1.898(4)	C19	-C20	1.393(8)
Ni	-N4	1.906(4)	C20	-C51	1.497(8)
Br1	-C2	1.858(6)	C21	-C22	1.367(10)
Br2	-C3	1.872(6)	C21	-C26	1.407(10)
Br3	-C7	1.863(6)	C22	-C23	1.373(11)
Br4	-C8	1.871(6)	C22	-F22	1.338(8)
Br5	-C12	1.880(6)	C23	-C24	1.373(13)
Br6	-C13	1.861(6)	C23	-F23	1.313(10)
Br7	-C17	1.870(6)	C24	-C25	1.363(13)
Br8	-C18	1.871(6)	C24	-F24	1.336(11)
N1	-C1	1.387(7)	C25	-C26	1.382(11)
N1	-C4	1.392(7)	C25	-F25	1.334(10)
N2	-C6	1.391(7)	C26	-F26	1.322(8)
N2	-C9	1.383(7)	C31	-C32	1.380(9)
N3	-C11	1.395(7)	C31	-C36	1.351(10)
N3	-C14	1.385(7)	C32	-C33	1.374(11)
N4	-C16	1.390(7)	C32	-F32	1.325(8)
N4	-C19	1.376(7)	C33	-C34	1.353(12)
C1	-C2	1.458(8)	C33	-F33	1.305(10)
C1	-C20	1.378(8)	C34	-C35	1.365(12)
C2	-C3	1.337(8)	C34	-F34	1.330(10)
C3	-C4	1.457(8)	C35	-C36	1.372(11)
C4	-C5	1.381(8)	C35	-F35	1.338(10)
C5	-C6	1.384(8)	C36	-F36	1.338(9)
C5	-C21	1.485(9)	C41	-C42	1.364(9)
C6	-C7	1.446(8)	C41	-C46	1.369(9)
C7	-C8	1.344(8)	C42	-C43	1.392(11)
C8	-C9	1.443(8)	C42	-F42	1.342(8)
C9	-C10	1.385(8)	C43	-C44	1.362(13)
C10	-C11	1.380(8)	C43	-F43	1.339(10)
C10	-C31	1.495(9)	C44	-C45	1.325(13)
C11	-C12	1.436(8)	C44	-F44	1.325(11)
C12	-C13	1.342(8)	C45	-C46	1.373(12)
C13	-C14	1.441(8)	C45	-F45	1.347(11)
C14	-C15	1.377(8)	C46	-F46	1.340(8)
C15	-C16	1.392(8)	C51	-C52	1.351(9)
C15	-C41	1.496(8)	C51	-C56	1.378(9)
C16	-C17	1.432(8)	C52	-C53	1.366(11)

Distance(Å)		Angle(°)	
C52 -F52	1.348(8)	N1 -Ni -N2	90.5(2)
C53 -C54	1.369(12)	N1 -Ni -N3	168.4(2)
C53 -F53	1.323(10)	N1 -Ni -N4	90.8(2)
C54 -C55	1.350(12)	N2 -Ni -N3	90.3(2)
C54 -F54	1.351(10)	N2 -Ni -N4	168.5(2)
C55 -C56	1.352(10)	N3 -Ni -N4	90.8(2)
C55 -F55	1.360(9)	C4 -N1 -C1	107.1(4)
C56 -F56	1.342(8)	C9 -N2 -C6	106.7(4)
CS -ClS	1.696(14)	C14 -N3 -C11	106.2(4)
CS -HS1	0.953	C19 -N4 -C16	106.6(4)
		C2 -C1 -N1	108.5(5)
		C20 -C1 -N1	122.0(5)
		C20 -C1 -C2	128.8(5)
		C3 -C2 -C1	107.4(5)
		C4 -C3 -C2	108.4(5)
		C3 -C4 -N1	107.8(5)
		C5 -C4 -N1	122.9(5)
		C5 -C4 -C3	128.7(5)
		C6 -C5 -C4	120.7(5)
		C21 -C5 -C4	120.6(5)
		C21 -C5 -C6	118.7(5)
		C5 -C6 -N2	121.1(5)
		C7 -C6 -N2	108.3(5)
		C7 -C6 -C5	129.3(5)
		C8 -C7 -C6	107.5(5)
		C9 -C8 -C7	108.0(5)
		C8 -C9 -N2	108.5(5)
		C10 -C9 -N2	121.5(5)
		C10 -C9 -C8	129.5(5)
		C11 -C10 -C9	121.3(5)
		C31 -C10 -C9	117.3(5)
		C31 -C10 -C11	121.3(5)
		C10 -C11 -N3	121.2(5)
		C12 -C11 -N3	108.2(5)
		C12 -C11 -C10	129.6(5)
		C13 -C12 -C11	108.5(5)
		C14 -C13 -C12	107.1(5)
		C13 -C14 -N3	109.2(5)
		C15 -C14 -N3	122.3(5)
		C15 -C14 -C13	128.2(5)

Angle(°)		Angle(°)	
C16 -C15 -C14	121.9(5)	F33 -C33 -C34	119.6(7)
C41 -C15 -C14	118.8(5)	C35 -C34 -C33	120.5(8)
C41 -C15 -C16	119.2(5)	F34 -C34 -C33	120.1(8)
C15 -C16 -N4	121.5(5)	F34 -C34 -C35	119.4(8)
C17 -C16 -N4	108.6(5)	C36 -C35 -C34	118.8(8)
C17 -C16 -C15	129.0(5)	F35 -C35 -C34	119.7(8)
C18 -C17 -C16	107.6(5)	F35 -C35 -C36	121.5(8)
C19 -C18 -C17	107.9(5)	C35 -C36 -C31	123.0(7)
C18 -C19 -N4	108.6(5)	F36 -C36 -C31	119.4(6)
C20 -C19 -N4	122.7(5)	F36 -C36 -C35	117.6(7)
C20 -C19 -C18	128.5(5)	C42 -C41 -C15	121.5(5)
C19 -C20 -C1	121.7(5)	C46 -C41 -C15	121.6(6)
C51 -C20 -C1	119.6(5)	C46 -C41 -C42	116.9(6)
C51 -C20 -C19	118.6(5)	C43 -C42 -C41	122.0(6)
C22 -C21 -C5	121.5(6)	F42 -C42 -C41	119.4(6)
C26 -C21 -C5	121.8(6)	F42 -C42 -C43	118.6(6)
C26 -C21 -C22	116.7(6)	C44 -C43 -C42	118.3(8)
C23 -C22 -C21	123.4(7)	F43 -C43 -C42	118.5(7)
F22 -C22 -C21	120.4(6)	F43 -C43 -C44	123.1(8)
F22 -C22 -C23	116.2(7)	C45 -C44 -C43	120.9(9)
C24 -C23 -C22	118.4(8)	F44 -C44 -C43	117.0(8)
F23 -C23 -C22	123.3(8)	F44 -C44 -C45	122.1(9)
F23 -C23 -C24	118.3(8)	C46 -C45 -C44	120.5(9)
C25 -C24 -C23	121.0(9)	F45 -C45 -C44	119.6(8)
F24 -C24 -C23	120.9(8)	F45 -C45 -C46	119.9(8)
F24 -C24 -C25	118.0(8)	C45 -C46 -C41	121.5(7)
C26 -C25 -C24	119.8(8)	F46 -C46 -C41	119.6(6)
F25 -C25 -C24	121.9(8)	F46 -C46 -C45	118.9(7)
F25 -C25 -C26	118.3(7)	C52 -C51 -C20	122.2(6)
C25 -C26 -C21	120.7(7)	C56 -C51 -C20	121.5(6)
F26 -C26 -C21	118.9(6)	C56 -C51 -C52	116.4(6)
F26 -C26 -C25	120.3(7)	C53 -C52 -C51	123.3(7)
C32 -C31 -C10	124.5(6)	F52 -C52 -C51	119.2(6)
C36 -C31 -C10	119.1(6)	F52 -C52 -C53	117.5(6)
C36 -C31 -C32	116.3(6)	C54 -C53 -C52	118.0(8)
C33 -C32 -C31	122.2(7)	F53 -C53 -C52	122.0(7)
F32 -C32 -C31	118.2(6)	F53 -C53 -C54	120.0(8)
F32 -C32 -C33	119.6(6)	C55 -C54 -C53	120.6(8)
C34 -C33 -C32	119.1(8)	F54 -C54 -C53	119.7(8)
F33 -C33 -C32	121.3(7)	F54 -C54 -C55	119.7(7)

## Angle(°)

C56 -C55 -C54	119.6(7)
F55 -C55 -C54	120.3(7)
F55 -C55 -C56	120.1(7)
C55 -C56 -C51	122.1(6)
F56 -C56 -C51	119.3(6)
F56 -C56 -C55	118.6(6)
ClS -CS -ClS'	112.4(8)
ClS -CS -HS1	108.8
ClS' -CS -HS1	108.8
HS1 -CS -HS1'	109.0

**Table A5.4.** Observed and Calculated Structure Factors for NiTFPPBr<sub>8</sub>. The columns contain, in order,  $\ell$ ,  $10F_{obs}$ ,  $10F_{calc}$  and  $10\left(\frac{F_{obs}^2 - F_{calc}^2}{\sigma F_{obs}^2}\right)$ . A minus sign preceding  $F_{obs}$  indicates that  $F_{obs}^2$  is negative.

[illegible]



## Tetra(pentafluorophenyl)octabromoporphinato Nickel(II)

Page 2

3	551	123	7	17	-834	54	-21			10	707	432	18		
4	909	878	3					1	299	269	1	11	495	74	15
5	327	171	5	-17	9	1		2	392	529	-9	12	-611	178	-22
6	1455	1448	1					3	881	748	15	13	701	542	10
7	-335	534	-25	1	597	500	6	4	562	526	2	14	594	181	12
8	601	816	-19	2	1214	1236	-3	5	837	671	17	15	375	368	0
9	1230	1336	-15	3	336	508	-8	6	141	242	-2	16	1020	772	14
10	732	726	0	4	681	821	-12	7	407	14	11	17	-418	515	-14
11	781	579	16	5	-247	183	-5	8	-487	320	-23	18	450	266	4
12	531	328	11	6	221	173	1	9	623	345	18				
13	516	484	1	7	473	8	12	10	-290	275	-10	-16	10	1	
14	282	83	3	8	477	217	10	11	1188	1207	-2				
15	700	586	5	9	524	498	1	12	338	477	-7	1	274	273	0
16	382	290	2	10	-245	177	-3	13	204	113	1	2	192	235	-1
17	806	807	-8	11	-174	100	-1	14	363	191	5	3	175	280	-3
18	809	646	7	12	-754	305	-24	15	-335	145	-7	4	-168	442	-14
19	729	369	11	13	478	702	-8	16	723	671	3	5	508	34	16
				14	613	598	0	17	726	487	10	6	1272	1274	0
-17	3	1		15	1277	1198	6	18	-295	41	-3	7	581	426	9
				16	-246	133	-2	19	497	543	-1	8	806	711	8
1	1235	1198	5					20	-541	168	-9	9	601	534	4
2	572	434	9	-17	11	1						10	260	227	0
3	583	516	4					-16	4	1		11	-517	230	-17
4	700	131	31	1	489	27	13					12	726	341	15
5	255	506	-12	2	1435	1429	0	1	865	902	-4	13	-308	118	-4
6	450	689	-17	3	-608	120	-21	2	2026	2088	-14	14	452	422	0
7	533	530	0	4	814	854	-3	3	889	693	21	15	829	425	16
8	-279	223	-8	5	-212	454	-14	4	1031	1002	3	16	340	537	-5
9	1158	1062	12	6	288	419	-5	5	910	896	1	17	278	444	-3
10	866	982	-30	7	653	157	16	6	671	683	-1				
11	762	697	5	8	-470	378	-13	7	1084	934	19	-16	12	1	
12	617	620	0	9	435	77	6	8	978	902	9				
13	769	520	17	10	651	238	13	9	-596	34	-22	1	709	747	-3
14	746	599	7	11	-581	174	-14	10	1110	900	26	2	1016	1014	0
15	742	862	-6	12	697	266	14	11	322	166	4	3	287	387	-3
16	148	409	-4	13	426	358	1	12	854	875	-2	4	346		

## Tetra(pentafluorophenyl)octabromoporphinato Nickel(II)

Page 3

1	201	201	0	6	1732	1875	11	-15	15	1	8	685	614	7
2	2118	2140	-5	7	592	652	-5				9	375	241	6
3	293	419	-7	8	2028	1902	26	1	382	222	10	858	528	33
4	1153	1334	-35	9	634	497	10	2	489	572	-4	11	1348	1367
5	528	582	-4	10	727	652	6	3	-484	172	-14	12	1223	1189
6	2014	2002	2	11	467	515	-2	4	1341	1130	27	13	1816	1762
7	896	839	7	12	619	370	15	5	-339	112	-5	14	337	354
8	994	1066	-10	13	404	602	-12	6	361	155	4	15	-388	55
9	515	557	-3	14	706	521	12	7	-313	217	-5	16	53	131
10	729	609	11	15	258	416	-5	8	-610	98	-14	17	205	174
11	434	95	12	16	404	528	-6	9	-691	111	-18	18	309	135
12	624	62	26	17	614	320	9	10	-752	326	-23	19	378	254
13	337	78	7	18	326	166	2	11	281	132	2	20	571	61
14	156	21	1	19	785	792	0	12	487	0	7	21	818	102
15	536	256	13	20	379	23	4	13	598	190	10	22	515	0
16	355	325	1											7
17	420	343	3	-15	9	1		-15	17	1	-14	6	1	
18	430	271	6											
19	-234	313	-5	1	446	231	10	1	445	216	5	1	507	199
20	561	206	8	2	-73	233	-4	2	709	689	0	2	1483	1558
21	-154	199	-1	3	527	422	6	3	399	444	-1	3	336	273
22	534	246	6	4	891	918	-3	4	-162	199	-2	4	1826	1791
				5	169	154	0	5	1228	883	24	5	800	631
-15	3	1		6	657	535	10	6	-262	364	-6	6	963	894
				7	146	392	-8	7	591	288	8	7	851	798
1	-294	176	-9	8	-316	78	-6	8	323	203	2	8	366	20
2	320	56	8	9	617	586	2	9	460	213	5	9	742	778
3	-332	466	-25	10	333	323	0	10	593	114	11	10	1513	1448
4	1067	868	28	11	742	627	9					11	581	534
5	388	382	0	12	-80	47	0	-14	0	1		12	-181	178
6	118	176	-1	13	472	680	-13					13	404	88
7	748	842	-10	14	-170	551	-17	2	1486	1383	22	14	2273	2175
8	294	383	-4	15	354	222	2	4	766	689	9	15	938	765
9	1171	1225	-8	16	-552	156	-11	6	719	654	7	16	707	596
10	-105	31	0	17	-576	430	-17	8	1591	1604	-2	17	526	467
11	-88	335	-8	18	518	522	0	10	-23	22	0	18	934	922
12	832	599	22	19	1072	824	13	12	2132	2118	3	19	653	265
13	-416	88	-11					14	1232	1100	18	20	445	564
14	363	135	6	-15	11	1		16	1600	1597	0	21	277	15
15	787	443	24					18	677	441	13	22	1168	993
16	439	193	8	1	675	518	12	20	455	733	-10			
17	1130	925	21	2	642	324	20	22	218	135	0	-14	8	1
18	644	120	14	3	60	362	-8							
19	397	127	4	4	488	725	-17	-14	2	1		1	643	600
20	733	771	-1	5	1406	1399	1					2	599	76
21	-378	182	-5	6	1277	1329	-7	1	2097	2149	-13	3	994	1003
				7	550	514	2	2	890	708	24	4	1251	1190
-15	5	1		8	625	720	-7	3	2359	2327	8	5	1059	1010
				9	502	601	-6	4	662	567	9	6	1749	1624
1	383	295	4	10	20	54	0	5	416	375	2	7	552	584
2	664	492	15	11	-183	209	-4	6	1418	1397	4	8	193	482
3	885	733	18	12	251	209	1	7	1598	1735	-31	9	1802	1717
4	835	634	21	13	705	606	4	8	302	446	-8	10	220	160
5	1149	1108	6	14	447	368	2	9	2057	1961	22	11	312	351
6	1054	818	31	15	310	537	-6	10	911	771	16	12	664	486
7	1255	1108	23	16	-538	318	-12	11	636	553	6	13	703	640
8	1568	1552	3	17	255	370	-2	12	1603	1637	-6	14	866	719
9	702	482	17	18	-331	296	-6	13	465	363	5	15	-285	51
10	721	648	6					14	1485	1434	8	16	320	354
11	1106	1080	3	-15	13	1		15	926	917	0	17	825	815
12	236	386	-6					16	990	974	1	18	489	127
13	704	534	12	1	320	439	-5	17	-666	17	-24	19	-549	162
14	559	581	-1	2	813	436	28	18	715	469	15	20	-203	171
15	469	484	0	3	1130	966	20	19	788	653	9	21	-869	262
16	-223	9	-2	4	-373	31	-8	20	607	165	11			
17	701	679	1	5	1088	1088	0	21	283	359	-1	-14	10	1
18	845	187	27	6	530	470	3	22	-404	166	-5			
19	-239	245	-3	7	438	290	6	23	316	168	1	1	307	128
20	499	319	4	8	379	422	-2					2	485	789
21	-478	166	-8	9	590	588	0	-14	4	1		3	284	22
				10	-445	362	-17					4	2291	2267
-15	7	1		11	785	713	4	1	1527	1547	-4	5	-284	153
				12	671	613	3	2	1644	1776	-31	6	1497	1467
1	409	161	10	13	-637	540	-23	3	1917	1866	12	7	-358	215
2	1464	1444	3	14	-520	56	-8	4	1575	1430	31	8	806	699
3	397	540	-9	15	437	473	-1	5	1573	1576	0	9	259	99
4	647	587	5	16	522	553	-1	6	1659	1564	20	10	197	352
5	941	730	24					7	-498	37	-19	11	224	360





Tetra(pentafluorophenyl)octabromoporphinato Nickel(II)

Page 6

[illegible]

## Tetra(pentafluorophenyl)octabromoporphinato Nickel(II)

Page 7

19	762	655	8	18	661	317	11	1	834	825	2	20	1869	1804	10
20	845	886	-3	19	714	146	15	2	3253	3249	1	21	816	588	15
21	410	485	-3	20	408	307	2	3	1811	1877	-24	22	484	345	5
22	-613	169	-12	21	-167	391	-4	4	3639	3708	-19	23	233	46	2
23	-687	345	-15					5	2183	2174	-3	24	683	427	7
24	259	30	1	-10	16	1		6	1202	1267	-18	25	818	859	-1
								7	1222	1296	-21	26	-238	99	-1
	-10	10	1				-2	8	1489	1523	-10				
							-10	9	2986	3033	-14	-9	7	1	
1	2220	2236	-4	2	756	853	20	10	-237	4	-6				
2	956	876	13	4	2377	2288	20	11	421	562	-14	1	2522	2517	1
3	977	937	7	5	770	673	9	12	1485	1506	-4	2	2219	2215	1
4	-352	31	-11	6	-184	403	-12	13	-198	8	-3	3	-123	120	-3
5	471	313	11	7	299	398	-4	14	486	489	0	4	274	84	8
6	895	907	-1	8	499	267	12	15	181	1257	-13	5	2229	2221	2
7	2037	2081	-11	9	237	161	1	16	-160	159	-3	6	1379	1309	18
8	671	657	1	10	1035	1009	3	17	768	724	4	7	2681	2775	-29
9	1119	1133	-2	11	1453	1253	29	18	2519	2401	25	8	521	554	-3
10	560	498	5	12	735	643	7	19	281	317	-1	9	909	1121	-39
11	538	373	11	13	401	451	-2	20	-301	226	-7	10	1388	1390	0
12	1848	1886	-8	14	183	118	1	21	1483	1431	6	11	1113	1136	-4
13	1184	1092	13	15	-450	262	-9	22	2317	2271	7	12	1548	1532	3
14	1758	1658	19	16	-742	2	-19	23	413	450	-1	13	325	234	4
15	544	616	-5	17	947	459	21	24	1108	1067	3	14	290	299	0
16	1095	986	13	18	-521	26	-8	25	549	449	2	15	957	989	-4
17	1576	1531	7	19	428	194	4	26	1414	1105	19	16	2065	2087	-4
18	927	920	0					27	995	812	8	17	351	272	3
19	1559	1592	-4	-10	18	1						18	378	45	8
20	998	978	1					-9	3	1		19	983	962	2
21	1113	637	26									20	594	665	-4
22	95	282	-1	1	237	187	1					21	931	267	16
23	474	135	5	2	1656	1574	14	1	1565	1583	-6	22	1059	857	18
24	-593	394	-12	3	452	415	2	2	2342	2411	-24	23	428	624	-5
				4	740	953	-21	3	439	240	19	24	1367	863	27
				5	1043	947	11	4	2508	2516	-2	25	293	53	2
	-10	12	1	6	506	307	9								

## Tetra(pentafluorophenyl)octabromoporphinato Nickel(II)

Page 8

13	269	190	2	15	475	103	7	10	2176	2194	-5	-8	8	1
14	311	523	-11	16	-375	102	-5	11	2426	2471	-13			
15	898	740	15	17	584	127	10	12	2140	2179	-11	1	1361	1382
16	590	418	10	18	490	249	5	13	-206	252	-9	2	298	330
17	637	479	10	19	624	300	8	14	731	565	17	3	423	285
18	613	613	0					15	1223	1332	-19	4	926	939
19	-321	559	-19	-9	19	1		16	-176	294	-8	5	3306	3319
20	-197	330	-6					17	-258	169	-6	6	1511	1476
21	552	251	7	1	-478	280	-20	18	579	534	2	7	1674	1802
22	899	593	12	2	269	7	4	19	329	36	6	8	3286	3285
23	579	403	4	3	276	588	-16	20	1043	1136	-10	9	585	286
24	530	10	6	4	1160	1023	17	21	760	659	6	10	1159	1213
				5	1275	1302	-3	22	378	303	2	11	2649	2680
-9	13	1		6	449	455	0	23	776	751	1	12	1453	1403
				7	473	429	2	24	627	401	9	13	876	814
1	1672	1658	3	8	537	630	-6	25	-603	178	-11	14	395	479
2	259	362	-5	9	712	708	0	26	466	173	5	15	179	181
3	1010	942	10	10	82	15	0	27	-438	43	-4	16	1746	1753
4	127	96	0	11	983	1081	-7					17	1126	1082
5	340	17	9	12	963	1075	-8	-8	4	1		18	-292	156
6	-266	257	-12	13	-619	321	-17					19	717	709
7	1237	1115	21	14	837	164	22	1	1087	1125	-11	20	-327	252
8	-82	95	-1	15	582	427	4	2	780	814	-8	21	-258	334
9	101	309	-6	16	295	175	1	3	775	710	14	22	250	602
10	632	424	15					4	3164	3166	0	23	-442	58
11	746	799	-5	-9	21	1		5	1518	1554	-12	24	556	1013
12	1871	1921	-10					6	774	792	-3	25	-707	331
13	1212	1269	-8	1	549	290	12	7	376	441	-7	26	-589	152
14	725	816	-8	2	165	288	-3	8	801	842	-8			
15	492	250	10	3	978	887	9	9	532	539	0	-8	10	1
16	621	723	-7	4	-535	351	-15	10	1646	1605	11			
17	1112	891	22	5	197	199	0	11	1225	1266	-9	1	347	265
18	1657	1522	19	6	875	474	20	12	444	334	8	2	2161	2158
19	410	620	-9	7	359	22	4	13	1258	1271	-2	3	1334	1274
20	264	164	1	8	286	228	1	14	1289	1291	0	4	418	278
21	1184	1056	7	9	380	739	-13	15	1129	1161	-5	5	965	922
22	129	379	-3	10	850	700	7	16	467	506	-2	6	896	761





Tetra(pentafluorophenyl)octabromoporphinato Nickel(II)

Page 10

[illegible]

Tetra(pentafluorophenyl)octabromoporphinato Nickel(II)

Page 11

9	590	560	2	13	1319	1283	3	11	369	511	-14	27	-478	579	-16
10	2104	2002	24	14	746	379	14	12	5396	5518	-24				
11	473	656	-14	15	503	776	-12	13	3572	3694	-31	-5	9	1	
12	1286	1315	-4	16	320	335	0	14	945	1099	-25				
13	498	86	16	17	-164	371	-5	15	984	1098	-16	1	3201	3145	17
14	656	718	-5					16	2370	2384	-3	2	3288	3342	-16
15	1153	1276	-16	-6	22	1		17	866	781	8	3	1992	2047	-20
16	382	300	3					18	-151	12	-1	4	2029	2035	-2
17	1002	1026	-2	1	-232	507	-17	19	593	466	6	5	1656	1672	-5
18	1407	1352	7	2	1112	1171	-7	20	2617	2608	1	6	1738	1775	-12
19	779	723	3	3	-270	176	-5	21	1007	811	16	7	2694	2686	2
20	-57	259	-3	4	980	753	21	22	741	541	12	8	1058	1049	1
21	-175	16	0	5	739	573	12	23	683	38	21	9	2377	2444	-21
22	-812	86	-17	6	524	56	15	24	489	171	9	10	4213	4178	8
23	1112	725	17	7	237	204	0	25	-386	518	-17	11	2567	2573	-1
				8	-469	3	-8	26	261	182	1	12	198	18	3
	-6	16	1	9	415	418	0	27	309	383	-1	13	506	620	-10
				10	242	139	1	28	389	334	1	14	622	387	17
1	1442	1418	5	11	1030	1125	-6					15	807	718	9
2	1591	1571	4	12	751	539	8	-5	5	1		16	2759	2723	8
3	1016	1026	-1	13	420	684	-9					17	559	766	-15
4	751	810	-7	14	828	269	19	1	1194	1201	-2	18	556	717	-10
5	544	559	-1					2	2125	2162	-15	19	565	109	14
6	1596	1537	12	-6	24	1		3	982	1066	-30	20	-403	4	-7
7	-114	342	-10					4	2323	2300	8	21	-608	92	-16
8	1089	942	20	1	928	706	12	5	5302	5329	-5	22	417	203	6
9	103	307	-6	2	890	816	4	6	-80	254	-12	23	-110	23	0
10	728	624	9	3	778	355	16	7	922	932	-2	24	1125	1223	-6
11	638	687	-4	4	1061	1211	-11	8	1017	1036	-5	25	350	55	3
12	1649	1729	-15	5	-494	386	-13	9	477	121	29	26	-251	29	-1
13	322	289	1	6	921	955	-2	10	887	811	15				
14	459	484	-1	7	611	91	12	11	1733	1761	-8	-5	11	1	
15	668	595	5	8	-899	259	-28	12	1275	1185	20				
16	634	649	0	9	1006	1080	-4	13	3689	3701	-3	1	120	136	0
17	1382	1347	4					14	605	612	0	2	1416	1429	-3
18	408	361													









## Tetra(pentafluorophenyl)octabromoporphinato Nickel(II)

Page 16

16	1542	1457	14	7	926	937	-1	11	-255	200	-5	22	1100	1112	-1
17	1991	2038	-9	8	1727	1721	1	12	428	379	2	23	1204	1169	-5
18	764	628	9	9	320	437	-7	13	1077	1026	3	24	1730	1807	-16
19	524	285	10	10	1367	1326	8	14	681	709	-1	25	1047	1086	-5
20	310	266	1	11	1001	1074	-10	15	222	203	0	26	441	265	-7
21	987	859	6	12	1031	1072	-5	16	826	137	21	27	228	467	-7
22	1064	963	9	13	1370	1349	3	17	367	263	1	28	752	704	2
23	522	425	4	14	904	994	-10								
24	1244	1204	4	15	529	566	-2	-1	23	1		0	4	1	
25	-191	396	-5	16	1211	1077	16								
26	691	600	3	17	599	768	-12	1	1014	939	8	0	476	481	-1
27	389	511	-2	18	1036	1083	-3	2	701	632	5	1	3752	3643	36
				19	1082	1110	-2	3	458	25	11	2	397	290	33
-1	11	1		20	520	327	7	4	625	565	4	3	1727	1751	-14
1	2042	1981	21	21	432	516	-2	5	768	505	18	4	4247	4161	24
2	4567	4544	5	22	791	327	13	6	581	258	15	5	3807	3864	-18
3	1393	1460	-22	23	564	382	4	7	1948	2043	-12	6	2776	2751	-10
4	3544	3507	10					8	-381	84	-5	7	3037	2987	18
5	1649	1551	31	-1	17	1		9	-506	476	-17	8	1481	1480	0
6	4559	4618	-14	1	1334	1305	6	10	612	36	15	9	1355	1331	9
7	487	538	-8	2	1480	1495	-3	11	419	32	5	10	3463	3424	12
8	402	262	10	3	1277	1263	2	12	566	39	10	11	5416	5399	3
9	391	288	7	4	439	526	-7	13	571	309	7	12	570	657	-12
10	1042	1062	-3	5	1080	984	15	14	-385	316	-7	13	433	267	11
11	2667	2729	-17	6	647	693	-4					14	1579	1488	25
12	1874	1690	-3	7	2691	2754	-16	-1	25	1		15	3478	3558	-23
13	1852	1851	0	8	1518	1593	-15	1	602	533	8	16	1479	1513	-8
14	1456	1436	3	9	308	12	6	2	451	74	6	17	1037	939	16
15	433	7	12	10	1209	1210	0	3	-529	235	-11	18	3777	3851	-19
16	2325	2218	23	11	418	19	11	4	715	632	3	19	2835	2854	-5
17	355	100	6	12	414	417	0	5	1010	991	1	20	527	205	18
18	457	310	5	13	1384	1298	13	6	867	731	7	21	974	839	17
19	592	374	10	14	804	582	17	7	512	334	4	22	2445	2486	-10
20	519	531	0	15	1142	1096	5	8	532	391	4	23	1807	1787	4
21	457	404	2												

## Tetra(pentafluorophenyl)octabromoporphinato Nickel(II)

Page 17

4	1329	1357	-14	21	1131	1188	-7	16	1151	1105	7	5	146	63	
5	2774	2799	-10	22	693	751	-5	17	427	386	2	6	7318	7097	33
6	3419	3456	-12	23	-249	359	-8	18	1213	1195	1	7	3649	3552	25
7	1381	1432	-23	24	613	703	-4	19	1436	1516	-9	8	1460	1339	25
8	4088	3950	39	25	1675	1578	10	20	618	390	8	9	3446	3502	-14
9	2794	2745	18					21	812	712	5	10	3165	3050	28
10	533	453	12		0	14	1					11	2028	1999	6
11	736	766	-6						0	20	1	12	1095	941	22
12	1635	1587	16	0	360	46	14					13	385	156	9
13	1263	1288	-7	1	891	882	2	0	1941	1907	7	14	3856	3923	-15
14	1303	1248	13	2	709	687	4	1	1882	1871	3	15	789	876	-9
15	2989	2941	14	3	2764	2802	-14	2	186	221	-1	16	1874	1905	-6
16	1579	1636	-13	4	1145	1198	-17	3	-78	129	-2	17	1154	1143	
17	1611	1573	8	5	2733	2715	6	4	425	113	16	18	2561	2528	6
18	808	931	-15	6	874	940	-15	5	1931	1985	-16	19	513	625	-7
19	1688	1645	9	7	-209	99	-7	6	875	760	16	20	515	405	5
20	1134	1075	9	8	652	634	2	7	-162	571	-32	21	804	622	13
21	667	513	12	9	2931	2965	-11	8	197	380	-9	22	661	352	15
22	443	114	12	10	737	701	5	9	1374	1255	25	23	567	319	10
23	268	490	-10	11	633	654	-2	10	767	830	-8	24	378	361	0
24	755	878	-12	12	1439	1428	2	11	667	603	6	25	-324	145	-5
25	515	692	-8	13	1706	1657	13	12	-337	190	-11	26	1055	946	9
26	744	839	-5	14	2317	2285	9	13	360	366	0	27	1018	738	13
27	855	466	19	15	772	758	1	14	146	42	1	28	-339	75	-3
				16	2347	2353	-1	15	338	240	3				
	0	10	1	17	-71	245	-5	16	-358	150	-6	1	3	1	
				18	251	52	4	17	1051	1098	-4				
0	3352	3408	-17	19	1155	1330	-28	18	693	925	-14	0	1906	1879	14
1	759	694	20	20	988	948	4					1	759	625	68
2	1986	1942	20	21	675	656	1		0	22	1	2	341	269	16
3	1175	1164	4	22	468	45	8					3	2658	2538	46
4	2092	2038	24	23	955	917	1	0	238	108	2	4	495	422	17
5	459	430	5	24	790	848	-3	1	352	505	-11	5	2323	2244	31
6	525	596	-15					2	897	822	10	6	3424	3378	14
7	2363	2356	3		0	16	1	3	1309	1327	-3				



## Tetra(pentafluorophenyl)octabromoporphinato Nickel(II)

Page 18

19	775	786	-1	3	2465	2372	32	22	-114	13	0	4	509	446	3	
20	1087	1333	-30	4	1838	1808	10	23	417	98	4	5	1095	851	25	
21	894	761	11	5	1075	1080	-1					6	201	406	-7	
22	1005	1061	-5	6	1633	1676	-14		1	17	1	7	61	30	0	
23	488	573	-4	7	2271	2320	-16					8	168	18	1	
24	-242	414	-10	8	2152	2200	-15	0	1546	1582	-8	9	1060	1046	0	
25	664	809	-10	9	4590	4619	-6	1	1668	1648	4	10	296	326	0	
26	319	47	3	10	1639	1522	30	2	1002	1005	0	11	-412	89	-5	
27	672	104	12	11	1991	2034	-11	3	696	822	-15	12	799	675	5	
28	961	729	10	12	990	984	0	4	-464	275	-24	13	746	901	-7	
	1	7	1	13	2007	1955	12	5	-351	74	-10					
0	2991	2968	7	14	-271	316	-12	6	1031	1049	-2		1	25	1	
1	708	713	-1	15	224	340	-4	7	477	228	13					
2	484	387	18	16	476	260	9	8	126	419	-11	0	-133	74	0	
3	1307	1338	-13	17	880	862	1	9	489	643	-12	1	861	424	19	
4	4381	4343	9	18	2247	2260	-2	10	1178	1271	-15	2	711	533	7	
5	3335	3282	16	19	631	315	14	11	1750	1713	7	3	754	381	14	
6	2449	2523	-27	20	500	551	-2	12	1443	1373	11	4	871	636	12	
7	6630	6584	7	21	810	434	20	13	1135	1242	-14	5	-287	135	-3	
8	2596	2612	-5	22	202	357	-3	14	523	324	9	6	781	283	18	
9	1148	1194	-12	23	238	249	0	15	551	438	6	7	781	37	19	
10	3338	3268	19	24	413	281	2	16	-473	311	-16	8	690	301	12	
11	2309	2265	13	25	-343	18	-3	17	660	663	0					
12	525	525	0	26	-535	65	-7	18	412	124	7		2	0	1	
13	686	752	-7					19	-269	336	-5					
14	501	171	17		1	13	1	20	-659	280	-13	0	4488	4551	-17	
15	1688	1643	8	0	4151	4178	-6	21	722	105	13	2	3424	3422	0	
16	1131	1077	6	1	444	440	0					4	8236	8161	12	
17	625	318	17	2	574	665	-13		1	19	1	6	4907	4938	-6	
18	504	35	14	3	109	258	-6	0	1128	1055	11	8	3161	3116	13	
19	1458	1567	-16	4	257	225	1	1	1988	1953	8	10	4091	4167	-18	
20	1269	1306	-4	5	286	115	7	2	744	784	-4	12	3330	3278	12	
21	1806	1929	-20	6	788	815	-4	3	1187	1254	-11	14	837	797	4	
22	1131	858	18	7	1153	1250	-21	4	1093	1052	6	16	4672	4685	-2	
23	897	891	0	8	1070	931	25	5	316	324	0	18	528	655	-8	
24	944	1049	-9	9	3021	3042	-5	6	600	739	-13	20	316	102	4	
25	-691	483	-21	10	1911	1936	-6	7	652	501	11	22	910	1037	-11	
26	299	390	-1	11	433	208	11	8	408	215	7	24	1466	1315	18	
27	966	774	9	12	778	828	-6	9	722	720	0	26	-473	27	-7	
				13	1095	1022	10	10	429	228	8	28	773	722	2	
				14	592	733	-12	11	2035	1995	8					
				15	1623	1660	-6	12	-285	601	-27		2	2	1	
				16	716	678	3	13	657	719	-4	0	613	583	14	
				17	1214	1225	-1	14	576	424	8	1	1005	1056	-32	
				18	649	581	4	15	1462	1461	0	2	285	118	24	
				19	1267	1292	-2	16	458	95	6	3	953	935	8	
				20	847	784	4	17	1103	1002	6	4	4252	4122	33	
				21	-313	205	-6	18	-408	182	-5	5	4949	4773	39	
				22	727	482	8	19	959	509	18	6	1380	1301	29	
				23	658	572	2					7	6887	6699	30	
				24	-656	54	-11		i	21	1	8	3448	3356	25	
				25	114	103	0					9	868	769	16	
								0	1349	1269	12	10	943	745	28	
									1	523	269	13	11	1869	1946	-18
									2	1365	1390	-4	12	2242	2140	23
									3	412	310	4	13	1244	1247	0
									4	1036	910	15	14	833	738	9
									5	-203	387	-11	15	533	467	4
									6	768	749	1	16	934	927	0
									7	332	8	6	17	2892	2984	-20
									8	-329	368	-14	18	909	895	1
									9	493	115	13	19	415	528	-5
									10	1492	1462	4	20	1636	1730	-14
									11	905	973	-6	21	355	256	3
									12	1085	1124	-4	22	2386	2361	4
									13	221	10	1	23	1001	667	25
									14	961	806	9	24	278	217	1
									15	-277	501	-10	25	1573	1580	0
									16	970	495	20	26	995	745	12
									17	-574	103	-9	27	352	110	3
													28	1523	1531	0
									1	23	1					
													2	4	1	
									0	1133	1099	4				
									1	920	1006	-9	0	2039	2028	5
									2	-376	24	-8	1	3444	3427	5
									3	886	905	-1	2	888	860	12



## Tetra(pentafluorophenyl)octabromoporphinato Nickel(II)

Page 20







## Tetra(pentafluorophenyl)octabromoporphinato Nickel(II)

Page 24

## Tetra(pentafluorophenyl)octabromoporphinato Nickel(II)

Page 25













**Appendix 6.** Supplementary Material for  
the X-ray Crystal Structure Determination of CuTFPPBr<sub>8</sub>.

**Figure A6.1.** ORTEP diagram for CuTFPPBr<sub>8</sub> (50% probability ellipsoids) and numbering scheme for macrocycle.

**Table A6.1.** Crystal and Intensity Collection Data for CuTFPPBr<sub>8</sub>.

Formula: CuC <sub>44</sub> Br <sub>8</sub> F <sub>20</sub> N <sub>4</sub> • 1/2 CH <sub>2</sub> Cl <sub>2</sub>	Formula Weight: 1709.72
Crystal Color: dark purple	Habit: irregular plate
Crystal Size: 0.11 x 0.41 x 0.40 mm	
Crystal System: monoclinic	Space Group: C2/c
a = 18.099(4) Å	α = 90
b = 22.326(4) Å	β = 92.31
c = 24.303(5) Å	γ = 120
V = 9814(3) Å <sup>3</sup>	Z = 8
D = 2.32 g cm <sup>-3</sup>	
MoKα Radiation	λ = 0.71073 Å
μ = 7.07 mm <sup>-1</sup>	T = 294 K
Enraf-Nonius Cad-4 diffractometer	ω scan
	range for data collection: 1-25
±h = 21, ±k = 26, l = 0 - 28	
Number of reflections measured: 18304	
Number of independent reflections: 8610	
R = 0.047 on F for 3625 reflections with F <sub>o</sub> <sup>2</sup> > 3σ(F <sub>o</sub> <sup>2</sup> )	
wR = 0.007 on F <sup>2</sup> for 8610 reflections	
Final goodness of fit: 1.18 for 570 parameters and 8610 reflections	

**Table A6.2.** Final Refined Heavy Atom Parameters  $\times 10^4$  for CuTFPPBr<sub>8</sub>.

$x, y, z$ and $U_{eq}^a \times 10^4$				
Atom	$x$	$y$	$z$	$U_{eq}$ or $B$
Cu	3220(.5)	995(.4)	9755(.4)	306(3)
Br1	2998(.5)	3559(.4)	9321(.4)	512(3)
Br2	4340(.5)	3356(.4)	10352(.4)	492(3)
Br3	6255(.5)	938(.4)	10623(.5)	563(3)
Br4	5418(.5)	-362(.4)	11029(.5)	572(3)
Br5	1968(.6)	-673(.5)	11292(.4)	584(3)
Br6	812(.5)	-681(.5)	10131(.5)	597(3)
Br7	1632(.6)	175(.4)	7758(.4)	554(3)
Br8	2168(.5)	1617(.4)	7511(.4)	484(3)
N1	3590(3)	1809(3)	9617(3)	2.6(1)*
N2	4008(3)	879(3)	10332(3)	2.3(1)*
N3	2752(3)	241(3)	9979(3)	2.3(1)*
N4	2532(3)	1045(3)	9109(3)	2.2(1)*
C1	3202(4)	2227(3)	9308(4)	2.7(2)*
C2	3422(4)	2813(3)	9514(3)	2.4(2)*
C3	3952(4)	2742(3)	9892(4)	2.5(2)*
C4	4093(4)	2106(3)	9959(4)	2.7(2)*
C5	4672(4)	1815(3)	10240(4)	3.0(2)*
C6	4662(4)	1201(3)	10350(3)	2.5(2)*



Atom	<i>x</i>	<i>y</i>	<i>z</i>	<i>U</i> <sub>eq</sub> or <i>B</i>
C7	5230(4)	811(3)	10593(4)	3.1(2) *
C8	4911(4)	301(3)	10751(4)	2.9(2) *
C9	4128(4)	349(3)	10608(4)	2.7(2) *
C10	3550(4)	−18(3)	10767(4)	2.5(2) *
C11	2858(4)	−26(3)	10492(3)	2.5(2) *
C12	2211(4)	−350(3)	10619(4)	2.8(2) *
C13	1761(4)	−335(3)	10158(4)	2.7(2) *
C14	2097(4)	15(3)	9754(3)	2.2(2) *
C15	1877(4)	108(3)	9205(4)	2.4(2) *
C16	2147(4)	570(3)	8881(4)	2.5(2) *
C17	2000(4)	703(3)	8309(4)	2.4(2) *
C18	2220(4)	1255(3)	8206(4)	2.8(2) *
C19	2540(4)	1495(3)	8712(3)	2.3(2) *
C20	2775(4)	2084(3)	8840(4)	2.4(2) *
C21	5346(5)	2163(4)	10436(4)	3.0(2) *
C22	5779(5)	2435(4)	10039(5)	504(30)
C23	6443(6)	2705(4)	10198(6)	662(44)
C24	6668(6)	2694(5)	10760(7)	810(52)
C25	6231(6)	2456(5)	11140(6)	667(39)

Atom	<i>x</i>	<i>y</i>	<i>z</i>	$U_{eq}$ or <i>B</i>
C26	5570(5)	2181(4)	10985(5)	500(30)
F22	5579(3)	2440(3)	9517(3)	726(19)
F23	6862(3)	2958(3)	9836(3)	1179(27)
F24	7321(3)	2943(3)	10912(3)	1283(29)
F25	6464(3)	2448(3)	11664(3)	1015(22)
F26	5179(3)	1928(3)	11364(2)	679(21)
C31	3694(4)	-403(4)	11261(4)	2.6(2) *
C32	3758(5)	-1012(4)	11246(5)	481(29)
C33	3914(6)	-1349(5)	11716(6)	709(42)
C34	3983(7)	-1076(6)	12206(6)	769(42)
C35	3900(7)	-473(6)	12242(5)	823(50)
C36	3753(6)	-149(4)	11776(5)	638(37)
F32	3714(4)	-1289(2)	10758(3)	902(25)
F33	3985(4)	-1934(3)	11692(3)	1248(30)
F34	4117(4)	-1390(3)	12668(3)	1223(25)
F35	3936(5)	-193(3)	12729(3)	1558(44)
F36	3673(4)	447(3)	11812(3)	1071(29)
C41	1314(4)	-307(4)	8957(4)	2.5(2) *
C42	1473(5)	-908(4)	8865(4)	419(26)

Atom	<i>x</i>	<i>y</i>	<i>z</i>	<i>U</i> <sub>eq</sub> or <i>B</i>
C43	952(7)	−1295(4)	8659(4)	624(39)
C44	251(6)	−1088(5)	8525(5)	786(39)
C45	86(6)	−508(5)	8589(5)	719(37)
C46	608(5)	−134(4)	8812(4)	526(29)
F42	2155(3)	−1113(2)	8993(2)	633(17)
F43	1134(3)	−1871(2)	8587(3)	974(25)
F44	−241(4)	−1477(3)	8318(3)	1414(27)
F45	−602(3)	−316(3)	8466(3)	1287(30)
F46	423(3)	446(2)	8893(2)	690(17)
C51	2588(5)	2566(3)	8425(4)	2.3(2) *
C52	3097(5)	2820(4)	8120(4)	410(27)
C53	2946(6)	3255(4)	7739(4)	575(33)
C54	2215(7)	3428(4)	7650(5)	614(38)
C55	1679(5)	3177(4)	7952(5)	508(32)
C56	1872(5)	2751(4)	8344(4)	421(28)
F52	3808(3)	2635(2)	8177(2)	649(17)
F53	3458(4)	3525(3)	7457(3)	1012(23)
F54	2042(4)	3844(3)	7271(3)	1082(25)
F55	971(3)	3345(2)	7862(3)	911(20)

Atom	<i>x</i>	<i>y</i>	<i>z</i>	<i>U<sub>eq</sub></i> or <i>B</i>
F56	1330(3)	2526(2)	8635(3)	705(18)
CS	0	1918(7)	7500	1069(63)
CLS	36(2)	1500(2)	6912(2)	1397(15)
HS	429	2164	7528	10.2 *

$$^a U_{eq} = \frac{1}{3} \sum_i \sum_j [U_{ij}(a_i^* a_j^*)(\vec{a}_i \cdot \vec{a}_j)]$$

\* Isotropic displacement parameter, *B*

**Table A6.3.** Complete Distances and Angles for CuTFPPBr<sub>8</sub>.

		Distance(Å)			Distance(Å)
Cu	-N1	1.969(6)	C17	-C18	1.323(11)
Cu	-N2	1.977(6)	C18	-C19	1.442(11)
Cu	-N3	1.971(6)	C19	-C20	1.413(11)
Cu	-N4	1.968(6)	C20	-C51	1.503(11)
Br1	-C2	1.884(7)	C21	-C22	1.405(13)
Br2	-C3	1.887(8)	C21	-C26	1.379(13)
Br3	-C7	1.874(8)	C22	-C23	1.386(15)
Br4	-C8	1.857(8)	C22	-F22	1.305(12)
Br5	-C12	1.856(8)	C23	-C24	1.411(18)
Br6	-C13	1.882(8)	C23	-F23	1.313(13)
Br7	-C17	1.885(8)	C24	-C25	1.349(18)
Br8	-C18	1.870(8)	C24	-F24	1.344(15)
N1	-C1	1.373(10)	C25	-C26	1.382(15)
N1	-C4	1.378(10)	C25	-F25	1.325(13)
N2	-C6	1.384(10)	C26	-F26	1.311(11)
N2	-C9	1.372(10)	C31	-C32	1.366(13)
N3	-C11	1.390(10)	C31	-C36	1.375(13)
N3	-C14	1.381(9)	C32	-C33	1.386(15)
N4	-C16	1.373(10)	C32	-F32	1.338(11)
N4	-C19	1.392(10)	C33	-C34	1.340(17)
C1	-C2	1.452(11)	C33	-F33	1.313(14)
C1	-C20	1.387(11)	C34	-C35	1.357(18)
C2	-C3	1.310(11)	C34	-F34	1.339(14)
C3	-C4	1.450(11)	C35	-C36	1.362(16)
C4	-C5	1.390(11)	C35	-F35	1.339(15)
C5	-C6	1.398(11)	C36	-F36	1.341(12)
C5	-C21	1.507(12)	C41	-C42	1.392(12)
C6	-C7	1.453(11)	C41	-C46	1.367(12)
C7	-C8	1.340(11)	C42	-C43	1.359(14)
C8	-C9	1.449(11)	C42	-F42	1.342(10)
C9	-C10	1.395(11)	C43	-C44	1.377(16)
C10	-C11	1.395(11)	C43	-F43	1.340(12)
C10	-C31	1.490(11)	C44	-C45	1.339(16)
C11	-C12	1.423(11)	C44	-F44	1.328(14)
C12	-C13	1.359(11)	C45	-C46	1.357(15)
C13	-C14	1.413(11)	C45	-F45	1.339(13)
C14	-C15	1.393(11)	C46	-F46	1.355(11)
C15	-C16	1.397(11)	C51	-C52	1.332(12)
C15	-C41	1.486(11)	C51	-C56	1.366(12)
C16	-C17	1.436(11)	C52	-C53	1.362(14)

Distance(Å)		Angle(°)	
C52 -F52	1.354(10)	N1 -Cu -N2	90.1(2)
C53 -C54	1.386(15)	N1 -Cu -N3	171.0(2)
C53 -F53	1.319(12)	N1 -Cu -N4	91.2(2)
C54 -C55	1.360(15)	N2 -Cu -N3	89.9(2)
C54 -F54	1.336(13)	N2 -Cu -N4	171.5(2)
C55 -C56	1.380(14)	N3 -Cu -N4	90.2(2)
C55 -F55	1.345(12)	C4 -N1 -C1	108.2(6)
C56 -F56	1.332(11)	C9 -N2 -C6	108.3(6)
CS -ClS	1.710(17)	C14 -N3 -C11	106.6(6)
CS -HS	0.950	C19 -N4 -C16	107.3(6)
		C2 -C1 -N1	107.3(6)
		C20 -C1 -N1	123.2(7)
		C20 -C1 -C2	128.8(7)
		C3 -C2 -C1	108.3(7)
		C4 -C3 -C2	108.6(7)
		C3 -C4 -N1	107.2(6)
		C5 -C4 -N1	122.6(7)
		C5 -C4 -C3	129.7(7)
		C6 -C5 -C4	122.5(7)
		C21 -C5 -C4	119.9(7)
		C21 -C5 -C6	117.6(7)
		C5 -C6 -N2	121.4(7)
		C7 -C6 -N2	107.0(6)
		C7 -C6 -C5	130.5(7)
		C8 -C7 -C6	108.5(7)
		C9 -C8 -C7	107.4(7)
		C8 -C9 -N2	108.3(6)
		C10 -C9 -N2	122.4(7)
		C10 -C9 -C8	128.8(7)
		C11 -C10 -C9	122.8(7)
		C31 -C10 -C9	117.0(7)
		C31 -C10 -C11	120.2(7)
		C10 -C11 -N3	121.0(7)
		C12 -C11 -N3	109.1(6)
		C12 -C11 -C10	129.3(7)
		C13 -C12 -C11	106.3(7)
		C14 -C13 -C12	109.1(7)
		C13 -C14 -N3	108.3(6)
		C15 -C14 -N3	122.2(7)
		C15 -C14 -C13	129.4(7)

Angle(°)		Angle(°)	
C16 -C15 -C14	123.8(7)	F33 -C33 -C34	119.0(11)
C41 -C15 -C14	117.3(7)	C35 -C34 -C33	120.2(12)
C41 -C15 -C16	118.8(7)	F34 -C34 -C33	121.0(11)
C15 -C16 -N4	121.8(7)	F34 -C34 -C35	118.8(11)
C17 -C16 -N4	107.6(6)	C36 -C35 -C34	119.5(11)
C17 -C16 -C15	130.0(7)	F35 -C35 -C34	121.3(11)
C18 -C17 -C16	109.3(7)	F35 -C35 -C36	119.2(11)
C19 -C18 -C17	107.3(7)	C35 -C36 -C31	122.9(10)
C18 -C19 -N4	107.9(6)	F36 -C36 -C31	117.7(9)
C20 -C19 -N4	122.1(7)	F36 -C36 -C35	119.4(10)
C20 -C19 -C18	129.7(7)	C42 -C41 -C15	121.6(7)
C19 -C20 -C1	123.1(7)	C46 -C41 -C15	123.2(8)
C51 -C20 -C1	119.3(7)	C46 -C41 -C42	115.2(8)
C51 -C20 -C19	117.4(7)	C43 -C42 -C41	121.8(8)
C22 -C21 -C5	118.2(8)	F42 -C42 -C41	119.0(7)
C26 -C21 -C5	121.5(8)	F42 -C42 -C43	119.1(8)
C26 -C21 -C22	120.1(9)	C44 -C43 -C42	119.5(10)
C23 -C22 -C21	119.9(9)	F43 -C43 -C42	119.2(9)
F22 -C22 -C21	122.0(9)	F43 -C43 -C44	121.3(9)
F22 -C22 -C23	118.1(9)	C45 -C44 -C43	120.3(11)
C24 -C23 -C22	118.5(11)	F44 -C44 -C43	117.9(10)
F23 -C23 -C22	121.2(10)	F44 -C44 -C45	121.8(11)
F23 -C23 -C24	120.3(10)	C46 -C45 -C44	119.0(11)
C25 -C24 -C23	120.9(12)	F45 -C45 -C44	119.7(10)
F24 -C24 -C23	118.4(11)	F45 -C45 -C46	121.2(10)
F24 -C24 -C25	120.7(11)	C45 -C46 -C41	124.0(9)
C26 -C25 -C24	120.9(11)	F46 -C46 -C41	117.7(8)
F25 -C25 -C24	119.3(11)	F46 -C46 -C45	118.3(9)
F25 -C25 -C26	119.6(10)	C52 -C51 -C20	122.4(8)
C25 -C26 -C21	119.6(9)	C56 -C51 -C20	120.1(7)
F26 -C26 -C21	121.4(9)	C56 -C51 -C52	117.6(8)
F26 -C26 -C25	119.0(9)	C53 -C52 -C51	123.9(9)
C32 -C31 -C10	124.5(8)	F52 -C52 -C51	119.3(8)
C36 -C31 -C10	119.9(8)	F52 -C52 -C53	116.8(8)
C36 -C31 -C32	115.5(8)	C54 -C53 -C52	117.9(10)
C33 -C32 -C31	122.3(9)	F53 -C53 -C52	123.6(9)
F32 -C32 -C31	118.7(8)	F53 -C53 -C54	118.6(9)
F32 -C32 -C33	118.8(9)	C55 -C54 -C53	119.9(10)
C34 -C33 -C32	119.6(11)	F54 -C54 -C53	119.8(10)
F33 -C33 -C32	121.4(10)	F54 -C54 -C55	120.3(10)

## Angle(°)

C56 -C55 -C54	119.3(9)
F55 -C55 -C54	119.6(9)
F55 -C55 -C56	121.1(9)
C55 -C56 -C51	121.4(9)
F56 -C56 -C51	121.6(8)
F56 -C56 -C55	117.0(8)
ClS -CS -ClS'	113.8(9)
ClS -CS -HS	108.4
ClS -CS -HS'	108.4
HS -CS -HS'	109.5



**Table A6.4.** Observed and Calculated Structure Factors for CuTFPPBr<sub>g</sub>. The columns contain, in order,  $\ell$ ,  $10F_{obs}$ ,  $10F_{calc}$  and  $10\left(\frac{F_{obs}^2 - F_{calc}^2}{\sigma F_{obs}^2}\right)$ . A minus sign preceding  $F_{obs}$  indicates that  $F_{obs}^2$  is negative.

Tetra(pentafluorophenyl)octabromoporphinato Copper(II)												Page	1		
-21	1	1		3	486	565	-2	6	-479	389	-12	12	372	57	4
				4	312	432	-2	7	500	408	2	13	552	265	7
				5	682	722	-1	8	759	296	16	14	-193	6	-1
1	-475	25	-7	6	-331	195	-4	9	750	670	3	15	-578	263	-11
2	774	540	10	7	476	505	0	10	868	337	19				
3	368	120	4									-18	6	1	
4	711	104	17	-19	1	1		-19	11	1					
5	98	486	-7	1	353	11	5	1	853	497	16	1	521	406	4
6	-395	24	-5	2	546	452	3	2	-403	127	-5	2	113	374	-4
7	570	416	4	3	468	371	3	3	-690	62	-15	3	787	136	23
				4	760	550	10	4	-612	200	-13	4	467	425	1
				5	140	428	-6	5	-301	383	-7	5	844	888	-2
				6	1333	1254	7	6	540	360	5	6	650	728	-3
				7	529	249	8	7	401	239	3	7	398	326	1
				8	1069	969	7					8	893	808	4
				9	-498	343	-12					9	726	243	16
				10	1006	1090	-5	-18	0	1		10	590	510	2
				11	-303	45	-3	2	811	840	-2	11	525	98	8
				12	463	22	7	4	651	902	-16	12	897	50	25
				13	541	79	9	6	471	308	5	13	372	224	2
				14	388	149	4	8	-640	193	-17	14	263	2	2
								10	574	193	11				
								12	639	87	14				
								14	254	443	-4				
								16	401	45	4				
												-18	10	1	
												1	-653	66	-15
												2	1136	1162	-2
												3	142	241	-1
												4	1061	998	4
												5	-246	302	-5
												6	1087	995	6
												7	518	524	0
												8	585	509	2
												9	605	424	6
												10	386	159	4
												11	837	732	5
												12	-592	388	-14
												-18	12	1	
												1	855	539	15
												2	-294	222	-4
												3	647	7	14
												4	665	816	-7
												5	199	648	-12
												6	689	287	13
												7	611	231	10
												8	-414	310	-8
												9	346	389	0
												-18	14	1	
												1	952	974	-1
												2	310	488	-4
												3	103	133	0
												4	659	460	7
												5	-279	377	-6
												-17	1	1	
												1	830	374	26
												2	417	229	5
												3	614	240	14
												4	703	907	-14
												5	523	233	9
												6	1244	1272	-2
												7	-256	528	-14
												8	1052	1079	-2
												9	1349	1407	-6
												10	1008	785	15
												11	927	554	21
												12	530	365	5
												13	807	561	12
												14	696	5	17
												15	320	573	-7
												16	-449	300	-9
												17	733	827	-4
												18	204	631	-10











## Tetra(pentafluorophenyl)octabromoporphinato Copper(II)

Page 7

[illegible]

## Tetra(pentafluorophenyl)octabromoporphinato Copper(II)

Page 8

12	1453	1379	4						2	591	561	3	23	465	244	4
13	-471	218	-6						3	468	707	-25	24	-652	116	-11
14	864	909	-1	2	3580	3660	-21	4	611	702	-10					
15	1122	461	25	4	2753	2730	6	5	2665	2633	7		-8	12	1	
16	1097	1197	-5	6	1170	1243	-15	6	832	923	-10					
17	874	940	-2	8	1258	1253	0	7	1612	1634	-3	1	528	478	3	
18	707	639	2	10	1896	1920	-5	8	4305	4361	-11	2	1366	1324	6	
19	632	314	7	12	3245	3259	-3	9	404	484	-3	3	1977	1939	6	
20	-804	285	-18	14	1024	749	25	10	2307	2340	-5	4	1076	1213	-12	
	-9	17	1	16	-226	260	-5	11	1437	1382	6	5	2629	2605	3	
				18	1425	1379	4	12	1407	1241	17	6	388	422	0	
				20	-423	377	-10	13	1269	1221	4	7	2559	2486	9	
1	-469	295	-14	22	370	687	-9	14	824	744	4	8	-653	145	-12	
2	445	509	-2	24	-701	433	-18	15	1089	799	18	9	897	675	9	
3	2357	2284	12	26	-881	17	-19	16	917	841	4	10	-261	287	-4	
4	1253	1379	-13					17	-213	291	-4	11	438	552	-3	
5	-308	220	-5		-8	2	1	18	787	525	11	12	721	582	5	
6	769	754	0					19	865	1036	-10	13	1449	1334	9	
7	1942	1883	7	1	778	990	-40	20	926	555	17	14	645	705	-2	
8	851	811	2	2	903	951	-9	21	-336	289	-5	15	-393	27	-4	
9	-115	240	-2	3	2830	2801	8	22	797	765	1	16	435	587	-4	
10	1173	1067	6	4	3439	3500	-18	23	-576	23	-9	17	475	828	-12	
11	-742	171	-15	5	1575	1612	-9	24	-487	733	-21	18	775	428	11	
12	613	428	4	6	2927	2971	-12	25	884	508	13	19	-366	114	-4	
13	625	793	-5	7	587	610	-2	26	592	375	5	20	-705	224	-15	
14	649	99	9	8	3436	3453	-4					21	462	554	-2	
15	-451	152	-4	9	2338	2309	6	-8	8	1		22	520	536	0	
16	-701	119	-10	10	2307	2323	-3					23	-144	266	-2	
17	346	209	1	11	2361	2383	-4	1	1381	1344	7					
18	690	329	7	12	2230	2211	3	2	144	286	-5	-8	14	1		
19	553	490	1	13	254	24	3	3	711	628	8					
	-9	19	1	14	178	459	-8	4	755	851	10	1	1354	1530	-28	
				15	1189	1143	4	5	2980	3021	-9	2	1427	1296	20	
1	691	540	7	16	-317	184	-5	6	1334	1245	11	3	2077	2044	6	
2	463	113	8	17	-737	81	-20	7	1558	1496	8	4	375	223	4	
3	-564	89	-13	18	628	532	3	8	3141	3108	5	5	2082	1908	26	
4	1502	1441	6	19	-898	8	-26	9	-501	3	-10	6	993	1025	-2	
5	1374	1477	-10	20	1206	997	13	10	1374	1242	13	7	2298	2245	7	
6	231	162	0	21	422	528	-2	11	2823	2540	41	8	936	889	2	
7	945	776	10	22	487	376	2	12	1381	1470	-7	9	468	63	7	
8	975	708	14	23	970	808	8	13	1005	850	10	10	-584	63	-10	
9	583	582	0	24	585	412	4	14	742	373	14	11	-334	116	-3	
10	-251	496	-8	25	915	60	22	15	483	207	6	12	795	847	-2	
11	1494	1408	6	26	297	253	0	16	1713	1571	14	13	-705	181	-12	
12	1293	1271	1	27	-611	80	-9	17	1505	1500	0	14	2113	1974	12	
13	-713	16	-11		-8	4	1	18	-550	334	-13	15	870	309	16	
14	-688	240	-11					19	1256	1168	6	16	2004	1927	7	
15	792	460	8	1	1073	1021	10	20	-524	249	-10	17	921	755	7	
16	735	47	10	2	786	807	25	21	-179	97	-1	18	1480	1207	18	
	-9	21	1	3	1207	1214	-1	22	549	562	0	19	696	318	9	
				4	3290	3261	7	23	462	24	5	20	802	15	15	
1	-330	468	-12	5	1634	1664	-7	24	891	970	-3	21	-620	185	-9	
2	370	399	0	6	846	850	0	25	1105	382	28	22	-116	454	-5	
3	1078	842	16	7	491	133	18		-8	10	1	-8	16	1		
4	955	379	29	8	1150	1147	0									
5	488	121	8	9	-72	19	0	1	-252	187	-6	1	1527	1650	-18	
6	591	341	8	10	1671	1600	11	2	2504	2549	-10	2	204	67	1	
7	-377	72	-4	11	1668	1704	-5	3	1328	1272	6	3	1501	1472	3	
8	-348	56	-3	12	-512	14	-13	4	417	480	-2	4	605	577	1	
9	-563	555	-18	13	1023	1127	-10	5	924	1094	-11	5	2298	2262	8	
10	1162	1242	-5	14	1380	1405	-2	6	1014	1170	-10	6	173	136	0	
11	538	220	6	15	713	697	0	7	421	454	0	7	1868	1854	1	
12	-365	172	-3	16	594	364	8	8	717	517	8	8	931	951	-1	
13	320	747	-10	17	817	957	-8	9	1568	1640	-7	9	2282	2229	6	
	-9	23	1	18	1554	1540	18	10	1395	1182	18	10	956	1045	-5	
				19	2260	2380	-14	11	1634	1349	28	11	541	661	-4	
1	1570	1708	-13	20	777	479	11	12	244	410	-3	12	427	743	-9	
2	369	302	1	21	886	838	2	13	-295	7	-2	13	329	789	-12	
3	224	484	-6	22	727	208	14	14	-603	487	-19	14	1849	1593	19	
4	-754	177	-19	23	425	329	2	15	964	1274	-21	15	1142	705	18	
5	-296	314	-6	24	569	198	8	16	2060	1991	7	16	1443	1629	-11	
6	453	29	6	25	517	290	5	17	1322	1244	5	17	-1026	506	-26	
7	1585	1274	25	26	531	379	3	18	1004	987	1	18	775	350	10	
8	-159	380	-4		-8	6	1	19	-93	399	-5	19	748	344	9	
								20	533	268	6	20	-585	175	-7	
								21	550	218	7					
								22	-88	85	0	-8	18	1		



## Tetra(pentafluorophenyl)octabromoporphinato Copper(II)

Page 9

				14	3081	3010	13	2	583	539	4	23	-463	224	-6
1	-378	534	-19	15	537	559	-1	3	5403	5490	-16	24	-791	167	-16
2	-251	127	-3	16	1426	1453	-2	4	1525	1401	23				
3	636	462	8	17	677	573	4	5	4474	4495	-4		-7	13	1
4	279	74	3	18	2276	2130	19	6	3081	3087	-1				
5	1056	1080	-2	19	1443	1285	13	7	1993	1956	6	1	2329	2318	2
6	194	88	1	20	539	460	2	8	3412	3402	1	2	629	780	-13
7	919	868	3	21	619	828	-9	9	1259	1163	9	3	1516	1448	11
8	634	702	-3	22	966	839	6	10	1203	1117	8	4	-186	388	-10
9	1322	1073	19	23	-577	95	-10	11	1594	1548	5	5	181	68	1
10	969	833	7	24	954	590	16	12	-405	327	-10	6	587	793	-13
11	-686	111	-14	25	1209	1301	-5	13	-402	421	-12	7	471	206	8
12	333	189	2	26	1771	1559	17	14	2293	2285	-1	8	2087	1989	13
13	1549	1226	22	27	387	349	0	15	219	468	-6	9	914	965	-3
14	280	508	-4					16	813	949	-8	10	763	452	12
15	813	55	14		-7	3	1	17	778	627	7	11	1017	851	9
16	679	219	8					18	869	1159	-18	12	-544	566	-17
17	994	410	16	1	3223	3267	-12	19	2101	2138	-4	13	1068	1212	-8
18	498	752	-5	2	1238	1287	-13	20	-611	71	-12	14	741	773	-1
	-8	20	1	3	2232	2227	1	21	395	29	4	15	957	590	15
				4	2001	2085	-25	22	1680	1654	2	16	875	1080	-10
1	705	671	1	5	3401	3507	-28	23	952	1021	-3	17	-238	309	-4
2	1090	1023	5	6	3118	3117	0	24	632	589	1	18	864	671	7
3	-319	48	-4	7	362	396	-2	25	-213	279	-3	19	822	503	11
4	1234	1251	-1	8	2289	2343	-13	26	680	465	6	20	-415	335	-7
5	1160	875	22	9	3651	3613	8					21	316	456	-2
6	213	220	0	10	1897	1958	-12		-7	9	1	22	907	713	8
7	786	701	4	11	1712	1575	23					23	1049	1115	-3
8	-262	356	-6	12	636	607	1	1	1783	1840	-12				
9	-369	18	-4	13	380	460	-3	2	671	587	6		-7	15	1
10	895	1028	-7	14	1164	1092	6	3	709	457	12				
11	-382	212	-5	15	1144	1320	-16	4	3565	3434	20	1	403	507	-5
12	267	251	0	16	679	637	2	5	3609	3478	19	2	704	758	-4
13	787	385	12	17	1614	1568	4	6	412	119	5	3	337	416	-3
14	763	639	4	18	677	459	8	7	1371	1253	10	4	1879	1820	9
15	696	410	7	19	477	28	7	8	1422	1414	0	5	1277	1170	12
16	1019	610	14	20	263	39	2	9	1973	1831	17	6	1412	1448	-4
	-8	22	1	21	838	468	15	10	3356	3195	25	7	706	685	1
				22	821	483	13	11	1224	955	21	8	-891	280	-34
1	881	769	6	23	859	961	-5	12	-140	135	-1	9	1866	1805	7
2	739	993	-12	24	323	115	2	13	590	544	1	10	-529	320	-13
3	-383	173	-6	25	1667	1598	5	14	1475	1471	0	11	539	491	1
4	520	205	8	26	-686	388	8	15	612	583	1	12	606	473	4
5	680	172	15	27	408	137	3	16	628	758	-6	13	342	12	3
6	633	602	1		-7	5	1	17	-679	376	-19	14	1622	1484	10
7	921	622	15					18	1657	1495	15	15	732	884	-5
8	789	575	9	1	801	815	-2	19	1022	1268	-16	16	669	138	10
9	-487	26	-7	2	806	802	0	20	-365	277	-6	17	544	367	3
10	511	535	0	3	3586	3653	-17	21	732	432	10	18	675	336	7
11	317	274	0	4	1359	1331	6	22	773	560	8	19	635	865	-7
12	-68	382	-3	5	1872	1897	-6	23	517	695	-5	20	182	485	-4
	-8	24	1	6	492	396	6	24	608	736	-4	21	394	322	1
				7	1342	1368	-4	25	-116	31	0	22	885	656	8
				8	2703	2741	-8		-7	11	1		-7	17	1
1	-245	114	-2	9	4707	4662	8								
2	497	538	-1	10	2160	2140	3	1	3931	3977	-10	1	588	451	7
3	94	9	0	11	385	183	5	2	446	404	2	2	745	621	8
4	-151	36	0	12	2131	2192	-9	3	2825	2822	0	3	1090	1274	-20
5	862	576	12	13	1974	1857	15	4	594	721	-8	4	-244	321	-8
6	408	348	1	14	2783	2734	7	5	1238	1211	-2	5	2385	2283	-17
	-7	1	1	15	3012	2885	18	6	1272	1300	-2	6	1321	1356	-3
				16	2108	2116	-1	7	1586	1398	19	7	1198	1268	-6
1	1686	1665	6	17	1315	1161	12	8	2052	2010	4	8	1758	1763	0
2	5739	5747	-1	18	1802	1838	-3	9	4078	4220	-20	9	1590	1531	6
3	3064	3148	-24	19	1298	1237	4	10	1006	958	2	10	443	464	0
4	803	818	-2	20	-575	31	-10	11	635	26	12	11	-478	337	-11
5	1768	1802	-10	21	-742	60	-17	12	865	333	19	12	1269	1277	0
6	1765	1867	-28	22	866	635	10	13	1143	1083	4	13	1411	1468	-4
7	954	958	0	23	1491	1313	14	14	716	66	16	14	1539	1195	24
8	859	916	-8	24	1062	972	5	15	641	739	-4	15	362	289	1
9	4482	4537	-11	25	259	515	-5	16	375	727	-11	16	655	411	6
10	960	1092	-18	26	-84	187	-1	17	1007	856	8	17	-140	155	0
11	363	525	-9	27	320	165	1	18	679	637	1	18	-445	295	-5
12	3020	2994	5		-7	7	1	19	636	802	-6	19	1014	637	12
13	2442	2416	4					20	287	170	1	20	703	425	6
				1	1070	1110	-8	21	-424	373	-8				
								22	612	556	1		-7	19	1

[illegible]

## Tetra(pentafluorophenyl)octabromoporphinato Copper(II)

Page 11

13	1055	847	11	20	-239	100	-2	6	1942	1991	-6	25	1029	928	4
14	295	333	0	21	417	674	-9	7	1484	1491	0				
15	1190	1103	5	22	809	365	17	8	3246	3184	10	-5	13	1	
16	736	838	-3	23	-541	434	-15	9	3614	3654	-7				
17	806	565	7	24	909	798	5	10	338	641	-12	1	1705	1687	3
18	422	244	2	25	1931	1870	6	11	558	411	-6	2	397	468	-4
19	922	380	14	26	959	737	10	12	1990	2014	-3	3	566	639	-6
				27	-579	209	-10	13	1569	1650	-9	4	1407	1456	-8
	-6	20	1	28	-369	472	-9	14	382	312	1	5	-476	181	-16
								15	1358	1417	-5	6	3720	3673	9
1	788	605	11		-5	3	1	16	1079	1051	2	7	1104	1261	-19
2	1610	1339	33					17	704	665	1	8	1434	1485	-6
3	-344	384	-11	1	4860	4901	-9	18	787	810	-1	9	2808	2728	14
4	690	635	3	2	989	1022	-9	19	452	304	3	10	1614	1508	12
5	-465	383	-15	3	4609	4673	-14	20	-429	223	-7	11	778	581	10
6	1622	1449	20	4	2392	2367	7	21	528	931	-18	12	430	138	6
7	1637	1638	0	5	8668	9013	-45	22	1371	1467	-7	13	469	244	5
8	1042	1087	-3	6	5819	5939	-21	23	1185	907	17	14	-324	279	-5
9	1087	1118	-2	7	6637	6806	-27	24	-55	356	-3	15	-667	67	-12
10	241	16	2	8	1922	1969	-10	25	-462	168	-6	16	761	632	4
11	531	245	7	9	636	738	-9	26	-425	323	-7	17	-349	708	-15
12	560	296	7	10	1534	1550	-2	27	1015	838	8	18	588	887	-10
13	1392	1356	2	11	-322	160	-7					19	1291	812	25
14	-787	408	-20	12	5639	5645	0	-5	9	1		20	-356	270	-5
15	613	782	-5	13	3719	3708	1					21	1018	1206	-9
16	-239	392	-5	14	839	862	-1	1	2700	2632	19	22	245	3	1
17	-720	172	-12	15	1086	1139	-4	2	3951	3926	5	23	-536	360	-9
				16	2522	2600	-12	3	1916	1935	-4	24	1121	828	13
	-6	22	1	17	941	438	28	4	1566	1398	30				
				18	530	224	8	5	1829	1789	7	-5	15	1	
1	364	504	-4	19	237	517	-7	6	2033	2000	6				
2	1188	1268	-7	20	2369	2374	0	7	3397	3400	0	1	377	120	8
3	692	221	16	21	1016	942	4	8	1005	1258	-23	2	1827	1917	-17
4	1045	902	10	22	448	557	-3	9	1350	1310	4	3	1240	1280	-5
5	810	570	12	23	-397	163	-6	10	3498	3443	8	4	658	783	-10
6	608	340	9	24	324	17	3	11	3089	3014	10	5	568	724	-11
7	483	48	8	25	-170	700	-15	12	-573	135	-11	6	424	626	-11
8	192	25	1	26	-520	299	-10	13	1083	967	8	7	778	749	2
9	682	571	4	27	795	479	11	14	415	403	0	8	579	553	1
10	291	388	-2	28	422	236	3	15	860	148	25	9	635	416	10
11	945	921	1					16	2605	2557	6	10	1328	1362	-3
12	688	547	4	-5	5	1		17	1224	1041	13	11	675	698	-1
13	525	656	-4					18	680	540	5	12	1185	942	18
14	-469	8	-5	1	1270	1259	3	19	-557	297	-12	13	441	602	-5
				2	2253	2272	-6	20	-409	235	-7	14	386	286	2
	-6	24	1	3	1284	1286	0	21	-765	299	-20	15	741	566	6
				4	2794	2788	1	22	460	93	5	16	1144	1213	-4
1	181	503	-7	5	5078	5107	-5	23	-362	9	-3	17	369	614	-5
2	832	560	12	6	422	307	5	24	1210	1076	8	18	1545	1211	21
3	898	276	25	7	1354	1280	10	25	-807	65	-16	19	717	570	4
4	1696	1370	32	8	1049	851	19	26	171	127	0	20	2012	1891	8
5	446	269	4	9	323	52	4					21	-281	48	-1
6	484	762	-11	10	967	834	10	-5	11	1		22	314	271	0
7	261	79	2	11	2269	2316	-7					23	-417	293	-5
8	422	463	-1	12	1052	769	23	1	-253	305	-13				
9	1020	1105	-5	13	3798	3717	14	2	1073	1109	-6	-5	17	1	
				14	342	57	5	3	1346	1382	-6				
	-5	1	1	15	498	665	-8	4	1496	1515	-3	1	287	345	-2
1	5052	5062	-2	16	1825	1809	2	5	221	210	0	2	1443	1556	-16
2	7200	7317	-18	17	550	546	0	6	441	478	-2	3	1622	1672	-7
3	5469	5536	-13	18	672	884	-11	7	3430	3391	8	4	1096	992	11
4	3085	3110	-7	19	3004	2876	19	8	-514	148	-14	5	237	305	-1
5	3988	4107	-30	20	-185	604	-13	9	1082	1125	-4	6	302	358	-1
6	784	814	-5	21	1926	1824	11	10	1138	1105	2	7	2264	2328	-11
7	3061	3097	-9	22	882	770	5	11	2961	2940	3	8	1794	1951	-22
8	414	353	4	23	625	771	-6	12	997	924	4	9	1250	1190	5
9	1225	1172	9	24	-480	59	-7	13	612	685	-2	10	1098	1037	5
10	1408	1508	-17	25	785	601	7	14	-496	287	-9	11	2397	2492	-13
11	1533	1519	2	26	-350	225	-4	15	3750	3807	-7	12	-351	280	-7
12	3107	3082	5	27	438	4	5	16	1054	892	9	13	1179	866	21
13	552	469	4					17	-657	540	-20	14	727	484	9
14	2677	2625	9	-5	7	1		18	1101	932	9	15	-625	722	-24
15	2729	2700	4					19	2091	2150	-6	16	578	669	-2
16	3561	3501	9	1	5595	5611	-3	20	-248	596	-11	17	992	916	3
17	790	753	2	2	915	869	4	21	-507	141	-7	18	608	637	0
18	1802	1625	20	3	2404	2300	17	22	-430	352	-8	19	760	200	11
19	1336	1435	-9	4	1189	1328	-13	23	808	805	7	20	880	175	15
				5	486	478	0	24	768	642	4	21	1804	1594	13

## Tetra(pentafluorophenyl)octabromoporphinato Copper(II)

Page 12

-5	19	1	20	3266	3184	12	9	4183	4124	10	-4	12	1	
1	866	914	22	1566	1647	-7	10	1289	1325	-4	1	453	69	
2	1476	1500	24	2586	2433	19	11	658	571	5	2	3586	3636	
3	2271	2215	26	390	27	4	12	72	75	0	3	5974	6001	
4	217	2	28	1521	1485	2	13	1508	1537	-3	4	129	118	
5	1925	1973	-4	2	1	14	14	438	361	2	5	2368	2392	
6	689	487	1	3848	3833	4	15	2150	2206	-8	6	115	141	
7	-177	332	2	5798	5958	-31	16	2097	2236	-18	7	1044	1099	
8	697	675	3	651	685	-7	17	-926	116	-32	8	395	562	
9	1113	992	4	1194	1204	-2	18	-370	115	-5	9	2870	2804	
10	141	400	5	435	418	1	19	337	561	-7	10	2751	2754	
11	1231	1115	6	6081	6192	-19	20	-599	383	-17	11	1278	1217	
12	1128	1146	7	1279	1330	-10	21	673	434	8	12	1401	1265	
13	1252	1309	8	1300	1419	-22	22	1947	1822	13	13	856	197	
14	422	319	9	1050	1114	-9	23	-431	538	-14	14	-326	397	
15	-676	274	10	1041	944	11	24	216	56	1	15	1074	980	
16	1478	1206	11	3339	3346	-1	25	-288	294	-5	16	1188	1449	
17	-589	49	12	-271	53	-3	26	715	718	0	17	519	485	
18	448	244	13	3675	3609	11	27	-552	370	-11	18	341	546	
19	-368	175	14	1600	1529	9	-4	8	1		19	533	258	
-5	21	1	15	4192	4150	7	1	3369	3314	15	20	899	966	
1	648	165	16	1399	1406	0	2	2641	2660	-5	21	-541	443	
2	2104	2051	17	992	964	2	3	947	893	9	22	419	480	
3	1074	1046	7	18	1106	970	4	495	447	3	23	1217	1137	
4	1197	1104	8	19	2393	2417	5	1627	1596	6	24	1045	941	
5	699	223	17	20	1635	1643	6	559	566	0	25	923	441	
6	584	427	6	21	152	613	7	1233	1154	9	-4	14	1	
7	1052	1066	-1	22	689	551	8	2165	2179	-2	1	2556	2587	
8	-624	13	-14	23	804	274	9	254	642	-16	2	1876	1839	
9	888	1029	-9	24	601	464	10	2093	1994	13	3	3178	3207	
10	523	10	9	25	974	996	11	1402	1292	10	4	428	708	
11	435	743	-11	26	889	828	12	803	1068	-16	5	1889	1981	
12	962	566	18	27	1116	1066	13	1519	1481	3	6	3380	3386	
13	667	460	6	28	1155	998	14	1221	1318	-8	7	1062	1108	
14	-564	588	-17	-4	4	1	15	727	658	3	8	1811	1913	
15	181	37	0	1	4040	4092	16	1330	1328	0	9	834	739	
16	-1268	103	-38	2	7993	8192	17	-387	90	-5	10	617	711	
-5	23	1	18	407	280	2	18	407	280	2	11	86	607	
1	1475	1451	2	19	1243	1417	19	1243	1417	-14	12	579	238	
2	-554	91	-12	20	202	1072	20	202	1072	-32	13	1264	1126	
3	880	831	3	4	1947	2016	21	2470	2570	-12	14	2189	2313	
4	1003	788	13	5	2443	2372	22	1411	1569	-12	15	2117	2025	
5	1685	1747	-6	6	2530	2589	23	-365	707	-17	16	740	990	
6	-402	141	-6	7	1828	1841	24	-645	414	-15	17	296	95	
7	-530	108	-9	8	397	350	25	1759	1606	12	18	-345	281	
8	-386	106	-5	9	2717	2668	26	-1179	162	-34	19	742	856	
9	-472	541	-16	10	2512	2544	27	626	329	7	20	-264	481	
10	-276	9	-2	11	1882	1915	-4	10	1		21	455	429	
11	1297	1223	5	12	1112	890	1	3620	3612	2	22	-976	87	
12	-488	268	-8	13	818	869	2	1136	1137	0	23	877	1042	
-5	25	1	14	2272	2197	12	3	3504	3487	4	24	-402	133	
1	-437	103	-6	15	1969	1973	3	1186	1018	28	-4	16	1	
2	875	648	11	16	74	191	4	-364	22	-10	1	3731	3786	
3	-723	143	-18	17	448	558	5	2661	2641	4	2	899	806	
4	-379	259	-6	18	498	569	6	2661	2641	4	3	1285	1195	
5	820	688	6	19	1387	1346	7	3363	3325	8	4	2092	2176	
6	-746	158	-18	20	529	531	8	-727	230	-32	5	2176	2083	
7	875	302	21	21	1043	802	9	650	794	-10	6	3412	3506	
-4	0	1	22	1810	1734	8	10	-673	147	-22	7	1352	1459	
2	4484	4522	-9	23	841	262	11	11	4543	4538	8	8	984	1036
4	8882	9200	-41	24	661	550	12	12	3304	3266	9	9	1132	1219
6	4789	4991	-45	25	848	685	13	13	2408	2560	10	10	-450	191
8	3252	3304	-18	26	1346	1130	14	14	2159	2202	11	11	1252	1245
10	926	1003	-10	27	1112	1107	15	15	-464	198	12	12	173	74
12	2488	2451	7	28	-126	307	16	16	-245	690	13	13	1002	1153
14	1674	1634	5	-4	6	1	17	17	469	163	14	14	1343	1066
16	1026	865	12	1	1093	1085	18	18	-440	224	15	15	-191	28
18	2477	2515	-5	2	3775	3643	19	19	605	707	16	16	517	739
				3	1165	1320	20	20	377	336	17	17	573	144
				4	743	596	21	21	450	738	18	18	1132	1060
				5	2426	2371	22	22	-511	14	19	70	19	0
				6	857	1074	23	23	457	33	20	434	0	4
				7	1257	1101	24	24	-112	390				
				8	1656	1593	25	25	233	102				
							26	26	-737	52				

## Tetra(pentafluorophenyl)octabromoporphinato Copper(II)

Page 13

21 -684 337 -11				9 249 588 -13	26 1941 1658 24
22 210 112 0	-4 26 1			10 1917 2047 -20	27 -908 14 -20
				11 552 405 6	
-4 18 1	1 915 836 4			12 2514 2539 -4	-3 11 1
	2 297 301 0			13 2117 2331 -32	
1 1892 1906 -2				14 2556 2614 -9	1 1050 1136 -16
2 966 1098 -13	-3 1 1			15 -1156 989 -81	2 4361 4411 -11
3 1468 1412 7				16 1943 2133 -25	3 2634 2644 -2
4 716 796 -5	1 2365 2396 -12			17 -962 1116 -71	4 1099 986 18
5 3908 3899 1	2 423 340 14			18 -657 1396 -77	5 1674 1637 8
6 958 815 11	3 4885 5016 -29			19 1421 1836 -41	6 2397 2454 -13
7 382 20 6	4 1782 1801 -14			20 -517 1385 -65	7 1049 981 8
8 145 402 -6	5 4562 4633 -16			21 810 1402 -39	8 3437 3351 18
9 603 648 -2	6 6714 6936 -36			22 -1156 180 -42	9 4213 4081 26
10 2332 2143 28	7 3510 3600 -22			23 926 608 15	10 694 535 10
11 1014 798 14	8 1233 1214 3			24 1483 1410 6	11 2061 1942 18
12 -224 228 -3	9 1358 1312 8			25 -808 16 -18	12 912 656 17
13 686 674 0	10 580 760 -15			26 378 557 -4	13 3048 2988 9
14 921 588 16	11 1043 960 8			27 -171 190 -1	14 988 986 0
15 1606 1653 -4	12 2673 2604 12			28 -756 245 -16	15 986 939 2
16 -678 394 -16	13 2043 2042 0				16 567 355 5
17 915 930 0	14 2175 2057 18			-3 7 1	17 3035 3058 -2
18 499 463 0	15 902 949 -3				18 711 746 -1
19 487 549 -1	16 1467 1358 12			1 3375 3396 -6	19 387 146 3
20 765 1048 -10	17 1023 1066 -3			2 1436 1392 13	20 -585 118 -9
	18 -342 179 -6			3 3079 3036 12	21 589 238 7
-4 20 1	19 342 209 2			4 5271 5254 3	22 -646 410 -15
	20 688 655 1			5 2230 2203 6	23 1919 1977 -5
1 1001 930 6	21 625 163 13			6 660 580 7	24 1004 877 5
2 736 764 -1	22 1001 721 16			7 76 48 0	25 -448 800 -19
3 -158 328 -5	23 765 763 0			8 1061 938 14	26 883 537 11
4 499 206 9	24 214 296 -1			9 1785 1852 -10	
5 1479 1528 -6	25 927 833 5			10 -287 309 -8	-3 13 1
6 936 1081 -12	26 804 810 0			11 2373 2466 -14	1 1134 1251 -19
7 -111 409 -7	27 -402 386 -8			12 3146 3157 -1	2 317 119 6
8 -459 121 -9	28 370 318 0			13 3207 3210 0	3 1369 1436 -13
9 192 203 0				14 2556 2517 5	4 1940 1917 5
10 -731 241 -21	-3 3 1			15 1383 1515 -12	5 1973 1986 -2
11 1042 1043 0				16 -762 221 -22	6 542 611 -5
12 372 62 4	1 4871 4974 -23			17 -36 423 -6	7 1287 1274 1
13 473 421 1	2 1079 1079 0			18 841 1045 -12	8 1041 1007 3
14 1075 742 17	3 3845 3874 -7			19 560 616 -2	9 1345 1396 -7
15 -685 269 -14	4 2783 2734 12			20 378 342 0	10 1805 1716 14
16 174 520 -6	5 1075 1019 8			21 -722 238 -18	11 2428 2409 3
17 248 140 1	6 2649 2581 14			22 1018 810 12	12 894 1183 -24
18 -503 370 -8	7 1307 1436 -18			23 -909 203 -24	13 748 321 18
	8 4027 4014 2			24 463 1182 -31	14 698 371 12
-4 22 1	9 324 416 -3			25 -816 195 -19	15 515 519 0
	10 2582 2747 -32			26 -484 211 -7	16 1143 954 12
1 -486 715 -29	11 949 974 -2			27 436 707 -7	17 366 397 0
2 519 18 11	12 1334 1230 12				18 -673 69 -12
3 681 164 18	13 -176 167 -3			-3 9 1	19 848 1008 -7
4 -383 40 -6	14 425 43 8				20 1004 1075 -3
5 -307 330 -8	15 50 512 -11			1 233 338 -6	21 1402 1267 7
6 365 200 3	16 4151 4086 11			2 2517 2522 -1	22 1464 1409 3
7 1381 1323 5	17 648 451 9			3 1417 1355 15	23 510 501 0
8 248 399 -3	18 657 873 -13			4 1031 967 11	24 -571 65 -7
9 618 631 0	19 300 103 3			5 883 887 0	
10 780 894 -6	20 818 967 -9			6 1205 1220 -2	-3 15 1
11 714 543 6	21 1159 1132 2			7 287 1 5	1 1396 1312 13
12 817 18 20	22 1404 1391 1			8 2457 2299 33	2 1258 1412 -25
13 654 540 3	23 -421 439 -12			9 1879 1836 7	3 1489 1550 -11
14 -668 327 -14	24 611 323 8			10 680 658 1	4 1256 1248 1
15 639 420 6	25 -546 239 -10			11 2211 2210 0	5 670 587 6
	26 771 806 -1			12 1723 1639 10	6 350 315 1
-4 24 1	27 -357 154 -4			13 1816 1743 8	7 2022 2006 2
	28 1189 644 27			14 553 29 11	8 1183 1294 -14
1 337 413 -2				15 2085 2158 -8	9 633 591 2
2 241 8 2	-3 5 1			16 1082 1208 -8	10 1293 1353 -7
3 693 636 2				17 2013 2002 1	11 768 944 -12
4 1372 1381 0	1 5790 5704 16			18 1779 1852 -7	12 3260 3147 19
5 232 63 1	2 3130 3087 12			19 907 876 1	13 793 397 17
6 771 379 15	3 1061610572 4			20 1710 1574 12	14 -388 194 -6
7 889 827 3	4 5217 5183 6			21 739 746 0	15 1274 1348 -6
8 811 280 18	5 4721 4664 10			22 2432 2445 -1	16 923 775 7
9 401 329 1	6 534 648 -7			23 1698 1629 5	17 -156 110 -1
10 857 795 3	7 2053 2082 -4			24 544 305 5	
11 -693 289 -16	8 515 478 1			25 -626 417 -14	

Tetra(pentafluorophenyl)octabromoporphinato Copper(II)

Page 14

18	-377	15	-3	4	-293	463	-11	7	8217	8401	-31	27	-577	331	-11
19	-144	618	-9	5	1101	1060	3	8	3098	3036	12				
20	2233	2266	-2	6	-312	703	-21	9	1064	1125	-6	-2	10	1	
21	700	570	3	7	600	594	0	10	593	514	4				
22	677	373	6	8	490	157	7	11	1554	1581	-3	1	2659	2674	-4
23	899	223	15	9	1280	976	22	12	4543	4712	-29	2	3640	3581	15
				10	593	526	2	13	5363	5403	-6	3	1204	1155	10
	-3	17	1	11	764	372	13	14	1114	1264	-15	4	1069	1090	-4
				12	1044	550	23	15	206	233	0	5	962	931	5
				13	1390	1184	14	16	676	973	-20	6	564	543	1
1	2288	2345	-11					18	2326	2332	0	7	2787	2772	3
2	1286	1292	0		-3	25	1	20	-1509	488	-77	8	2167	2128	8
3	927	940	-1					21	2202	2304	-12	9	2086	1999	17
4	1508	1456	7					23	-1120	412	-43	10	2824	2847	-4
5	920	929	0	1	-370	88	-4	24	-472	210	-8	11	1222	1401	-22
6	601	575	1	2	311	528	-6	25	810	908	-4	12	1538	1642	-13
7	1561	1496	9	3	800	668	6	26	-206	283	-3	13	1318	1393	-7
8	1981	1999	-2	4	504	598	-3	27	172	94	0	14	1173	935	19
9	863	807	4	5	135	49	0	28	449	369	1	15	947	823	7
10	851	525	19	6	657	543	4					16	2536	2526	1
11	3335	3327	-1	7	-519	329	-11	-2	6	1		17	1040	1258	-14
12	441	638	-8	8	691	888	-9					18	602	673	-2
13	757	604	7					1	5957	5928	5	19	1305	1210	5
14	867	807	3	-2	0	1		2	3830	3746	22	20	796	181	15
15	521	527	0					3	3151	3008	35	21	-249	426	-6
16	943	129	26	2	3823	3800	-6	4	7279	7135	21	22	963	436	19
17	1073	775	15	4	4375	4515	-34	5	1115	1194	-16	23	658	204	10
18	1538	1520	1	6	5753	5889	-25	6	865	831	5	24	-302	406	-6
19	1284	1302	-1	8	-223	327	-12	7	858	965	-14	25	-752	392	-17
20	1145	1033	5	10	1340	1402	-9	8	2296	2274	4	26	421	583	-3
21	694	1187	-18	12	810	924	-9	9	1277	1296	-2				
	-3	19	1	14	1378	1513	-17	10	1320	1297	3	-2	12	1	
				16	-403	145	-8	11	244	479	-8				
1	401	514	-5	18	3397	3510	-19	12	3653	3688	-6	1	1225	1246	-4
2	1499	1355	19	20	3877	3886	-1	13	3142	3171	-4	2	2540	2572	-8
3	937	975	-3	22	3344	3271	11	14	2727	2695	4	3	2576	2542	9
4	382	235	4	24	537	396	4	15	2123	2359	-32	4	551	451	8
5	841	669	12	26	1452	1338	9	16	2886	2946	-9	5	2236	2207	6
6	954	812	11	28	1115	644	22	17	1749	1657	10	6	1254	1292	-6
7	-138	125	-1		-2	2	1	18	2119	2255	-17	7	3467	3432	7
8	1080	920	13					19	1079	1354	-21	8	2013	2041	-5
9	1943	1949	0	1	2098	2147	-20	20	1654	1769	-11	9	1660	1606	9
10	840	632	9	2	2796	2837	-13	21	1385	1142	-3	10	923	1022	-9
11	1250	1159	7	3	1461	1429	8	22	442	697	-9	11	1405	1391	1
12	1116	733	26	4	1024	1026	0	23	186	579	-9	12	1325	1177	16
13	478	252	5	5	375	392	0	24	565	522	1	13	1568	1401	19
14	-588	269	-13	6	4285	4206	15	25	590	466	3	14	707	415	12
15	425	14	5	7	4580	4683	-20	26	-160	503	-7	15	1283	1369	-7
16	941	574	15	8	3952	3921	6	27	-211	133	-1	16	-367	323	7
17	-438	803	-21	9	9457	9840	-44					17	1076	792	16
18	-617	426	-13	10	2727	2738	-2	-2	8	1		18	1746	1728	1
19	1293	1053	12	11	-456	225	-15					19	1314	1296	1
	-3	21	1	12	3464	3539	-15	1	1819	1866	-15	20	532	295	4
				13	708	1039	-27	2	3377	3362	4	21	-316	272	-4
				14	1125	1358	-26	3	8433	8442	-1	22	1073	896	7
1	1208	1348	-14	15	1599	1596	0	4	3005	2893	31	23	-779	735	-25
2	283	595	-11	16	2129	2115	2	5	3194	3195	0	24	-532	100	-6
3	453	554	-4	17	233	368	-3	6	1509	1522	-2	25	1049	788	10
4	-239	362	-8	18	-531	30	-11	7	3342	3317	5				
5	-641	56	-17	19	1673	1740	-8	8	1788	1622	33	-2	14	1	
6	477	80	9	20	1707	1600	12	9	349	6	7				
7	557	833	-15	21	-696	299	-20	10	2407	2462	-10	1	372	533	-10
8	1300	1412	-11	22	932	897	2	11	1663	1687	-3	2	465	451	0
9	544	648	-4	23	1261	1066	14	12	781	830	-3	3	1990	2016	-5
10	832	854	-1	24	378	431	-1	13	-454	193	-10	4	2738	2820	-20
11	700	476	9	25	1248	1197	3	14	755	695	3	5	1108	1137	-4
12	748	322	15	26	377	457	-1	15	1068	915	10	6	1602	1705	-19
13	246	921	-23	27	1476	1374	7	16	257	449	-4	7	573	596	-1
14	568	811	-9	28	-518	561	-15	17	2518	2423	11	8	694	416	18
15	535	373	4					18	1115	1120	0	9	869	903	-3
16	833	464	12	-2	4	1		19	1218	1296	-5	10	1031	1115	-8
17	-555	122	-7					20	-404	257	-7	11	1034	909	11
	-3	23	1	1	5688	5639	9	21	2169	2118	5	12	78	43	0
				2	-231	29	-8	22	318	382	-1	13	921	889	2
				3	4269	4070	46	23	407	314	1	14	1328	1252	7
1	852	1116	-19	4	3327	3291	9	24	-703	56	-13	15	319	71	3
2	374	505	-4	5	1066	1119	-8	25	984	940	2	16	826	363	18
3	628	136	14	6	7614	7828	-30	26	-182	477	-6	17	1828	273	13

## Tetra(pentafluorophenyl)octabromoporphinato Copper(II)

Page 15

18	727	660	2	-2	22	1	4	1664	1742	-23	23	-463	205	-7	
19	-442	393	-9				5	5984	5913	12	24	1773	1543	20	
20	-515	415	-10	1	-542	131	-13	6	875	731	-6	25	587	373	5
21	-295	474	-7	2	1127	1212	-7	7	3034	3098	-14	26	-366	596	-12
22	324	202	1	3	574	780	-11	8	7040	7068	-4	27	849	903	-2
23	839	730	3	4	596	568	1	9	29	550	-16				
24	607	147	7	5	-449	135	-9	10	1965	1987	-3	-1	9	1	
				6	867	710	9	11	1245	1281	-4				
	-2	16	1	7	916	866	3	12	1422	1577	-20	1	1861	1908	-14
				8	1307	1211	8	13	765	970	-16	2	6031	6075	-7
1	-317	315	-12	9	-443	421	-13	15	3666	3735	-12	3	5246	5209	-7
2	1528	1507	3	10	551	63	10	16	-658	57	-19	4	2500	2523	-6
3	1216	1156	8	11	1445	1178	22	17	-720	164	-22	5	2171	2159	3
4	823	946	-12	12	-301	93	-3	18	-389	777	-29	6	2435	2415	5
5	878	977	-10	13	710	339	12	20	2102	2479	-48	7	580	604	-2
6	905	926	-2	14	362	27	3	22	-389	391	-10	8	912	701	25
7	1314	1382	-9	15	-811	55	-18	23	528	193	8	9	855	880	-2
8	774	747	2	16	498	204	5	24	-665	194	-15	10	469	543	-4
9	980	752	19					25	-799	169	-20	11	799	725	6
10	909	769	10		-2	24	1	26	682	717	-1	12	1354	1455	-12
11	1412	1370	4					27	959	1173	-12	13	2305	2262	7
12	1577	1643	-8	1	565	612	-2	28	1417	1325	6	14	-326	69	-4
13	1812	1722	11	2	492	642	-6					15	2739	2749	-1
14	229	374	-3	3	546	639	-3		-1	5	1	16	1741	1869	-14
15	59	12	0	4	1681	1663	1					17	1848	1807	4
16	517	575	-1	5	863	639	11	1	4513	4454	14	18	591	833	-9
17	1504	1336	13	6	1207	1127	6	2	2169	2120	18	19	543	579	-1
18	840	742	4	7	1017	1070	-3	3	2403	2390	4	20	363	177	2
19	-263	311	-4	8	1517	1703	-18	4	4875	4759	25	21	1639	1364	20
20	759	478	8	9	395	175	4	5	653	685	-4	22	691	846	-6
21	-687	354	-13	10	526	141	8	6	626	487	16	23	587	277	7
22	1364	1209	7	11	-192	739	-17	7	-132	174	-4	24	1220	1097	7
				12	1148	793	19	8	322	357	-1	25	1070	722	15
	-2	18	1					9	822	861	-4	26	799	656	5
					-2	26	1	10	5650	5582	11	27	843	620	7
1	1282	1347	-8					11	531	400	6				
2	872	1005	-13	1	366	251	2	12	152	109	0	-1	11	1	
3	1426	1566	-20	2	358	11	4	13	50	633	-16				
4	1197	1097	11	3	978	691	15	14	476	16	9	1	1736	1728	2
5	1593	1672	-11	4	-295	594	-13	15	1151	707	32	2	4261	4255	1
6	134	208	-1	5	152	112	0	16	-186	665	-18	3	2065	2134	-19
7	-505	111	-13					17	1460	1657	-20	4	3893	3896	0
8	1145	1073	7		-1	1	1	18	-634	551	-25	5	1982	1976	1
9	1649	1663	-1					19	4005	3992	2	6	4296	4326	-6
10	519	546	-1	1	2381	2404	-9	20	-802	515	-30	7	803	684	13
11	689	456	10	2	1236	1307	-18	21	545	884	-15	8	207	189	0
12	223	581	-10	3	1501	1451	11	22	-375	551	-13	9	791	580	18
13	1038	1027	0	4	842	423	40	23	122	636	-12	10	1717	1704	-8
14	1290	1130	12	5	5548	5639	-16	24	529	733	-7	11	3145	3155	-1
15	1476	1409	5	6	2278	2251	6	25	688	362	10	12	1416	1467	-6
16	-743	174	-17	7	239	339	-4	26	-1009	76	-27	13	1791	1767	3
17	-719	168	-15	8	6128	6311	-30	27	1189	1239	-3	14	1662	1430	27
18	-578	508	-15	9	-592	255	-26	28	-1023	720	-38	15	-430	126	-7
19	-127	556	-7	10	2709	2670	-34					16	2031	2059	-3
20	1224	856	17	11	1209	1231	-2	-1	7	1		17	492	478	0
21	325	636	-6	12	1135	1015	13					18	311	383	-1
				13	-513	433	-23	1	1553	1595	-14	19	428	474	-1
	-2	20	1	14	2365	2327	6	2	979	985	-1	20	260	315	0
1	1624	1633	-1	15	1166	1412	-27	3	3078	3044	10	21	554	676	-3
2	1249	1209	4	16	2446	2488	-7	4	4013	4008	1	22	730	792	-2
3	-631	89	-19	17	-459	79	-9	5	2422	2381	12	23	1250	1155	5
4	-243	206	-4	18	551	883	-19	6	337	407	-5	24	763	766	0
5	387	500	-4	19	1294	1464	-17	7	1563	1538	5	25	726	696	0
6	1572	1719	-19	20	523	483	1	8	3052	3038	3	26	1003	1091	-4
7	1841	1720	16	21	908	836	4	9	3575	3539	7				
8	-477	385	-15	22	498	171	7	10	7113	7058	8	-1	13	1	
9	771	905	-8	23	1264	1161	8	11	289	59	4				
10	603	169	13	24	1194	1032	11	12	1762	1761	0	1	2194	2236	-10
11	-259	268	-5	25	-514	313	-11	13	993	939	4	2	3368	3392	-5
12	1070	616	27	26	1826	1562	25	14	1431	1494	-7	3	439	492	-3
13	951	826	7	27	493	283	4	15	-477	303	-11	4	2049	2003	10
14	538	480	1	28	685	447	7	16	550	279	7	5	5318	5305	2
15	931	912	1					17	2968	3030	-8	6	439	199	11
16	-413	72	-4		-1	3	1	18	12	480	-7	7	1873	1810	12
17	908	899	0	1	2530	2456	28	19	933	1084	-9	8	115	369	-7
18	1103	426	26	2	1254	1211	17	20	1167	1235	-4	9	2493	2458	7
				3	3054	3113	-18	21	876	697	8	10	1504	1407	14
								22	694	530	6	11	3757	3791	-6

## Tetra(pentafluorophenyl)octabromoporphinato Copper(II)

Page 16

12	-316	29	-4	11	743	757	0	0	3618	3510	33	16	831	1002	-11				
13	1325	1253	7	12	1517	1479	4	1	3204	3177	9	17	1003	954	3				
14	1128	1173	-3	13	1285	1241	3	2	1239	1253	-6	18	-104	1011	-31				
15	1685	1676	1	14	1185	1193	0	3	2094	1990	40	19	2363	2270	11				
16	297	50	2	15	1060	597	25	4	2312	2305	2	20	942	809	7				
17	2346	2208	16	16	1022	743	14	5	724	666	8	21	719	487	9				
18	-144	300	-3	17	-120	65	0	6	3457	3438	4	22	421	68	5				
19	1299	1407	-7	18	1007	736	12	7	959	959	0	23	994	947	2				
20	466	9	5	19	-609	585	-17	8	2915	2973	-13	24	791	594	8				
21	-344	406	-6	20	-115	123	0	9	5718	5971	-43	25	-491	387	-10				
22	474	138	4					10	4079	4103	-4	26	609	724	-3				
23	828	473	9		-1	21	1	11	5775	5949	-28	27	-1361	74	-44				
24	-314	111	-2					12	1217	1414	-23	28	1907	1648	21				
25	952	580	11					13	5693	5891	-32		0	8	1				
	-1	15	1					14	1951	1943	1		0	656	590	11			
1	2086	2118	-7					15	-450	201	-11		1	4984	5013	-6			
2	3430	3520	-21					16	936	1141	-17		2	1698	1711	-4			
3	269	77	4					17	2083	2407	-43		3	760	808	-9			
4	2227	2219	1					18	1673	2353	-77		4	852	881	-5			
5	1470	1531	-10					19	-823	855	-44		5	3629	3563	17			
6	505	376	7					20	1248	1035	-74		6	2743	2721	6			
7	1287	1305	-2					21	1687	1877	-18		7	1570	1659	-21			
8	1262	1299	-5					22	410	1387	-47		8	4658	4494	33			
9	126	275	-3					23	-1113	305	-37		9	1847	1671	36			
10	2045	2120	-12					24	-254	79	-2		10	326	154	5			
11	899	960	-5					25	682	732	-1		11	417	6	10			
12	671	313	15						0	4	1		12	1414	1397	2			
13	1389	1261	13						0	1216	1181	15	13	1135	1129	0			
14	1103	1050	4						1	3661	3667	-1	14	1354	1317	4			
15	776	660	5						2	616	508	26	15	2808	2793	2			
16	1390	1373	1						3	1924	1904	8	16	1508	1291	21			
17	267	357	-1						4	4005	3974	8	17	2250	2116	16			
18	1436	1289	10						5	3775	3736	10	18	1061	1311	-17			
19	635	472	4						6	2759	2669	25	19	1840	1762	7			
20	478	512	0						7	2390	2296	25	20	710	951	-10			
21	-286	720	-13						8	1613	1537	16	21	-541	140	-8			
22	-597	537	-13						9	1612	1626	-2	22	-546	74	-8			
23	-621	317	-9						10	3859	3820	8	23	735	411	10			
	-1	17	1						11	5764	5798	-5	24	1070	935	7			
1	1583	1615	-5						12	260	285	0	25	334	270	0			
2	1365	1451	-13						13	640	453	9	26	849	889	-1			
3	1254	1135	16						14	933	974	-3	27	178	367	-2			
4	952	1178	-26						15	3900	3916	-2		0	10	1			
5	1229	1188	5						16	1931	2050	-15		0	3168	3226	-16		
6	222	357	-4						17	-482	624	-23		1	170	119	1		
7	3211	3332	-24						18	3432	3507	-12		2	2781	2695	24		
8	844	816	2						19	3148	3313	-26		3	1439	1450	-2		
9	-290	10	-4						20	-346	407	-10		4	1358	1346	2		
10	1546	1443	13						21	-823	796	-41		5	496	464	2		
11	949	562	25						22	2201	2475	-33		6	892	956	-9		
12	-252	271	-5						23	2232	2126	12		7	2465	2413	13		
13	1685	1661	2						24	-330	561	-12		8	1194	1201	-1		
14	-440	270	-9						25	-786	357	-21		9	3978	3967	2		
15	1298	1369	-6						26	1002	969	1		10	1110	966	17		
16	290	124	2						27	-772	640	-25		11	-346	53	-7		
17	749	746	0						28	-1217	473	-41		12	1699	1644	8		
18	861	41	20							0	6	1		13	1738	1767	-4		
19	1826	1607	18							0	2041	2033	3		14	1453	1378	8	
20	470	102	5							1	3209	3186	7		15	2134	2022	16	
21	-493	389	-8							2	7911	7944	-4		16	2344	2244	13	
22	-799	65	-13							3	4199	4057	35		17	2653	2567	11	
	-1	19	1							4	5609	5525	16		18	835	953	-6	
1	387	195	5							5	2867	2871	-1		19	1466	1551	-6	
2	-172	147	-2							6	5939	5887	9		20	1359	1295	4	
3	607	199	17							7	5011	4916	19		21	621	282	7	
4	1413	1328	10							8	283	461	-11		22	499	553	-1	
5	1855	1978	-19							9	-211	320	-11		23	1919	1530	30	
6	543	664	-6							10	2571	2484	19		24	945	751	7	
7	1161	853	27							11	337	225	3		25	1481	1486	0	
8	1086	1169	-8							12	935	904	2		26	645	507	3	
9	1194	1248	-5							13	1431	1362	8			0	12	1	
10	1168	911	21							14	1892	1628	8			0	2779	2846	-18
										15	765	427	16						





## Tetra(pentafluorophenyl)octabromoporphinato Copper(II)

Page 18



## Tetra(pentafluorophenyl)octabromoporphinato Copper(II)

Page 20

7	842	962	-21	23	-442	165	-5	14	1797	1724	9	17	607	274	7
8	860	926	-10	24	688	602	2	15	608	230	12				
9	402	487	-6	25	1018	1134	-5	16	851	703	7		3	23	1
10	3063	2976	21	26	504	712	-5	17	1473	1408	5				
11	979	937	5					18	1218	1415	-15	0	825	923	-9
12	2657	2580	16		3	11	1	19	-285	272	-4	1	2110	2152	-6
13	658	830	-13					20	1429	1240	13	2	583	52	13
14	1219	1299	-9	0	3452	3477	-7	21	570	762	-6	3	1009	851	11
15	2439	2398	6	1	-392	271	-21	22	-306	45	-2	4	587	209	11
16	1268	1244	2	2	4321	4291	6	23	-279	48	-1	5	329	29	4
17	1249	1025	18	3	462	156	17					6	743	576	8
18	1084	982	7	4	747	673	8		3	17	1	7	868	789	4
19	909	791	6	5	2163	2135	7	0	810	782	3	8	-214	127	-2
20	-483	256	-8	6	260	370	-5	1	1571	1613	-7	9	410	180	4
21	1086	917	9	7	-303	293	-13	2	996	983	1	10	789	501	12
22	-365	280	-5	8	193	171	0	3	952	825	12	11	361	492	-3
23	-449	404	-9	9	1403	1275	21	4	1626	1498	20	12	-243	233	-3
24	1805	1994	-17	10	965	959	0	5	757	753	0	13	-504	343	-10
25	1704	1444	20	11	1310	1391	-11	6	2484	2553	-13				
26	555	443	2	12	1158	933	24	7	-255	187	-5		3	25	1
27	727	529	6	13	1071	1047	2	8	1028	889	12	0	71	114	0
				14	1960	1948	1	9	1310	1349	-4	1	597	476	4
				15	1448	1231	22	10	759	667	5	2	-204	522	-10
				16	92	109	0	11	1667	1574	12	3	589	576	0
				17	645	656	0	12	-243	104	-2	4	354	162	3
				18	305	501	-5	13	285	212	1	5	770	973	-11
				19	2415	2302	14	14	-242	424	-8	6	869	447	18
				20	315	254	1	15	1296	1436	-12	7	438	42	6
				21	379	65	3	16	-477	103	-8	8	-85	95	0
				22	1274	1070	11	17	-628	296	-14				
				23	231	210	0	18	142	31	0	4	0	1	
				24	1156	504	22	19	911	595	12	0	3939	3915	7
				25	1817	1659	9	20	743	792	-1	0	1388	1420	-12
								21	1368	1420	-3	4	1734	1712	7
												6	-127	254	-9
												8	7572	7493	11
												10	1165	1164	0
												12	339	86	5
												14	6062	6084	-3
												16	2853	2812	6
												18	1143	1304	-13
												20	982	1159	-12
												22	3165	3194	-4
												24	-164	575	-10
												26	967	1053	-4
												28	729	714	0
													4	2	1
												0	760	768	-3
												1	506	493	2
												2	757	683	18
												3	190	251	-4
												4	4919	4838	17
												5	392	313	7
												6	1545	1532	3
												7	5893	5779	20
												8	2080	2077	0
												9	1014	919	14
												10	1075	1030	6
												11	704	667	3
												12	355	109	6
												13	3779	3733	8
												14	2717	2779	-11
												15	1665	1523	17
												16	1375	1461	-8
												17	3100	3083	2
												18	710	732	-1
												19	664	234	12
												20	-292	443	-8
												21	1779	1848	-6
												22	-348	289	-6
												23	1140	1102	2
												24	-638	319	-14
												25	502	334	3
												26	900	1018	-5





[illegible]







## Tetra(pentafluorophenyl)octabromoporphinato Copper(II)

Page 26

19	-449	814	-25	10	2613	2660	-10	7	587	785	-13	14	-798	417	-24
20	2661	2688	-3	11	2063	2141	-14	8	816	948	-11	15	1596	1690	-8
21	677	438	7	12	368	106	6	9	702	764	-4				
22	-526	352	-9	13	1678	1640	5	10	401	616	-9		9	21	1
23	945	1025	-3	14	-286	458	-13	11	930	1097	-14				
24	1183	926	11	15	931	872	4	12	1011	671	24	0	528	611	-5
25	-625	348	-10	16	1836	1851	-1	13	417	125	6	1	-239	49	-2
				17	710	245	16	14	976	446	29	2	1330	1390	-5
	9	3	1	18	866	1075	-13	15	736	812	-4	3	322	173	2
0	2515	2486	9	19	1145	1323	-13	16	2479	2396	11	4	1938	1900	4
1	831	797	4	20	1696	1631	6	17	859	1090	-13	5	536	5	10
2	3435	3378	14	21	2051	1991	5	18	1258	1121	9	6	1261	1098	13
3	2830	2866	-9	22	785	899	-4	19	335	405	-1	7	-312	14	-3
4	1739	1786	-11	23	-359	555	-10	20	614	652	-1	8	686	400	10
5	430	524	-7	24	629	172	8	21	1020	1142	-6	9	1106	760	21
6	683	645	3									10	967	996	-1
7	841	809	3		9	9	1		9	15	1	11	-357	17	-3
8	192	147	1	0	713	610	13	0	674	593	7	12	1401	1325	5
9	3221	3203	4	1	-141	124	-2	1	2048	2146	-17		9	23	1
10	3227	3209	3	2	1319	1346	-4	2	1116	894	22				
11	1175	1081	11	3	620	590	2	3	798	1009	-19	0	76	137	0
12	390	335	2	4	600	401	14	4	738	95	27	1	415	128	5
13	1478	1413	8	5	1600	1532	12	5	-859	415	-44	2	768	637	6
14	553	131	13	6	3161	3202	-9	6	154	453	-8	3	1078	878	12
15	-393	28	-6	7	1498	1386	18	7	958	979	-1	4	-257	257	-4
16	1837	1944	-13	8	119	65	0	8	715	778	-4	5	358	104	3
17	406	414	0	9	971	822	15	9	661	617	2	6	-659	286	-16
18	1083	737	21	10	1067	910	16	10	1014	882	10	7	912	891	1
19	609	51	11	11	541	410	6	11	-396	9	-6				
20	-459	55	-6	12	1809	1747	9	12	418	772	-16		10	0	1
21	-610	74	-10	13	1260	1249	1	13	400	460	-1				
22	774	544	7	14	1380	1476	-10	14	524	794	-12	0	1810	1809	0
23	1558	1478	5	15	571	404	6	15	895	729	9	2	1466	1552	-18
24	842	162	15	16	3056	3032	3	16	978	1099	-7	4	239	479	-14
25	-493	375	-7	17	315	63	3	17	517	593	-2	6	575	521	4
				18	1921	1822	11	18	1104	1011	5	8	2184	2274	-19
	9	5	1	19	2043	2060	-1	19	1078	978	5	10	837	700	11
0	989	1040	-12	20	1298	1219	5	20	777	994	-9	12	3510	3497	2
1	4624	4691	-14	21	-162	544	-8					14	3956	3995	-6
2	1612	1597	3	22	370	180	2		9	17	1	16	5283	5346	-9
3	4261	4205	-12	23	-551	155	-7					18	447	288	3
4	3782	3828	-10					0	357	2	8	20	927	1011	-4
5	241	93	3		9	11	1	1	2711	2769	-10	22	106	435	-4
6	2353	2312	9	0	1075	1196	-21	2	1691	1712	-3	24	686	209	9
7	1484	1513	-5	1	464	495	-2	3	-267	95	-3				
8	1023	1116	-12	2	962	925	4	4	1180	1194	-1		10	2	1
9	2496	2469	6	3	2983	3012	-6	5	2714	2716	0				
10	814	658	13	4	401	192	8	6	499	247	8	0	425	252	14
11	1436	1372	9	5	-133	90	-1	7	389	652	-11	1	2145	2181	-9
12	2310	2318	-1	6	1572	1664	-15	8	968	886	6	2	3066	2992	18
13	1466	1416	6	7	4817	5017	-38	9	401	336	1	3	3775	3823	-11
14	766	754	0	8	1715	1733	-2	10	696	504	8	4	404	189	10
15	-371	647	-22	9	423	402	0	11	1764	1793	-3	5	3019	3032	-3
16	710	817	-6	10	-448	13	-10	12	1221	1059	13	6	1571	1628	-11
17	922	1300	-28	11	1219	1107	12	13	613	157	12	7	326	497	-9
18	846	964	-7	12	692	456	12	14	1044	810	13	8	2406	2447	-9
19	410	512	-2	13	490	494	0	15	-122	371	-4	9	1961	1998	-7
20	1275	1075	13	14	1089	1046	3	16	-522	728	-23	10	-402	560	-27
21	424	314	2	15	1979	2032	-7	17	812	206	17	11	240	187	1
22	958	818	6	16	815	668	7	18	234	31	1	12	1373	1294	9
23	-902	95	-19	17	451	143	6					13	-305	214	-6
24	517	157	5	18	1569	1278	25		9	19	1	14	640	430	9
25	-44	437	-3	19	758	694	2					15	2347	2338	1
				20	291	546	-5	0	231	291	-1	16	546	669	-5
	9	7	1	21	-503	92	-6	1	1741	1710	3	17	325	37	3
0	627	627	0	22	969	659	12	2	727	917	-12	18	908	841	3
1	1878	1872	1					3	1570	1568	0	19	-105	484	-7
2	1638	1568	15		9	13	1	4	-332	245	-6	20	819	617	8
3	1616	1568	10	0	-194	156	-4	5	1035	1213	-15	21	1208	1335	-8
4	529	402	9	1	1301	1296	0	6	1147	1220	-6	22	384	289	1
5	1822	1842	-4	2	1263	1201	8	7	577	472	4	23	1100	657	17
6	777	712	6	3	2208	2226	-3	8	461	106	7	24	353	482	-2
7	3369	3429	-13	4	858	967	-10	9	-384	160	-6				
8	1827	1747	15	5	1142	1190	-5	10	1281	1259	1		10	4	1
9	1928	1954	-4	6	655	525	8	11	580	263	8				
								12	275	395	-2	0	3936	3970	-9
								13	789	452	13	1	3148	3195	-11

## Tetra(pentafluorophenyl)octabromoporphinato Copper(II)

Page 27

[illegible]

## Tetra(pentafluorophenyl)octabromoporphinato Copper(II)

Page 28

6	2835	2897	-13	6	900	908	0	3	589	439	5	1	1568	1465	18
7	1284	1169	15	7	2315	2385	-12	4	678	251	13	2	1050	1204	-21
8	1352	1344	1	8	924	1014	-7	5	457	14	7	3	3953	3936	3
9	-300	325	-10	9	1718	1700	2	6	1011	1052	-2	4	2190	2197	-1
10	837	829	0	10	678	416	12	7	761	460	11	5	1133	1195	-8
11	375	203	4	11	528	282	8	8	889	730	7	6	1852	1831	3
12	761	727	2	12	355	366	0	9	-941	239	-28	7	53	105	0
13	352	324	0	13	457	60	7					8	1861	1901	-6
14	461	16	8	14	1662	1611	5	12	0	1		9	-139	279	-4
15	-262	202	-4	15	905	811	5					10	-393	82	-7
16	901	749	9	16	860	290	21	0	2678	2711	-10	11	505	678	-9
17	553	682	-5	17	885	766	5	2	1116	1149	-5	12	1457	1410	5
18	-429	18	-5	18	-511	325	-10	4	2736	2724	2	13	998	1042	-3
19	-157	456	-7	19	-640	241	-12	6	2583	2535	10	14	665	426	10
20	1229	1274	-2					10	444	445	0	15	621	1047	-24
21	818	379	13	11	15	1		12	696	583	6	16	858	803	3
22	-603	23	-8					14	2169	2146	3	17	727	826	-5
23	1819	1520	6					16	2298	2471	-22	18	1791	1707	8
								18	1501	1604	-9	19	671	403	8
	11	9	1					20	851	550	11	20	700	310	10
								22	1093	1221	-6	21	-114	436	-5
												22	1329	1281	2
								12	2	1		12	8	1	
0	420	401	1					0	394	412	-1				
1	1594	1518	13	5	452	30	9	1	1519	1476	8	0	56	142	-1
2	645	671	-2	6	1531	1500	3	2	1317	1309	1	1	1582	1537	7
3	1212	1234	-3	7	383	305	2	3	3078	3043	8	2	1373	1395	-3
4	1866	1907	-8	8	1500	1544	-5	4	3251	3292	-9	3	2397	2405	-1
5	2302	2342	-8	9	933	866	4	5	4019	4089	-15	4	1170	1160	1
6	1589	1677	-14	10	749	445	14	6	1630	1679	-8	5	1300	1229	9
7	771	884	-9	11	-360	154	-5	7	4219	4238	-3	6	2099	2174	-13
8	-320	322	-10	12	966	1104	-10	8	1055	1083	-3	7	359	278	2
9	536	685	-9	13	362	384	0	9	342	30	6	8	1155	1060	10
10	1217	1229	-1	14	815	968	-8	10	1364	1266	12	9	440	364	3
11	470	322	5	15	477	666	-6	11	1274	1298	-2	10	492	274	7
12	884	881	0	16	-666	144	-13	12	-446	31	-8	11	334	600	-11
13	507	537	-1	17	-496	298	-9	13	1623	1676	-6	12	774	718	3
14	1031	983	3	18	1425	1314	7	14	709	628	4	13	1973	1928	6
15	1360	1234	11					15	620	618	0	14	692	684	0
16	959	954	0	11	17	1		16	515	95	9	15	-521	103	-10
17	981	1083	-7					17	788	687	4	16	815	794	1
18	308	175	1	0	446	271	7	18	537	595	-2	17	518	708	-7
19	752	106	16	1	392	305	2	19	290	415	-2	18	376	358	0
20	761	23	15	2	503	358	5	20	1228	1183	2	19	465	507	-1
21	182	504	-5	3	1757	1730	3	21	147	187	0	20	772	595	6
22	374	636	-6	4	621	537	4	22	393	254	2	21	627	939	-11
				5	1040	1118	-6	23	932	598	12				
	11	11	1	6	902	484	23								
				7	540	498	1								
				8	340	88	4								
0	594	558	3	9	2607	2438	25	12	4	1		12	10	1	
1	1214	1215	0	10	726	457	11								
2	-225	116	-3	11	637	209	12								
3	662	654	0	12	-381	43	-4	0	539	635	-10	0	1127	1095	5
4	374	304	2	13	1146	1042	7	1	-87	5	0	1	-273	87	-4
5	1020	808	20	14	571	876	-13	2	268	309	-1	2	195	83	1
6	534	63	14	15	-448	316	-8	3	3031	3062	-7	3	1997	2087	-16
7	3458	3520	-12					4	2038	2040	0	4	-125	171	-2
8	1395	1314	9					5	1551	1588	-6	5	505	277	9
9	-421	21	-8	11	19	1		6	1278	1289	-1	6	1089	1111	-2
10	2815	2763	9					7	2037	2127	-17	7	1168	1133	3
11	602	647	-2	0	912	869	4	8	591	488	6	8	620	653	-1
12	953	846	7	1	301	576	-9	9	1508	1457	7	9	-107	118	-1
13	2442	2384	9	2	769	524	12	10	1949	1940	1	10	566	326	9
14	740	615	6	3	644	102	15	11	1078	980	8	11	-636	346	-21
15	1027	1132	-7	4	1015	969	3	12	1702	1646	7	12	-231	48	-2
16	1687	1550	13	5	-378	43	-5	13	834	981	-10	13	214	292	-1
17	798	205	19	6	701	171	17	14	2872	2854	2	14	962	1029	-4
18	2211	2120	10	7	-652	216	-16	15	1461	1551	-9	15	-403	146	-6
19	-416	33	-4	8	1850	1756	-10	16	1283	1154	10	16	794	903	-5
20	-428	440	-9	9	860	59	24	17	235	846	-21	17	503	276	5
21	831	529	10	10	630	320	9	18	1210	982	15	18	609	378	6
				11	1075	996	5	19	450	388	1	19	587	96	9
				12	687	472	7	20	-619	133	-10	20	730	562	5
				13	549	581	-1	21	-96	479	-5				
								22	-893	267	-19	12	12	1	
0	639	473	12									0	196	449	-11
1	1955	2052	-16	11	21	1						1	1058	1010	4
2	606	574	1									2	-264	123	-4
3	605	785	-11	0	-344	64	-5	12	6	1		3	-463	389	-14
4	512	53	13	1	-446	12	-6								
5	307	281	0	2	538	263	7	0	419	153	14				

## Tetra(pentafluorophenyl)octabromoporphinato Copper(II)

Page 29

4	1659	1699	-5	2	616	302	9	11	2217	2294	-12	16	778	880	-5
5	1611	1607	0	3	278	367	-2	12	2198	2194	0	17	697	466	7
6	204	224	0	4	530	437	3	13	1357	1457	-10	18	580	180	8
7	984	625	26	5	-258	65	-2	14	807	1002	-12				
8	251	533	-9	6	454	673	-7	15	1116	1049	5	13	13	1	
9	-85	357	-5	7	688	322	11	16	1120	1098	1	0	612	301	18
10	489	928	-24	8	-374	181	-5	17	1137	1071	4	1	721	487	13
11	212	112	1	9	867	509	15	18	724	601	4	2	632	477	7
12	848	664	10					19	1098	922	9	3	871	1004	-10
13	474	308	4	12	22	1		20	791	450	11	4	1462	1580	-14
14	-243	291	-4					21	1059	634	17	5	542	424	4
15	-158	79	-1	0	721	584	5					6	455	590	-6
16	1396	1276	9					13	7	1		7	-419	451	-15
17	846	771	3	13	1	1		0	631	552	7	8	1193	1040	13
18	745	575	6					1	3764	3782	-3	9	1133	1238	-9
19	687	402	8	0	2637	2612	7	2	1845	1868	-4	10	787	1017	-15
				1	363	429	-3	3	2576	2576	0	11	965	925	2
				2	765	879	-11	4	-277	68	-4	12	651	583	2
				3	658	225	24	5	1747	1661	13	13	376	382	0
				4	956	864	9	6	961	1104	-14	14	574	487	2
				5	1031	1027	0	7	664	810	-10	15	965	306	26
				6	600	559	2	8	376	31	6	16	412	312	2
				7	968	923	4	9	1018	983	3	17	1050	857	10
				8	503	590	-4	10	817	875	-4				
				9	683	441	13	11	-176	396	-7	13	15	1	
				10	1308	1236	8	12	2304	2340	-5	0	2054	1978	15
				11	522	260	9	13	1252	924	27	1	243	217	0
				12	758	1031	-19	14	1141	1073	5	2	361	410	-1
				13	1183	1116	6	15	1502	1558	-5	3	-253	104	-3
				14	771	726	2	16	281	400	-2	4	1398	1490	-10
				15	-373	442	-11	17	1563	1530	3	5	269	239	0
				16	848	365	20	18	544	127	8	6	1470	1372	10
				17	635	532	3	19	-485	262	-8	7	239	89	1
				18	1129	1109	1	20	505	441	1	8	647	529	5
				19	864	266	18					9	582	122	11
				20	767	218	13	13	9	1		10	-109	399	-6
				21	725	513	6					11	-601	573	-22
				22	-376	644	-12					12	-231	140	-2
								0	262	150	3	13	105	44	0
								1	2624	2616	1	14	234	62	1
								2	612	354	13	15	230	377	-2
								3	1900	1905	0				
								4	981	842	12				
								5	522	443	3				
								6	1238	1074	17	13	17	1	
								7	760	542	13				
								8	724	294	20	0	649	435	10
								9	1204	1151	5	1	718	618	5
								10	515	467	2	2	704	648	2
								11	-258	405	-9	3	179	77	1
								12	-75	95	0	4	257	310	-1
								13	977	857	8	5	861	146	26
								14	1783	1664	13	6	44	9	0
								15	211	322	-2	7	1009	690	18
								16	254	310	-1	8	858	655	10
								17	-114	710	-15	9	434	758	-12
								18	548	59	8	10	581	267	8
								19	620	279	8	11	-670	35	-13
								20	973	1092	-6	12	-441	255	-7
								13	11	1		13	19	1	
								0	688	496	16	0	574	494	3
								1	734	768	-2	1	349	300	1
								2	-251	358	-9	2	589	744	-7
								3	1386	1328	7	3	557	113	10
								4	626	368	12	4	759	632	5
								5	1923	1863	9	5	-322	477	-10
								6	289	405	-3	6	417	323	2
								7	605	454	7	7	1082	785	17
								8	837	1017	-14	8	609	134	11
								9	-562	510	-23	9	379	161	3
								10	602	254	12				
								11	607	775	-9	13	21	1	
								12	842	851	0				
								13	902	857	2	0	197	489	-8
								14	1842	1676	18	1	694	321	12
								15	480	518	-1				


## Tetra(pentafluorophenyl)octabromoporphinato Copper(II)

Page 30


14	0	1	15	-482	266	-11	2	1213	1081	12	4	2053	1965	14	
0	860	815	6	14	-359	109	-5	3	567	140	12	5	935	743	15
2	1392	1384	1	15	-63	400	-5	4	449	249	5	6	948	687	20
4	1467	1382	12	16	-604	126	-12	5	653	345	12	7	1052	1220	-16
6	-534	46	-14	17	-599	378	-14	6	578	171	12	8	1433	1489	-6
8	1470	1594	-16	18	1574	1431	11	7	-596	99	-13	9	1474	1454	2
10	2115	2100	2	19	-47	594	-9	8	762	566	9	10	1103	1024	6
12	1544	1605	-6	20	525	514	0	9	-181	700	-18	11	1032	854	13
14	1176	1227	-4					10	864	782	4	12	539	375	5
16	1113	1274	-11	14	8	1		11	-396	394	-10	13	514	508	0
18	-434	310	-7	0	795	788	0	12	63	401	-4	14	50	50	0
20	1071	1044	1	1	697	468	14	13	636	44	12	15	1001	776	12
				2	552	128	14	14	824	1089	-14	16	600	732	-5
				3	-544	348	-21	15	128	2	0	17	727	530	7
				4	308	331	0					18	513	316	4
				5	1911	1809	15	14	16	1		19	-51	29	0
				6	515	599	-4	0	-262	385	-10				
				7	1587	1509	10	1	718	99	20	15	5	1	
				8	684	618	2	2	730	680	2	0	-282	52	-6
				9	808	686	7	3	1276	1084	16	1	1273	1275	0
				10	-554	327	-17	4	661	866	-11	2	429	259	5
				11	-275	209	-4	5	-315	401	-9	3	1187	1102	9
				12	403	244	3	6	654	124	14	4	721	109	25
				13	648	607	1	7	-380	129	-5	5	156	380	-5
				14	786	729	2	8	219	525	-7	6	1294	1287	0
				15	644	416	8	9	842	839	0	7	745	239	23
				16	103	5	0	10	1408	1476	-5	8	796	606	11
				17	907	402	20	11	1592	1537	4	9	650	559	4
				18	726	446	9	12	398	278	2	10	-436	232	-9
				19	992	1120	-6					11	589	556	1
								14	18	1		12	-256	491	-11
				14	10	1		0	-234	642	-18	13	684	227	15
				0	1890	1821	14	1	351	234	2	14	864	602	13
				1	1576	1449	17	2	-399	319	-8	15	-512	410	-13
				2	998	933	5	3	1373	1357	1	16	1421	1308	9
				3	1685	1551	18	4	135	460	-6	17	494	542	-1
				4	2307	2357	-8	5	464	647	-6	18	524	783	-8
				5	2107	2134	-4	6	976	563	20	19	650	848	-7
				6	370	227	3	7	276	862	-20				
				7	623	809	-11	8	512	641	-4	15	7	1	
				8	179	10	1	9	-487	233	-8	0	291	23	5
				9	1166	1125	3					1	835	1015	-15
				10	834	1033	-14	14	20	1		2	874	866	0
				11	473	239	6					3	613	69	18
				12	679	313	13	0	484	239	6	4	935	900	2
				13	783	736	2	1	611	42	11	5	1523	1489	4
				14	876	449	18					6	362	418	-1
				15	1333	1375	-3	15	1	1		7	782	746	1
				16	108	132	0					8	670	720	-2
				17	-357	189	-4	0	1758	1733	5	9	572	383	7
				18	902	856	2	1	1155	952	22	10	19	14	0
								2	645	265	18	11	772	630	7
				14	12	1		3	595	693	-6	12	900	649	14
				0	1474	1523	-8	4	2532	2597	-12	13	558	320	7
				1	607	670	-3	5	122	382	-6	14	1112	822	18
				2	318	386	-2	6	662	299	17	15	694	144	14
				3	459	333	4	7	1454	1401	6	16	864	699	7
				4	512	382	5	8	456	754	-15	17	-810	124	-18
				5	702	832	-8	9	1362	1444	-9	18	-61	163	0
				6	588	622	-1	10	60	486	-9				
				7	571	82	13	11	1279	1277	0	15	9	1	
				8	118	255	-2	12	1362	1226	12	0	2220	2187	7
				9	1776	1798	-2	13	722	410	12	1	909	692	16
				10	668	502	7	14	1528	1458	6	2	1013	481	37
				11	1467	1530	-6	15	298	378	-1	3	1567	1330	29
				12	253	362	-2	16	868	948	-4	4	781	647	8
				13	1658	1731	-7	17	679	848	-7	5	2192	2159	5
				14	1909	1756	16	18	1221	906	17	6	689	115	20
				15	620	19	11	19	49	379	-3	7	500	605	-4
				16	517	136	7					8	-257	11	-2
								15	3	1		9	-489	394	-15
				14	14	1		0	876	1020	-19	10	-448	163	-8
				0	673	847	-14	1	1675	1628	7	11	936	876	3
				1	1000	996	0	2	593	629	-2	12	761	795	-1
								3	2364	2234	23	13	577	686	-4

**Appendix 7.** Supplementary Material for  
the X-ray Crystal Structure Determination of ZnTFPPBr<sub>8</sub>.

**Figure A7.1.** ORTEP diagram for ZnTFPPBr<sub>8</sub> (50% probability ellipsoids) and numbering scheme for macrocycle. Unlabelled C atoms have the same number as the attached F atom.



**Figure A7.2.** ORTEP diagram for  $\text{ZnTFPPBr}_8$  unit cell (50% probability ellipsoids). The representation is a projection down the  $b$  axis ( $c$  is horizontal) with water molecules shown with shaded quadrants.





**Table A7.1.** Crystal and Intensity Collection Data for ZnTFPPBr<sub>8</sub>.

---

Formula: ZnC<sub>44</sub>Br<sub>8</sub>N<sub>4</sub>F<sub>20</sub>•CCl<sub>4</sub>•C<sub>6</sub>H<sub>4</sub>Cl<sub>2</sub>•- Formula Weight: 2062.03
(C<sub>3</sub>H<sub>6</sub>O,CH<sub>4</sub>O)<sub>1/2</sub>•[C<sub>3</sub>H<sub>6</sub>O,2(H<sub>2</sub>O)]<sub>1/2</sub>

Crystal Color: purple

Habit: hexagonal prism

Crystal Size: 0.30 x 0.12 x 0.11 mm

Crystal System: orthorhombic

Space Group: Pnma

a = 12.053 (4) Å

α = 90

b = 18.453 (6) Å

β = 90

c = 29.259 (10) Å

γ = 90

V = 6508 (4) Å<sup>3</sup>

Z = 4

D = 2.10 g cm<sup>-3</sup>

MoKα Radiation

λ = 0.71073 Å

μ = 5.60 mm<sup>-1</sup>

T = 295 K

Enraf-Nonius Cad-4 diffractometer

ω scan

Transmission coeff. =

range for data collection: 1-20

±h = 11, k = 0-17, l = 0-28

Number of reflections measured: 6539

Number of independent reflections: 3151

R = 0.066 on F for 1398 reflections with F<sub>o</sub><sup>2</sup> > 3σ(F<sub>o</sub><sup>2</sup>)wR = 0.020 on F<sup>2</sup> for 3151 reflections

Final goodness of fit: 1.74 for 294 parameters and 3151 reflections

**Table A7.2.** Final Refined Heavy Atom Parameters  $\times 10^4$  for ZnTFPPBr<sub>8</sub>.

$x, y, z$ and $U_{eq}^a \times 10^4$				
Atom	$x$	$y$	$z$	$U_{eq}$ or $B$
Zn	2496(3)	2500	5394(1)	535(11)
Br1	3871(2)	3419(1)	7258(1)	859(9)
Br2	1145(2)	5433(1)	5949(1)	694(8)
Br3	1366(2)	5459(1)	4795(1)	647(8)
Br4	4192(2)	3416(1)	3570(1)	666(8)
N1	2609(17)	2500	6087(7)	3.0(5) *
N2	2583(11)	3611(7)	5400(6)	3.0(3) *
N3	2829(16)	2500	4714(7)	2.9(5) *
C1	3234(14)	2866(9)	6799(6)	3.2(5) *
C2	2805(15)	3104(10)	6361(6)	3.2(5) *
C3	2502(15)	3813(10)	6216(6)	2.8(4) *
C4	2347(15)	4021(11)	5770(7)	3.4(5) *
C5	1866(15)	4701(11)	5607(7)	3.3(5) *
C6	1975(15)	4691(11)	5147(7)	3.6(5) *
C7	2428(14)	4021(10)	5009(6)	2.3(4) *
C8	2780(14)	3823(9)	4578(7)	2.9(4) *
C9	3041(14)	3112(10)	4462(6)	2.9(5) *
C10	3547(13)	2866(8)	4029(5)	2.4(4) *
C11	2450(15)	4355(10)	6592(6)	2.7(5) *
C12	3133(17)	4891(12)	6647(7)	3.3(5) *

Atom	<i>x</i>	<i>y</i>	<i>z</i>	<i>U</i> <sub>eq</sub> or <i>B</i>
C13	3121(18)	5422(12)	6987(7)	4.1(5) *
C14	2221(16)	5353(11)	7292(7)	2.9(4) *
C15	1475(18)	4830(12)	7269(7)	4.0(5) *
C16	1598(16)	4350(12)	6907(7)	3.5(5) *
C17	2761(16)	4389(11)	4222(6)	3.0(5) *
C18	3532(20)	4929(14)	4207(8)	5.3(6) *
C19	3532(19)	5443(13)	3868(8)	4.9(6) *
C20	2736(18)	5398(13)	3554(8)	4.3(5) *
C21	1958(20)	4894(14)	3552(9)	5.4(6) *
C22	2001(20)	4359(14)	3895(9)	5.3(6) *
F12	3972(10)	4977(6)	6349(4)	757(38)
F13	3822(11)	5941(7)	7030(4)	938(47)
F14	2156(11)	5844(7)	7642(4)	989(51)
F15	637(11)	4799(7)	7559(4)	904(45)
F16	811(10)	3822(7)	6893(4)	801(41)
F18	4313(9)	4962(6)	4530(5)	747(40)
F19	4281(12)	5974(7)	3880(5)	1230(62)
F20	2727(14)	5938(8)	3219(5)	1362(63)
F21	1181(13)	4888(8)	3230(4)	1200(57)
F22	1219(10)	3869(7)	3876(4)	786(41)

Atom	<i>x</i>	<i>y</i>	<i>z</i>	$U_{eq}$ or <i>B</i>
Cl1a	1358(20)	2500	3140(9)	1546(100) <sup>†</sup>
Cl2a	−361(50)	2500	2455(9)	2865(255) <sup>†</sup>
Cl3a	−688(35)	1737(18)	3230(11)	3416(198) <sup>†</sup>
Cl1b	−2042(27)	2500	2899(16)	2321(187) <sup>†</sup>
Cl2b	−488(26)	2500	3610(11)	1774(128) <sup>†</sup>
Cl3b	−92(26)	1774(15)	2828(10)	2243(137) <sup>†</sup>
C2b	−606(18)	1829(12)	6066(7)	10.8(7) *
Cl1o	958(16)	1295(11)	229(7)	17.6(8) * <sup>†</sup>
Cl2o	90(14)	2300	−488(6)	18.0(7) * <sup>†</sup>

$$^a U_{eq} = \frac{1}{3} \sum_i \sum_j [U_{ij}(a_i^* a_j^*)(\vec{a}_i \cdot \vec{a}_j)]$$

\* Isotropic displacement parameter, *B*

<sup>†</sup> Population Parameter, 0.5

**Table A7.3.** Complete Distances and Angles for ZnTFPPBr<sub>8</sub>.

Distance(Å)		Distance(Å)	
Zn -N1	2.03(2)	C18 -F18	1.34(3)
Zn -N2	2.053(14)	C19 -C20	1.33(3)
Zn -N3	2.03(2)	C19 -F19	1.33(3)
Zn -O a	2.158	C20 -C21	1.32(3)
Zn -Cl2 <sub>o</sub>	3.167	C20 -F20	1.40(3)
Br1 -C1	1.853(17)	C21 -C22	1.41(4)
Br2 -C5	1.891(19)	C21 -F21	1.33(3)
Br3 -C6	1.90(2)	C22 -F22	1.31(3)
Br4 -C10	1.854(15)	C a -Cl1a	1.775
N1 -C2	1.39(3)	C a -Cl2a	1.663
N2 -C4	1.35(2)	C a -Cl3a	1.710
N2 -C7	1.38(2)	C b -Cl1b	1.715
N3 -C9	1.37(3)	C b -Cl2b	1.613
C1 -C1	1.35(2)	C b -Cl3b	1.664
C1 -C2	1.45(3)	O a -C1a	1.227
C2 -C3	1.42(3)	C1a -C2a	1.504
C3 -C4	1.37(3)	C1a -C3a	1.500
C3 -C11	1.49(3)	O b -C1b	1.205
C4 -C5	1.46(3)	C1b -C2b	1.431
C5 -C6	1.35(3)	C1o -C2o	1.380
C6 -C7	1.41(3)	C1o -C6o	1.380
C7 -C8	1.38(3)	C1o -Cl1o	1.680
C8 -C9	1.39(3)	C2o -C3o	1.380
C8 -C17	1.48(3)	C2o -Cl2o	1.669
C9 -C10	1.48(2)	C3o -C4o	1.380
C10 -C10	1.35(2)	C4o -C5o	1.380
C11 -C12	1.30(3)	C5o -C6o	1.380
C11 -C16	1.38(3)		
C12 -C13	1.40(3)		
C12 -F12	1.34(2)		
C13 -C14	1.41(3)		
C13 -F13	1.28(3)		
C14 -C15	1.32(3)		
C14 -F14	1.37(2)		
C15 -C16	1.39(3)		
C15 -F15	1.32(3)		
C16 -F16	1.36(2)		
C17 -C18	1.36(3)		
C17 -C22	1.33(3)		
C18 -C19	1.37(3)		

Angle(°)				Angle(°)			
N1	-Zn	-N2	89.4(7)	C10	-C10	-C9	107.9(14)
N1	-Zn	-N3	164.8(8)	C12	-C11	-C3	125.2(18)
N2	-Zn	-N3	89.8(7)	C16	-C11	-C3	121.4(17)
N2	-Zn	-N2'	174.1(6)	C16	-C11	-C12	113.3(18)
C2	-N1	-C2	106.3(17)	C13	-C12	-C11	128.0(20)
C7	-N2	-C4	109.1(15)	F12	-C12	-C11	119.2(18)
C9	-N3	-C9	110.8(17)	F12	-C12	-C13	112.7(18)
C1	-C1	-Br1	123.4(13)	C14	-C13	-C12	113.3(19)
C2	-C1	-Br1	128.4(13)	F13	-C13	-C12	125.9(20)
C2	-C1	-C1	107.6(15)	F13	-C13	-C14	120.8(19)
C1	-C2	-N1	109.1(16)	C15	-C14	-C13	123.9(19)
C3	-C2	-N1	121.4(17)	F14	-C14	-C13	117.3(17)
C1	-C2	-N1	109.1(16)	F14	-C14	-C15	118.8(18)
C3	-C2	-N1	121.4(17)	C16	-C15	-C14	115.7(19)
C3	-C2	-C1	129.3(16)	F15	-C15	-C14	121.3(19)
C4	-C3	-C2	125.2(17)	F15	-C15	-C16	123.0(19)
C11	-C3	-C2	114.0(16)	C15	-C16	-C11	125.7(19)
C11	-C3	-C4	120.6(17)	F16	-C16	-C11	120.3(17)
C3	-C4	-N2	125.2(17)	F16	-C16	-C15	113.9(17)
C5	-C4	-N2	107.7(16)	C18	-C17	-C8	121.9(18)
C5	-C4	-C3	127.1(18)	C22	-C17	-C8	119.4(19)
C4	-C5	-Br2	128.6(14)	C22	-C17	-C18	118.6(20)
C6	-C5	-Br2	125.5(15)	C19	-C18	-C17	121.8(22)
C6	-C5	-C4	105.8(17)	F18	-C18	-C17	119.4(20)
C5	-C6	-Br3	119.4(15)	F18	-C18	-C19	118.7(21)
C7	-C6	-Br3	130.4(15)	C20	-C19	-C18	117.2(22)
C7	-C6	-C5	109.6(17)	F19	-C19	-C18	119.3(21)
C6	-C7	-N2	107.1(15)	F19	-C19	-C20	123.4(21)
C8	-C7	-N2	124.6(16)	C21	-C20	-C19	123.9(22)
C8	-C7	-C6	127.9(17)	F20	-C20	-C19	116.4(20)
C9	-C8	-C7	122.9(17)	F20	-C20	-C21	119.6(20)
C17	-C8	-C7	116.9(16)	C22	-C21	-C20	117.7(23)
C17	-C8	-C9	119.9(16)	F21	-C21	-C20	120.6(22)
C8	-C9	-N3	127.1(17)	F21	-C21	-C22	121.7(22)
C10	-C9	-N3	106.5(15)	C21	-C22	-C17	120.7(22)
C8	-C9	-N3	127.1(17)	F22	-C22	-C17	123.8(21)
C10	-C9	-N3	106.5(15)	F22	-C22	-C21	115.4(21)
C10	-C9	-C8	126.3(16)	Cl2a	-C a	-Cl1a	113.9
C9	-C10	-Br4	128.8(12)	Cl3a	-C a	-Cl1a	109.8
C10	-C10	-Br4	123.2(12)	Cl3a	-C a	-Cl2a	106.2

C12b -C b -Cl1b	114.4
Cl3b -C b -Cl1b	106.8
Cl3b -C b -Cl2b	110.6
C2a -C1a -O a	123.5
C3a -C1a -O a	122.9
C3a -C1a -C2a	113.6
C2b -C1b -O b	119.9
C2b -C1b -C2b	119.9
C6o -C1o -C2o	120.0
Cl1o -C1o -C2o	119.3
Cl1o -C1o -C6o	120.7
C3o -C2o -C1o	120.0
Cl2o -C2o -C1o	118.2
Cl2o -C2o -C3o	121.8
C4o -C3o -C2o	120.0
C5o -C4o -C3o	120.0
C6o -C5o -C4o	120.0
C5o -C6o -C1o	120.0

**Table A7.4.** Observed and Calculated Structure Factors for ZnTFPPBr<sub>8</sub>. The columns contain, in order,  $\ell$ ,  $10F_{obs}$ ,  $10F_{calc}$  and  $10\left(\frac{F_{obs}^2 - F_{calc}^2}{\sigma F_{obs}^2}\right)$ . A minus sign preceding  $F_{obs}$  indicates that  $F_{obs}^2$  is negative.

Tetra(pentafluorophenyl)octabromoporphinato Zinc(II)												Page	1	
0	0	1	27	446	356	6	15	1354	1363	-2	11	489	454	3
2	1577	1318	105				16	463	371	10	12	394	182	14
4	274	372	-15				17	-148	8	-3	13	859	683	26
6	237	204	2				18	-134	91	-3	14	850	755	14
8	2550	2498	13				19	173	91	2	15	493	625	-15
10	266	60	11				20	943	1117	-33	16	1401	1290	21
12	1143	1204	-14				21	-199	10	-4	17	425	527	-9
14	1439	1416	5				22	941	885	8	18	-165	272	-10
16	2681	2717	-7				23	252	203	2	19	633	537	10
18	1302	1325	-4				24	558	577	-1	20	419	468	-4
20	-156	37	-2				25	-283	223	-12				
22	1987	1972	2								9	0	1	
24	1979	1878	16				6	0	1		1	540	443	11
26	-153	221	-5				0	3872	3959	-20	2	423	584	-19
28	186	17	2				1	1878	1842	10	3	171	88	2
							2	330	45	19	4	-292	76	-12
							3	1144	1288	-43	5	929	904	4
							4	1419	1369	14	6	796	630	24
							5	2483	2395	24	7	407	76	18
							6	498	235	31	8	162	159	0
							7	1914	1819	26	9	198	335	-8
							8	1096	995	24	10	499	264	19
							9	2685	2554	34	11	1323	1178	28
							10	1219	1333	-30	12	1404	1368	7
							11	636	668	-5	13	168	188	0
							12	811	953	-30	14	522	309	17
							13	400	321	8	15	55	244	-5
							14	374	554	-22	16	674	628	5
							15	-302	226	-20	17	450	113	17
							16	922	943	-4				
							17	1128	1108	4	10	0	1	
							18	498	388	10	0	-180	115	-5
							19	1509	1535	-5	1	626	356	27
							20	623	708	-11	2	715	673	5
							21	630	572	6	3	257	76	6
							22	1300	1231	12	4	489	495	0
							23	-208	146	-6	5	288	61	8
							24	-329	273	-17	6	305	92	9
											7	220	271	-2
							7	0	1		8	-66	223	-5
							1	2158	2244	-24	9	936	1075	-23
							2	1107	1142	-9	10	165	26	2
							3	-80	36	-1	11	287	309	-1
							4	1220	1289	-18	12	-341	90	-12
							5	640	617	4	13	415	462	-3
							6	556	362	25	14	668	609	6
							7	1546	1459	22				
							8	1408	1604	-54	11	0	1	
							9	512	16	35	1	367	286	5
							10	1219	1145	17	2	509	205	20
							11	844	1021	-37	3	422	163	14
							12	-331	155	-19	4	-258	29	-6
							13	-258	204	-14	5	517	605	-9
							14	-82	345	-16	6	364	340	1
							15	265	247	1	7	100	419	-16
							16	833	826	1	8	658	577	8
							17	1155	1073	15				
							18	731	779	-6	0	1	1	
							19	476	353	10	1	249	616	-96
							20	484	642	-17	3	628	693	-20
							21	316	168	6	5	2651	2917	-80
							22	585	572	1	7	1250	1246	1
											9	506	503	0
							8	0	1		11	1538	1654	-30
							0	1857	1825	8	13	634	725	-15
							1	469	438	3	15	1007	1063	-10
							2	998	943	11	17	1147	1257	-21
							3	909	789	23	19	1925	1916	1
							4	855	707	26	21	1479	1367	18
							5	169	104	2	23	253	427	-9
							6	611	662	-8	25	489	371	7
							7	565	698	-20	27	808	748	5
							8	166	509	-31				
							9	595	733	-21				
							10	911	984	-14	1	1	1	



## Tetra(pentafluorophenyl)octabromoporphinato Zinc(II)

Page 2

2	642	416	78	18	541	543	0	7	369	61	22	9	200	205	0
3	954	1087	-67	19	-13	252	-8	8	641	420	34	10	362	520	-15
4	1679	1581	42	20	552	500	6	9	840	765	15	11	470	144	21
5	543	403	34	21	456	366	8	10	510	341	21	12	-299	280	-18
6	1514	1305	81	22	85	112	0	11	885	941	-12	13	477	402	6
7	161	284	-14	23	437	319	9	12	991	997	-1	14	-261	33	-7
8	3138	3339	-62	24	401	265	9	13	312	170	9	15	337	534	-17
9	171	335	-21	25	1297	1281	3	14	248	157	5	16	275	152	5
10	21	7	0	26	301	119	7	15	707	683	3	17	551	474	7
11	3260	3220	11	27	668	454	20	16	1031	973	11				
12	199	284	-8					17	1128	1077	10	10	1	1	
13	-250	47	-13	4	1	1		18	456	355	9				
14	592	463	23					19	565	368	19	0	201	192	0
15	780	836	-13	0	576	468	24	20	288	219	3	1	209	226	0
16	2098	2059	11	1	368	288	12	21	252	418	-11	2	216	158	2
17	213	278	-5	2	1411	1398	4	22	-115	98	-2	3	570	537	3
18	386	332	5	3	4167	4093	17	23	586	606	-2	4	531	545	-1
19	403	224	15	4	2112	1874	76	24	709	506	21	5	225	184	1
20	575	557	2	5	1368	1409	-14					6	372	441	-5
21	940	982	-8	6	225	450	-34	7	1	1		7	340	411	-5
22	777	791	-2	7	929	876	15					8	341	15	11
23	445	521	-8	8	774	735	9	1	873	977	-25	9	413	446	-2
24	187	185	0	9	125	166	-2	2	826	782	9	10	-126	168	-4
25	311	365	-3	10	478	465	2	3	324	280	4	11	306	3	9
26	-132	176	-5	11	191	113	4	4	317	112	13	12	-221	38	-5
27	1114	1056	9	12	261	315	-5	5	521	468	7	13	-196	191	-7
				13	162	178	0	6	-179	171	-10	14	444	337	7
				14	1685	1700	-4	7	111	83	0				
	2	1	1	15	606	563	7	8	342	350	0	11	1	1	
				16	491	446	5	9	321	298	2				
0	4290	4056	57	17	556	452	13	10	417	242	15	1	439	351	6
1	1955	1923	13	18	522	394	14	11	1190	1259	-16	2	507	159	21
2	1921	1956	-14	19	1809	1769	9	12	861	817	8	3	356	70	11
3	920	900	7	20	220	138	3	13	371	287	7	4	280	181	4
4	425	485	-14	21	285	366	-6	14	-346	65	-16	5	337	84	10
5	1907	1955	-19	22	-337	276	-22	15	509	497	1	6	501	307	14
6	768	835	-22	23	535	412	11	16	358	36	14	7	-254	202	-10
7	1231	1091	49	24	220	309	-4	17	-356	157	-17	8	286	161	5
8	1930	1962	-11	25	359	277	5	18	-184	55	-4				
9	1826	1758	23	26	18	114	-1	19	-144	213	-7	0	2	1	
10	1669	1540	42					20	521	711	-22				
11	-351	61	-30		5	1	1	21	-379	72	-15	2	466	605	-36
12	356	320	5					22	369	327	2	4	1007	1116	-36
13	321	258	7	1	1997	1981	5					6	568	487	14
14	1398	1382	4	2	664	751	-22	8	1	1		8	988	1029	-10
15	-174	27	-5	3	1130	1131	0					10	2684	2719	-8
16	1962	1941	6	4	801	812	-3	0	820	772	9	12	2879	2857	4
17	-100	329	-19	5	-114	108	-5	1	497	503	0	14	447	481	-3
18	-48	167	-4	6	746	902	-42	2	645	419	30	16	68	151	-2
19	1006	1020	-2	7	788	955	-45	3	414	184	18	18	733	671	8
20	-188	147	-8	8	2275	2173	29	4	369	328	3	20	527	356	13
21	565	589	-3	9	853	765	20	5	484	549	-8	22	1002	953	6
22	1243	1257	-3	10	-30	314	-17	6	281	81	9	24	477	642	-13
23	-306	29	-11	11	1282	1232	13	7	323	350	-2	26	1336	1178	20
24	1283	1172	21	12	-159	30	-4	8	-173	116	-5				
25	399	20	16	13	747	655	17	9	1255	1361	-25	1	2	1	
26	389	359	2	14	737	740	0	10	765	701	10				
27	216	147	2	15	320	354	-3	11	344	20	14	1	2347	2694	-150
				16	1185	1189	-1	12	400	441	-3	2	252	466	-52
	3	1	1	17	1265	1285	-4	13	542	665	-16	3	972	1097	-58
				18	480	378	10	14	867	724	21	4	714	731	-5
1	3267	3256	3	19	204	120	3	15	137	166	0	5	-174	184	-18
2	452	75	49	20	316	392	-6	16	428	443	-1	6	2107	2157	-19
3	4154	4078	18	21	424	71	18	17	347	23	12	7	205	135	6
4	1958	1761	69	22	432	583	-15	18	-367	22	-14	8	2523	2603	-27
5	685	689	-1	23	621	500	12	19	-415	54	-18	9	1137	1144	-2
6	1874	1744	45	24	417	133	15	20	-312	155	-11	10	2131	2108	7
7	-243	2	-15	25	303	104	7					11	1107	1030	23
8	1093	996	30					9	1	1		12	456	380	12
9	504	490	2		6	1	1					13	1078	1125	-13
10	-81	338	-27					1	154	60	2	14	-378	72	-30
11	1048	1191	-44	0	232	65	9	2	439	474	-3	15	1269	1261	2
12	584	478	19	1	445	288	20	3	355	462	-10	16	556	472	13
13	2248	2281	-9	2	78	211	-7	4	315	106	10	17	778	874	-21
14	362	267	10	3	-279	36	-15	5	277	166	6	18	1102	1195	-23
15	875	936	-14	4	813	789	5	6	443	208	17	19	391	372	2
16	887	974	-20	5	1387	1464	-23	7	415	410	0	20	-105	270	-11
17	154	92	2	6	507	517	-1	8	592	589	0	21	574	451	15

22	753	842	-15	9	140	209	-4	3	804	741	12	11	148	408	-14
23	173	184	0	10	1405	1333	21	4	368	119	18	12	313	72	8
24	549	588	-4	11	821	874	-13	5	558	540	2	13	169	256	-3
25	1479	1373	21	12	894	908	-3	6	1825	1714	29				
26	179	339	-8	13	1000	1077	-19	7	437	365	8		11	2	1
27	143	331	-8	14	1804	1816	-3	8	1066	929	29				
	2	2	1	15	270	146	8	9	111	280	-9	1	317	191	6
0	2829	2878	-16	16	948	966	-3	10	765	774	-1	2	168	265	-4
1	1564	1402	65	17	831	857	-5	11	-104	401	-24	3	223	197	1
2	1319	1299	8	18	1019	982	7	12	83	110	0	4	589	599	-1
3	726	363	92	19	-288	59	-11	13	-236	197	-12	5	399	295	6
4	268	87	17	20	-514	45	-36	14	-174	365	-21	6	336	267	3
5	3206	3046	46	21	347	394	-3	15	856	945	-16	7	191	133	1
6	1483	1304	64	22	292	16	9	16	283	390	-8	8	307	13	8
7	4020	4047	-6	23	311	390	-5	17	-359	63	-15				
8	895	787	32	24	-425	63	-20	18	578	484	10	0	3	1	
9	3263	3352	-25	25	-180	300	-12	19	315	385	-5				
10	-98	303	-23	26	847	815	4	20	-107	241	-7	1	410	495	-17
11	998	970	8					21	177	100	2	3	2328	2396	-20
12	985	1024	-11	5	2	1		22	130	325	-8	5	1145	1339	-61
13	300	406	-14									7	2430	2360	18
14	2000	1883	33	1	590	578	2	8	2	1		9	1321	1305	4
15	875	869	1	2	730	723	1					11	82	74	0
16	420	230	19	3	641	702	-14	0	434	418	1	13	978	732	42
17	1835	1813	5	4	500	438	-6	1	-258	92	-11	15	876	789	14
18	121	157	-1	5	400	152	41	2	444	464	-2	17	2285	2236	9
19	397	362	3	6	585	430	27	3	518	377	16	19	2127	2221	-18
20	254	403	-13	7	498	389	16	4	643	670	-4	21	749	764	-1
21	744	737	1	8	766	831	-15	5	821	697	21	23	84	124	0
22	361	432	-6	9	1111	1109	0	6	346	325	1	25	608	345	17
23	573	647	-9	10	509	570	-10	7	-107	318	-15	27	67	57	0
24	714	720	0	11	1233	1224	2	8	458	485	-3				
25	347	123	10	12	196	163	1	9	-137	117	-4	1	3	1	
26	209	29	4	13	797	871	-15	10	990	927	12				
27	417	481	-5	14	1036	1046	-2	11	414	387	2	1	1253	1580	-161
	3	2	1												

Tetra(pentafluorophenyl)octabromoporphinato Zinc(II)

Page 4

Tetra(pentafluorophenyl)octabromoporphinato Zinc(II)

Page 5

## Tetra(pentafluorophenyl)octabromoporphinato Zinc(II)

Page 6

18	369	381	-1	15	636	605	3	16	916	761	21	11	-268	23	-13	
19	741	771	-4	16	741	604	17	18	-180	318	-13	12	391	332	6	
20	591	521	8	17	346	330	1	20	288	268	0	13	448	475	-3	
21	1084	1098	-2	18	646	683	-4	22	1272	1261	1	14	183	406	-20	
22	135	314	-8	19	196	75	3	24	1375	1354	2	15	378	614	-33	
23	624	598	2	20	293	436	-10	26	539	482	3	16	1460	1417	10	
24	551	395	13									17	282	169	6	
25	629	422	19		8	5	1		1	6	1	18	-311	64	-13	
	5	5	1		0	818	718	17	1	2136	2030	35	19	-215	69	-6
1	1839	1787	15		1	784	772	2	2	657	733	-21	20	599	757	-22
2	1763	1688	22		2	276	148	7	3	1148	1234	-30	21	-401	25	-19
3	2254	2208	13		3	-138	8	-2	4	896	905	-2	22	982	921	10
4	453	489	-5		4	336	163	11	5	242	264	-2	23	-360	246	-20
5	492	447	6		5	552	202	31	6	533	485	9	24	-76	26	0
6	1672	1703	-9		6	1089	1151	-13	7	1219	1158	19	25	158	132	0
7	331	415	-10		7	1406	1356	11	8	1843	1964	-40		4	6	1
8	160	399	-22		8	448	472	-2	9	415	267	19				
9	951	932	4		9	471	478	0	10	1454	1377	22	0	3590	3534	14
10	1423	1475	-14		10	768	755	2	11	2636	2619	4	1	1222	1171	15
11	692	640	9		11	721	734	-1	12	-264	77	-14	2	675	575	20
12	296	398	-10		12	459	413	4	13	1615	1553	17	3	145	50	3
13	297	226	5		13	371	321	3	14	1251	1320	-18	4	644	660	-3
14	388	60	19		14	591	719	-16	15	308	350	-4	5	1088	1096	-2
15	2053	1997	14		15	141	91	1	16	1003	967	8	6	253	218	3
16	1082	1080	0		16	578	537	4	17	846	763	15	7	290	383	-11
17	352	224	9		17	-60	107	-1	18	1849	1723	30	8	564	512	8
18	988	972	2		18	-272	129	-9	19	642	544	13	9	1122	1126	-1
19	-249	84	-8			9	5	1	20	458	568	-13	10	1651	1658	-2
20	974	1050	-13						21	779	789	-1	11	1351	1347	1
21	607	594	1		1	486	339	13	22	194	86	3	12	-361	117	-24
22	910	833	11		2	-119	268	-10	23	-323	111	-13	13	335	224	9
23	476	578	-10		3	1120	1089	5	24	434	212	14	14	298	330	-2
24	-329	62	-11		4	483	299	15	25	580	617	-4	15	432	241	17
	6	5	1		5	270	111	6	26	-325	43	-10	16	826	906	-15
0	1670	1630	11		6	-151	228	-8		2	6	1	17	532	583	-6
1	342	68	18		7	399	150	14					18	343	484	-14
2	2595	2657	-17		8	416	190	14	0	4126	3915	49	19	1419	1337	17
3	574	519	9		9	580	552	3	1	984	976	2	20	239	412	-12
4	794	837	-9		10	817	689	17	2	335	247	11	21	-475	121	-27
5	1493	1441	14		11	441	504	-5	3	1851	1786	21	22	879	864	2
6	521	421	13		12	515	430	7	4	69	186	-6	23	-107	297	-10
7	178	65	4		13	528	148	24	5	974	982	-2	24	316	293	1
8	468	521	-7		14	-79	87	-1	6	128	125	0		5	6	1
9	1616	1504	28		15	355	466	-8	7	1171	1095	23	1	1047	1016	8
10	1088	1101	-3			10	5	1	8	252	295	-4	2	1109	1088	5
11	1101	1144	-9						9	655	614	8	3	1028	1057	-7
12	-100	115	-3		0	1178	963	36	10	307	383	-9	4	546	411	20
13	629	790	-27		1	810	497	37	11	473	368	14	5	527	468	9
14	858	700	26		2	647	524	13	12	258	478	-27	6	179	89	4
15	-305	191	-16		3	-190	28	-3	13	534	556	-3	7	-137	12	-3
16	252	295	-2		4	500	322	14	14	-12	141	-3	8	1091	1088	0
17	420	48	19		5	586	393	18	15	138	239	-5	9	527	489	5
18	1123	1174	-9		6	292	51	8	16	469	516	-6	10	1574	1591	-4
19	1375	1322	10		7	-298	42	-9	17	821	856	-6	11	2113	2065	12
20	590	623	-3		8	594	292	24	18	378	372	0	12	832	918	-17
21	-343	173	-15		9	-197	40	-4	19	1122	1184	-13	13	1496	1460	8
22	137	330	-8		10	-79	294	-9	20	-156	44	-3	14	417	112	20
	7	5	1		11	716	630	9	21	1124	1251	-26	15	-252	136	-11
1	1310	1118	44						22	606	593	1	16	194	294	-6
2	777	880	-21		1	470	220	15	23	-390	10	-17	17	180	330	-9
3	1025	946	17		2	651	264	30	24	-213	103	-5	18	373	67	15
4	594	482	16		3	-57	72	0	25	308	87	8	19	306	347	-2
5	206	198	0			0	6	1	26	251	319	-3	20	570	506	6
6	-109	6	-1							3	6	1	21	661	638	2
7	617	538	11						1	894	859	9	22	102	217	-3
8	1136	1086	10						2	964	930	10	23	-434	0	-19
9	1238	1194	9						3	410	327	12		6	6	1
10	1413	1386	6						4	417	540	-24	0	894	806	18
11	325	84	12						5	-110	109	-5	1	376	323	5
12	255	488	-21						6	1085	1128	-12	2	796	724	14
13	981	918	11						7	807	602	45	3	560	478	12
14	626	574	6						8	1805	1761	13	4	739	702	7
									9	599	797	-45	5	581	514	10
									10	1068	1105	-9				

## Tetra(pentafluorophenyl)octabromoporphinato Zinc(II)

Page 7

6	581	480	14					17	484	638	-21	13	-252	57	-9
7	694	690	0		10	6	1	18	519	653	-18	14	247	137	5
8	923	856	13					19	-291	120	-12	15	458	331	11
9	327	308	1	0	1007	970	5	20	156	141	0	16	785	796	-1
10	459	412	5	1	852	466	19	21	134	372	-13	17	847	896	-8
11	392	62	19	2	292	183	5	22	554	502	5	18	361	301	4
12	262	393	-11	3	-252	288	-15	23	639	687	-6	19	403	138	14
13	219	359	-10	4	338	104	10	24	1211	1208	0	20	-344	121	-14
14	968	1075	-21	5	-160	150	-4	25	264	52	6	21	577	480	9
15	272	245	1	6	186	419	-14					22	-453	53	-21
16	433	401	2	7	360	52	12		3	7	1				
17	-98	153	-3	8	9	66	0						6	7	1
18	155	467	-21	9	456	488	-2	1	135	64	2				
19	407	299	7	10	-89	100	-1	2	679	666	2	0	2451	2543	-24
20	-348	176	-16					3	639	646	-1	1	1029	1044	-3
21	-92	503	-25		0	7	1	4	-246	123	-15	2	731	697	6
22	413	374	2					5	1168	1176	-2	3	1554	1587	-8
				1	672	455	33	6	1521	1538	-5	4	865	813	10
	7	6	1	3	3990	3859	25	7	151	341	-17	5	109	130	0
				5	2251	2172	18	8	1739	1658	23	6	390	270	11
1	518	202	30	7	423	473	-6	9	415	298	13	7	526	419	13
2	317	297	1	9	2829	2781	10	10	373	328	5	8	794	736	10
3	691	684	1	11	1221	1152	13	11	3477	3466	2	9	478	498	-2
4	388	387	0	13	529	233	24	12	880	892	-2	10	809	815	-1
5	288	100	10	15	851	833	2	13	522	571	-7	11	412	324	8
6	339	2	15	17	1458	1416	7	14	-304	65	-15	12	384	267	9
7	561	660	-14	19	2490	2504	-2	15	628	589	5	13	673	502	22
8	1241	1091	32	21	421	716	-26	16	938	936	0	14	559	508	6
9	652	587	9	23	377	402	-1	17	340	54	14	15	147	73	1
10	587	519	8	25	553	476	5	18	921	922	0	16	984	1033	-8
11	1101	978	23					19	-275	19	-9	17	264	113	6
12	422	411	1	1	7	1		20	979	955	4	18	315	344	-1
13	137	128	0					21	522	457	6	19	465	489	-2
14	267	131	6	1	2669	2697	-8	22	249	43	6	20	117	149	0
15	785	781	0	2	-193	63	-9	23	241	470	-16	21	-195	151	-5
16	116	231	-4	3	2507	2501	1	24	141	193	-1				
17	511	526	-1	4	958	829	36					7	7	1	
18	627	594	3	5	353	503	-26	4	7	1		1	1637	1829	-51
19	343	261	4	6	1072	1101	-8					2	356	201	11
20	-71	106	-1	7	-296	147	-23	0	2372	2376	-1	3	932	1001	-14
				8	3041	3079	-10	1	787	799	-2	4	326	162	10
	8	6	1	9	1247	1199	13	2	-59	115	-3	5	818	865	-8
				10	901	982	-21	3	853	831	5	6	1152	1028	25
0	1076	1139	-13	11	1046	1089	-11	4	1211	1256	-12	7	195	27	4
1	-166	153	-6	12	-160	8	-4	5	2354	2409	-15	8	605	630	-3
2	911	876	6	13	1766	1798	-9	6	184	32	5	9	316	246	4
3	255	289	-2	14	777	754	4	7	1563	1477	23	10	699	542	21
4	504	541	-4	15	1492	1539	-12	8	-75	169	-5	11	712	616	13
5	816	730	14	16	1558	1503	13	9	1638	1644	-1	12	757	639	16
6	394	414	-1	17	901	936	-7	10	453	398	7	13	602	633	-3
7	405	82	18	18	370	528	-18	11	1741	1687	14	14	334	503	-15
8	-182	60	-4	19	-213	246	-13	12	763	706	10	15	397	544	-14
9	-434	1	-23	20	669	665	0	13	-19	92	-1	16	-245	262	-13
10	272	416	-11	21	186	52	3	14	251	442	-18	17	178	186	0
11	389	423	-3	22	223	267	-2	15	-334	85	-16	18	381	478	-7
12	175	196	0	23	138	41	1	16	481	547	-8	19	180	110	1
13	-287	11	-9	24	558	358	17	17	-269	285	-19				
14	-217	110	-6	25	510	382	10	18	-176	196	-8				
15	-288	219	-13					19	1721	1652	15	8	7	1	
16	220	58	4		2	7	1	20	510	596	-9				
17	228	106	3					21	462	495	-3	0	856	782	12
				0	5974	6050	-13	22	270	504	-18	1	499	272	20
	9	6	1	1	302	320	-2	23	284	478	-14	2	274	542	-26
				2	998	1032	-10					3	595	618	-3
1	408	160	15	3	130	91	1	5	7	1		4	765	716	7
2	-284	43	-9	4	662	588	16					5	402	257	10
3	417	231	13	5	1243	1153	27	1	528	576	-8	6	200	436	-17
4	395	349	3	6	-224	45	-11	2	491	430	8	7	461	479	-1
5	210	81	4	7	161	238	-6	3	-259	134	-15	8	-260	41	-8
6	-277	203	-13	8	1091	1074	4	4	287	157	9	9	951	719	35
7	370	120	12	9	556	467	14	5	662	646	3	10	418	163	15
8	322	367	-3	10	1370	1402	-9	6	1132	1141	-2	11	447	371	6
9	341	333	0	11	318	85	15	7	1392	1448	-15	12	197	170	1
10	396	327	5	12	280	281	0	8	2160	2178	-4	13	70	276	-7
11	130	199	-2	13	-112	22	-2	9	688	576	18	14	458	485	-2
12	535	568	-3	14	-145	111	-5	10	1063	1092	-6	15	68	351	-11
13	418	473	-4	15	812	868	-11	11	856	902	-9	16	343	296	2
14	263	9	6	16	2035	2030	1	12	597	516	11	17	562	578	-1

## Tetra(pentafluorophenyl)octabromoporphinato Zinc(II)

Page 8

9	7	1	4	263	123	10	1	762	750	2	9	329	313	1	
1	1265	1430	-35	5	1708	1756	-14	2	912	1019	-25	10	371	249	7
2	715	740	-3	6	257	1	12	3	489	336	18	11	538	181	25
3	403	401	0	7	1131	1205	-20	4	-90	184	-6	12	872	858	2
4	418	138	16	8	-222	171	-14	5	466	596	-20	13	123	244	-4
5	249	27	6	9	1226	1327	-28	6	247	336	-7	14	-118	185	-4
6	314	73	9	10	406	334	8	7	289	15	12	15	579	513	6
7	748	810	-9	11	710	779	-14	8	824	852	-5				
8	822	636	24	12	805	803	0	9	291	190	6	9	8	1	
9	200	100	3	13	-208	133	-9	10	606	678	-11	1	426	43	18
10	-173	257	-9	14	626	567	9	11	201	26	5	2	-307	83	-11
11	322	354	-2	15	235	254	-1	12	-239	188	-12	3	199	49	3
12	-54	197	-4	16	834	780	9	13	386	401	-1	4	457	438	1
13	156	182	0	17	833	855	-3	14	725	649	11	5	328	196	7
				18	-133	289	-12	15	235	338	-6	6	437	526	-8
				19	654	709	-7	16	343	527	-17	7	134	51	1
				20	248	68	6	17	527	496	3	8	693	467	23
				21	304	164	6	18	617	593	2	9	-178	72	-3
				22	328	334	0	19	157	263	-4	10	743	765	-2
				23	429	266	10	20	914	906	1	11	-473	4	-23
				24	467	586	-11	21	-112	267	-8	12	-359	250	-19
				3	8	1		6	8	1		10	8	1	
				1	1202	1201	0	0	1629	1542	22	0	514	67	24
				2	815	850	-8	1	802	676	22	1	-42	255	-6
				3	974	1016	-11	2	1326	1207	28	2	265	52	6
				4	1551	1562	-3	3	607	747	-24	3	200	270	-3
				5	63	216	-7	4	610	775	-29	4	275	37	7
				6	498	627	-23	5	436	475	-4	5	-214	32	-4
				7	707	704	0	6	278	189	5	6	425	474	-4
				8	1224	1126	25	7	703	670	5				
				9	166	259	-6	8	-281	38	-11				
				10	351	421	-8	9	640	655	-2	0	9	1	
				11	923	931	-1	10	-172	31	-4				
				12	-340	214	-25	11	217	312	-6	1	-245	57	-9
				13	305	201	7	12	980	1060	-15	3	913	1110	-40
				14	38	75	0	13	278	159	6	5	3482	3423	11
				15	196	414	-17	14	1012	1054	-7	7	1383	1361	4
				16	1399	1346	12	15	518	556	-4	9	1792	1858	-13
				17	870	880	-1	16	-338	112	-14	11	665	718	-7
				18	568	587	-2	17	563	414	14	13	-223	153	-7
				19	-319	235	-18	18	-191	216	-8	15	-249	26	-6
				20	534	495	4	19	697	630	8	17	680	700	-2
				21	145	278	-5	20	-171	58	-3	19	1039	1104	-8
				22	-141	389	-17					21	-317	38	-7
				23	-300	160	-11	7	8	1		23	621	629	0
				24	-321	9	-10								
								1	791	664	20	1	9	1	
								2	344	30	15	1	169	162	0
								3	221	147	3	2	226	341	-12
								4	220	85	5	3	-261	123	-16
								5	68	229	-6	4	284	440	-20
								6	384	464	-8	5	761	840	-18
								7	-432	88	-26	6	250	66	10
								8	712	660	7	7	-319	51	-19
								9	387	258	9	8	2270	2285	-4
								10	391	423	-2	9	1084	1178	-24
								11	460	457	0	10	603	692	-16
								12	-323	18	-12	11	1452	1410	11
								13	211	336	-7	12	-206	104	-8
								14	676	660	1	13	884	843	8
								15	-202	293	-13	14	-223	245	-15
								16	339	191	7	15	-195	162	-8
								17	789	643	18	16	913	872	7
								18	266	32	6	17	-153	2	-3
												18	556	663	-14
								8	8	1		19	283	129	7
								0	281	129	7	20	-61	40	0
								1	508	60	28	21	-381	100	-17
								2	64	21	0	22	-269	34	-7
								3	138	302	-8	23	516	597	-8
								4	283	65	8	24	232	240	0
								5	196	174	0				
								6	-97	6	-1	2	9	1	
								7	281	42	8	0	2098	2163	-19
								8	99	145	-1				

## Tetra(pentafluorophenyl)octabromoporphinato Zinc(II)

Page 9

1	313	450	-15	1	1348	1408	-15	12	-345	1	-12	18	-279	66	-9
2	252	246	0	2	407	278	12	13	-312	182	-13	19	2119	2060	12
3	1794	1840	-13	3	702	681	3	14	-252	60	-6	20	335	16	11
4	313	304	1	4	77	67	0					21	-397	100	-17
5	636	618	3	5	86	200	-4	9	9	1		22	336	445	-8
6	281	207	6	6	-327	85	-17								
7	-343	47	-21	7	574	521	7	1	259	230	1	3	10	1	
8	844	851	-1	8	1495	1539	-10	2	564	454	10				
9	994	1022	-6	9	466	282	17	3	-133	110	-3	1	1758	1686	19
10	786	775	2	10	-195	243	-13	4	265	46	6	2	-355	159	-26
11	-33	340	-18	11	300	218	5	5	419	137	15	3	636	741	-20
12	-73	265	-11	12	680	598	11	6	397	15	15	4	623	691	-12
13	-325	33	-16	13	1596	1820	-5	7	640	654	-1	5	-208	60	-7
14	142	344	-13	14	425	216	14	8	847	723	16	6	353	241	9
15	300	436	-12	15	464	493	-2	9	383	91	13	7	519	454	8
16	1339	1362	-5	16	-119	408	-20	10	360	91	11	8	3270	3394	-30
17	581	563	2	17	555	594	-4					9	390	288	9
18	392	508	-11	18	355	314	2	0	10	1		10	913	869	8
19	587	618	-3	19	273	47	7					11	1010	1084	-16
20	-222	66	-5	20	-38	15	0	0	4824	4646	28	12	118	273	-8
21	233	56	5					2	1348	1265	16	13	297	377	-6
22	-93	261	-7	6	9	1		4	1181	1285	-20	14	653	732	-12
23	-232	63	-5					6	-154	32	-3	15	363	282	6
				0	1220	1199	4	8	1378	1434	-10	16	802	819	-2
	3	9	1	1	263	260	0	10	-234	126	-7	17	754	748	0
				2	-124	310	-15	12	679	639	4	18	-176	17	-3
1	1213	1109	27	3	781	725	9	14	394	246	8	19	163	348	-9
2	362	378	-1	4	619	499	16	16	2793	2816	30	20	585	386	18
3	2563	2531	8	5	700	690	1	18	1047	1232	-26	21	-366	92	-14
4	497	444	7	6	-134	229	-9	20	164	45	1	22	426	401	1
5	384	459	-10	7	604	823	-36	22	426	480	-3				
6	360	365	0	8	358	421	-6					4	10	1	
7	61	15	0	9	-31	63	0	1	10	1					
8	1289	1309	-5	10	97	191	-3					0	1917	1885	8
9	392	366	2	11	209	384	-12	1	1657	1616	11	1	348	324	2
10	-78	109	-2	12	-128	202	-6	2	576	693	-23	2	-168	213	-11
11	1091	1014	17	13	-176	275	-12	3	1689	1729	-11	3	712	782	-13
12	505	660	-23	14	-414	174	-23	4	628	683	-10	4	504	611	-16
13	1559	1557	0	15	488	506	-1	5	420	531	-16	5	523	497	3
14	351	153	12	16	656	452	21	6	1370	1369	0	6	507	365	16
15	1367	1389	-4	17	481	179	19	7	213	379	-15	7	-314	100	-16
16	690	798	-17	18	-302	248	-15	8	2020	2016	0	8	1240	1266	-6
17	413	505	-9	19	307	122	7	9	285	72	11	9	685	750	-11
18	458	406	4					10	240	273	-2	10	958	963	-1
19	289	0	8	7	9	1		11	2174	2121	13	11	311	105	10
20	306	304	0					12	117	197	-3	12	1305	1215	19
21	174	21	3	1	448	170	20	13	1349	1315	8	13	-243	84	-8
22	343	123	9	2	127	205	-3	14	-273	36	-10	14	633	618	1
23	-264	9	-6	3	273	490	-20	15	845	627	33	15	650	457	21
				4	424	226	15	16	2307	2340	-7	16	904	904	0
	4	9	1	5	800	714	13	17	712	552	20	17	797	684	15
				6	559	526	3	18	1208	1126	15	18	-358	135	-15
0	1389	1355	9	7	58	301	-10	19	-349	27	-13	19	457	723	-30
1	322	150	13	8	176	162	0	20	811	774	5	20	77	273	-6
2	84	34	0	9	532	440	9	21	-367	181	-17	21	-210	80	-4
3	1739	1663	20	10	29	2	0	22	308	182	6				
4	822	875	-11	11	978	931	7	23	-316	186	-13				
5	-184	137	-8	12	-69	35	0					5	10	1	
6	-86	112	-3	13	566	647	-9								
7	144	359	-16	14	492	476	1	2	10	1		1	594	576	2
8	284	327	-3	15	-118	53	-1					2	146	358	-15
9	-224	115	-9	16	-81	83	-1	0	-280	125	-16	3	1222	1199	5
10	-278	80	-12	17	-70	98	-1	1	715	668	9	4	524	589	-9
11	408	336	7					2	1025	1105	-20	5	1060	1041	4
12	443	429	1					3	1680	1773	-26	6	1809	1799	2
13	-313	165	-17	8	9	1		4	817	857	-8	7	429	245	15
14	759	856	-16					5	3102	3084	4	8	1596	1607	-2
15	779	837	-9	0	629	664	-4	6	281	415	-14	9	188	240	-2
16	-37	146	-2	1	316	294	1	7	1215	1291	-19	10	1008	957	9
17	652	668	-2	2	214	47	4	8	340	500	-20	11	1519	1395	26
18	-278	304	-19	3	573	53	33	9	912	945	-7	12	1231	1090	27
19	1165	1254	-17	4	340	240	6	10	-95	51	-1	13	815	729	12
20	340	330	0	5	286	277	0	11	946	987	-8	14	-281	43	-9
21	194	13	3	6	517	385	12	12	827	759	12	15	-92	114	-2
22	266	399	-8	7	493	443	4	13	553	519	4	16	-113	314	-11
				8	-91	83	-1	14	1363	1340	5	17	335	559	-20
				9	747	774	-3	15	278	256	1	18	-202	86	-4
	5	9	1	10	389	253	8	16	381	548	-17	19	-346	118	-13
				11	491	705	-24	17	-104	26	-1				



## Tetra(pentafluorophenyl)octabromoporphinato Zinc(II)

Page 10

6	10	1	21	614	527	6	2	1231	1232	0	0	280	387	-7	
0	905	797	19		1	11	1	3	754	747	1	0	832	873	-6
1	-43	67	0					4	947	890	11	2	571	435	13
2	578	407	20	1	518	533	-2	5	326	380	-5	3	245	28	6
3	898	894	0	2	907	980	-17	6	624	588	5	4	301	308	0
4	664	707	-6	3	635	622	2	7	1317	1336	-4	5	172	0	3
5	445	503	-8	4	-75	182	-6	8	-157	212	-9	6	434	300	9
6	-200	123	-7	5	594	449	21	9	655	766	-18	7	-206	38	-4
7	783	760	3	6	2259	2133	32	10	392	625	-28	8	-401	179	-19
8	265	110	6	7	138	212	-3	11	660	421	27	9	899	476	47
9	1567	1481	18	8	1398	1438	-10	12	518	463	5	10	196	206	0
10	725	859	-21	9	-91	227	-8	13	326	178	8				
11	191	256	-3	10	220	206	0	14	607	477	14	9	11	1	
12	413	331	6	11	1516	1574	-14	15	294	122	7				
13	-333	147	-14	12	85	220	-5	16	238	97	4	1	211	180	1
14	397	447	-4	13	383	432	-5	17	438	136	17	2	338	31	10
15	899	898	0	14	-89	119	-2	18	417	277	9	3	175	356	-9
16	958	994	-5	15	1027	1016	2	19	908	1001	-14				
17	560	656	-10	16	751	752	0					0	12	1	
18	432	106	16	17	385	501	-10	5	11	1					
				18	435	443	0	1	1037	1073	-7	0	947	1002	-8
				19	388	115	13	2	712	702	1	2	2406	2466	-11
				20	262	374	-7	3	263	65	8	4	157	220	-2
				21	457	389	5	4	623	558	9	6	-272	312	-18
7	10	1						5	705	674	4	8	-359	83	-13
1	1174	1121	10					6	1368	1330	8	10	2515	2608	-17
2	360	343	1					7	473	442	3	12	1046	1062	-2
3	-233	159	-9	2	11	1		8	555	662	-14	14	1326	1305	3
4	223	433	-15					9	331	243	5	16	432	365	3
5	262	156	5	0	2881	2708	43	10	380	352	2	18	330	329	0
6	425	429	0	1	572	646	-12	11	538	384	15	20	-545	51	-22
7	701	652	6	2	1594	1735	-39	12	309	26	10				
8	886	766	18	3	144	268	-8	13	-459	49	-24	1	12	1	
9	198	241	-2	4	260	398	-13	14	585	536	5				
10	359	258	-6	5	320	181	10	15	174	287	-5	1	2191	2258	-18
11	405	466	-5	6	-53	42	0	16	414	330	6	2	584	511	10
12	317	297	1	7	607	758	-27	17	761	720	5	3	594	503	13
13	-175	171	-6	8	1065	1137	-16	18	721	708	1	4	379	501	-15
14	398	533	-11	9	1069	1138	-15					5	97	84	0
15	409	367	3	10	821	878	-10	6	11	1		6	1401	1430	-7
				11	-365	31	-18					7	-100	224	-8
				12	321	341	-1					8	835	805	5
				13	342	333	0					9	988	1071	-17
				14	1226	1262	-7	0	306	231	4	10	1450	1448	0
				15	457	293	13	1	434	210	16	11	720	667	8
				16	181	321	-7	2	502	596	-11	12	-349	132	-18
				17	-195	30	-4	3	176	111	2	13	934	894	6
				18	-327	9	-11	4	467	391	7	14	284	316	-2
				19	1139	1138	0	5	1190	1128	12	15	537	510	2
				20	-327	325	-21	6	380	289	6	16	-156	188	-6
				21	144	57	1	7	328	197	7	17	706	847	-20
								8	100	106	0	18	-227	274	-13
								9	616	651	-4	19	425	322	7
								10	292	192	5	20	203	385	-10
								11	-71	322	-11				
								12	229	140	3				
								13	426	346	6				
								14	-131	17	-1	2	12	1	
								15	333	385	-3				
								16	632	373	23	0	672	577	15
												1	839	826	2
												2	300	381	-7
												3	162	294	-8
												4	604	537	9
												5	328	348	-1
												6	-43	432	-26
												7	2218	2149	17
												8	659	538	16
												9	2210	2106	25
												10	-214	283	-16
												11	98	251	-6
												12	489	424	6
												13	170	135	1
												14	811	848	-5
												15	587	349	22
												16	-162	210	-7
												17	1488	1464	4
												18	-403	101	-18
												19	109	103	0
							</								

## Tetra(pentafluorophenyl)octabromoporphinato Zinc(II)


Page 11

20	-188	30	-3	11	451	130	18	12	430	348	6	11	463	476	-1
				12	693	622	8	13	159	170	0	12	-421	66	-18
	3	12	1	13	192	116	2	14	280	327	-3				
				14	-127	303	-10	15	474	99	21		7	13	1
1	1115	1197	-19					16	-453	179	-25				
2	1368	1321	10	7	12	1		17	238	208	1	1	502	260	17
3	659	704	-7					18	186	270	-3	2	-216	85	-5
4	1044	1014	6	1	441	224	14					3	415	28	16
5	237	406	-14	2	-80	206	-5	3	13	1		4	319	151	7
6	1137	1211	-16	3	944	890	8					5	-344	41	-12
7	288	89	9	4	207	75	3	1	347	16	15	6	294	288	0
8	690	642	7	5	221	267	-2	2	451	130	22	7	-136	127	-3
9	922	879	7	6	826	910	-12	3	458	543	-10	8	741	734	0
10	970	1147	-36	7	382	24	14	4	-227	175	-10				
11	312	54	10	8	200	368	-9	5	151	17	2	0	14	1	
12	-60	94	-1	9	315	230	4	6	311	320	0				
13	578	596	-2	10	786	777	1	7	82	189	-3	0	1930	1983	-9
14	-155	337	-15	11	380	347	2	8	817	714	15	2	1427	1378	7
15	801	829	-4					9	-302	96	-12	4	392	505	-8
16	-208	122	-6	8	12	1		10	293	498	-18	6	233	263	-1
17	-237	258	-12					11	282	88	7	8	510	344	10
18	1698	1651	9	0	740	631	13	12	-284	210	-14	10	628	743	-11
19	624	338	24	1	245	251	0	13	761	776	-2	12	-504	14	-20
				2	629	641	-1	14	238	221	0	14	1115	973	16
	4	12	1	3	-378	36	-14	15	314	142	7	16	563	516	3
0	1373	1233	30	4	412	568	-14	16	-176	226	-8				
1	178	160	0	5	519	428	7	17	162	221	-2	1	14	1	
2	2369	2257	27	6	230	59	4								
3	702	748	-7	7	-316	3	-9	4	13	1		1	1400	1434	-7
4	45	200	-4					0	844	844	0	2	476	613	-17
5	755	749	0	0	13	1		1	357	83	14	3	-446	3	-26
6	415	30	20	1	-303	9	-9	2	355	454	-9	4	736	646	13
7	242	6	7	3	805	798	0	3	302	397	-7	5	-240	115	-8
8	-247	40	-7	5	1053	986	9	4	-140	33	-2	6	-398	81	-20
9	1136	1044	17	7	1159	1258	-15	5	-146	47	-2	7	-357	14	-15
10	1393	1398	-1	9	570	653	-8	6	485	375	10	8	962	886	13
11	518	695	-22	11	-268	277	-12	7	1213	1187	5	9	580	493	7
12	237	407	-12	13	-346	235	-14	8	228	90	4	10	-229	223	-11
13	666	630	4	15	400	373	1	9	260	284	-1	11	-333	97	-13
14	1461	1464	0	17	932	934	0	10	-131	42	-2	12	78	43	0
15	-85	118	-2	19	544	188	16	11	533	474	5	13	-283	67	-9
16	642	653	-1					12	-151	69	-2	14	-292	139	-11
17	-100	5	-1	1	13	1		13	-208	40	-4	15	465	429	3
18	706	584	13					14	-151	336	-13	16	266	171	4
				1	1444	1395	11	15	93	82	0	17	519	443	6
	5	12	1	2	142	113	1	16	83	328	-9				
1	1603	1696	-22	3	1148	1108	8					2	14	1	
2	383	232	11	4	290	231	4	5	13	1		0	581	612	-4
3	1050	975	14	5	260	353	-7					1	541	554	-1
4	385	188	13	6	505	404	11	1	399	339	4	2	698	621	10
5	320	77	11	7	328	394	-5	2	-424	234	-28	3	320	161	8
6	-208	20	-5	8	-181	29	-4	3	-47	40	0	4	498	453	4
7	-215	27	-5	9	99	266	-7	4	96	164	-1	5	361	247	7
8	484	409	7	10	620	448	19	5	-298	85	-11	6	-181	178	-7
9	771	702	9	11	264	585	-31	6	-163	297	-12	7	801	782	2
10	1092	1170	-15	12	150	363	-12	7	431	25	19	8	-310	58	-11
11	286	206	4	13	475	422	5	8	226	71	4	9	604	686	-10
12	-281	98	-9	14	-194	209	-8	9	271	459	-14	10	519	522	0
13	610	371	22	15	415	473	-5	10	241	351	-6	11	363	272	6
14	578	473	10	16	-124	223	-6	11	522	397	10	12	709	800	-12
15	-306	237	-15	17	452	416	3	12	-123	124	-3	13	-223	114	-6
16	430	459	-2	18	492	538	-4	13	405	349	4	14	358	116	11
								14	-168	20	-2	15	-410	206	-21
	6	12	1	2	13	1						16	165	84	1
0	1273	1261	2	0	675	695	-3	6	13	1					
1	871	945	-12	1	430	195	18	0	394	609	-22	3	14	1	
2	304	248	3	2	825	964	-27	1	-313	1	-10	1	791	658	19
3	41	78	0	3	521	662	-20	2	-88	246	-7	2	-205	220	-10
4	298	173	6	4	76	239	-6	3	-156	182	-6	3	391	393	0
5	-339	68	-13	5	-246	74	-8	4	-241	171	-9	4	-244	81	-7
6	804	709	13	6	143	107	1	5	761	653	14	5	303	62	9
7	1182	1201	-3	7	385	266	9	6	-371	36	-15	6	687	664	3
8	238	241	0	8	125	45	1	7	62	356	-12	7	-355	50	-14
9	1069	883	29	9	425	147	18	8	-166	142	-4	8	530	269	21
10	545	614	-7	10	957	973	-2	9	-150	170	-5	9	393	465	-6
				11	328	136	9	10	477	429	4	10	1065	1030	6


## Tetra(pentafluorophenyl)octabromoporphinato Zinc(II)

Page 12

11	-246	299	-16	5	507	636	-10	2	244	374	-8	7	-238	512	-32
12	214	12	-4	7	1100	1203	-14	3	53	23	0	8	304	115	7
13	-239	286	-14	9	1914	1800	17	4	-430	0	-20	9	310	495	-14
14	-404	93	-17	11	697	648	4	5	467	218	16	10	534	379	12
15	603	534	6	13	-259	118	-5	6	186	369	-10	11	326	241	4
				15	-302	230	-9	7	1037	991	7				
	4	14	1					8	-179	278	-11		3	16	1
				1	15	1		9	640	518	12				
0	-356	3	-14					10	528	340	14	1	-222	163	-7
1	-302	130	-12	1	831	763	10	11	409	174	12	2	309	183	6
2	274	414	-10	2	716	689	3					3	224	440	-14
3	-207	53	-5	3	510	435	7		5	15	1	4	-183	81	-4
4	168	162	0	4	241	246	0					5	381	426	-3
5	-376	74	-16	5	188	310	-6	1	1177	1213	-6	6	947	819	18
6	270	101	6	6	1370	1285	16	2	629	634	0	7	501	278	16
7	422	517	-9	7	291	75	8	3	532	547	-1	8	891	837	7
8	-131	154	-4	8	416	315	7	4	238	334	-5	9	289	284	0
9	557	633	-8	9	1023	920	16	5	366	284	5				
10	606	757	-19	10	608	472	14	6	780	527	28		4	16	1
11	-333	215	-16	11	437	376	4	7	-250	263	-13	0	1532	1356	32
12	640	526	12	12	284	344	-3	8	153	207	-1	1	292	312	-1
13	-444	252	-27	13	1081	1155	-12					2	-308	75	-10
14	-153	406	-18	14	172	181	0		6	15	1	3	507	469	3
								0	450	387	4	4	429	48	17
	5	14	1		2	15	1	1	292	402	-7	5	633	620	1
1	1090	1027	10	0	-155	250	-9	2	574	518	5	6	172	211	-1
2	410	331	5	1	60	12	0	3	194	129	1	7	256	297	-2
3	-307	148	-12	2	1534	1507	5								
4	92	195	-3	3	375	39	15		0	16	1		0	17	1
5	360	368	0	4	557	545	1								
6	415	513	-9	5	260	402	-10	0	806	953	-16	1	250	355	-4
7	-273	145	-10	6	-425	119	-22	2	1335	1125	27	3	958	1013	-6
8	625	506	12	7	280	241	2	4	-293	71	-7	5	1125	1072	6
9	416	386	2	8	-343	66	-13	6	451	181	11	7	323	376	-2
10	749	582	19	9	242	452	-15	8	1036	937	11				
11	161	76	1	10	843	741	14	10	-204	316	-10		1	17	1
12	-342	149	-13	11	260	251	0	12	565	411	9				
				12	681	497	19					1	1307	1218	15
	6	14	1	13	195	179	0		1	16	1	2	321	76	9
0	480	596	-11	14	766	644	14					3	602	638	-4
1	344	60	11					1	276	219	2	4	-253	265	-13
2	38	232	-5		3	15	1	2	447	427	1	5	439	10	18
3	-55	23	0		1	1609	1647	3	1106	1189	-15	6	-161	304	-11
4	261	161	4		2	481	153	4	-331	194	-15	7	390	25	14
5	-244	321	-16		3	75	63	5	476	442	3				
6	386	246	8		4	-240	161	6	813	742	9		2	17	1
7	736	786	-6		5	88	225	7	-285	185	-12				
8	136	20	1		6	987	933	8	1176	1141	6	0	2014	1913	20
9	509	533	-2		7	483	217	9	557	392	14	1	309	35	9
					8	1005	1054	10	257	112	5	2	-216	104	-5
	7	14	1		9	426	293	11	675	737	-7	3	223	129	3
1	197	183	0		10	317	637					4	-403	210	-21
2	385	332	3		11	650	665	2	2	16	1	5	567	461	9
3	-320	233	-15		12	-320	70					6	230	74	4
					13	196	125		0	1051	1062				
	0	15	1					1	-226	8	-5		3	17	1
1	171	316	-5		4	15	1	2	517	357	13				
3	855	890	-4		0	834	758	3	1255	1207	8	1	110	71	0
					1	653	529	4	477	542	-6	2	24	206	-4
								5	1209	1261	-9	3	657	826	-21
								6	93	129	0				

**Appendix 8.** Resonance Raman Spectra of NiTFPP and NiTFPPBr<sub>8</sub>.

(solvent:  $I_{\text{total}}$  = CH<sub>2</sub>Cl<sub>2</sub>,  $I_{\text{polarized}}$  = CCl<sub>4</sub>; 442 nm excitation)



\* = Solvent

(solvent:  $I_{\text{total}} = \text{CH}_2\text{Cl}_2$ ,  $I_{\text{polarized}} = \text{CCl}_4$ ; 442 nm excitation)